



< Back to results | 1 of 1

[Download](#) [Print](#) [Save to PDF](#) [Save to list](#) [Create bibliography](#)

E3S Web of Conferences • Open Access • Volume 374 • 21 March 2023 • Article number 00037 • 3rd International Conference on Natural Resources and Life Sciences, NRSL 2020 • Virtual, Online • 23 September 2020 through 24 September 2020 • Code 187350

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)**Document type**

Conference Paper • Gold Open Access • Green Open Access

Source type

Conference Proceedings

ISSN

25550403

DOI

10.1051/e3sconf/202337400037

Publisher

EDP Sciences

Sponsors

CV. KARYA PUTRA PANDAWA • Faculty of Biotechnology • imz • RP Editage - Helping you get published

Original language

English

Volume Editors

Setyobudi R.H., Yaro A., Zekker I., Zahoor M., Turkadze T.

[View less](#)

Herbs as A Feed Additive in the Broilers for the Sustainability of Local Products

Widodo, Wahyu^a ; Sutanto, Adi^b; Dwi Rahayu, Imbang^c; Devi Anggraini, Apriliana^d; Handayani, Trisakti^e; Hendroko Setyobudi, Roy^c; Mel, Maizirwan^{f,g}; Ngoc Huu, Nguyen^h
[Save all to author list](#)

^a Nutrition Laboratory of University of Muhammadiyah Malang, Jl. Raya Tlogomas No. 246, East Java, Malang, 65144, Indonesia

^b Economic Laboratory of University of Muhammadiyah Malang, Indonesia

^c Health Laboratory of University of Muhammadiyah Malang, Indonesia

^d Feed Laboratory of University of Muhammadiyah Malang, Indonesia

[View additional affiliations](#)

Related documents

Curcuma xanthorrhiza Roxb. as Feed Additive on the Carcass and Fat Weight Percentage, Meat Nutrient, and Nutrient Digestibility of Super Kampung Chicken

Widodo, W. , Rahayu, I.D. , Sutanto, A. (2021) *Sarhad Journal of Agriculture*

The effect of Curcuma zedoaria on feed efficiency of Kampung Super chicken

Widodo, W. , Rahayu, I.D. , Sutanto, A. (2021) *IOP Conference Series: Earth and Environmental Science*

Optimization of the Process of Reducing the Bitterness of Bitter Melon with Response Surface Methodology

Rohajatien, U. , Estiasih, T. , Devi, M. (2023) *Jordan Journal of Biological Sciences*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors](#) > [Keywords](#) >

[View PDF](#) [Full text options](#) [Export](#)

Abstract

Author keywords

Reaxys Chemistry database information

Sustainable Development Goals 2023

SciVal Topics

Abstract

The purpose was to determine the comparison of giving herbal herbs through feed and drinking water to the productivities of broilers. The research took place in the Closed House Cage and Animal Science Laboratory, Faculty of Agriculture and Animal Science, University of Muhammadiyah Malang, East Java, Indonesia. The material was Day Old Chick (DOC) broilers by number 200 and herbs in feed and drinking water. The treatment of herbs was divided into two types as follows: Herbs in feed (TA) and herbs in drinking water (TB). Then, herbs in the feed and drinking water were divided into four treatments as follows: T0: Feed without herbs or 0 % (as control), T1: Feed with herbs 1 %, T2: Feed with herbs 2 %, and T3: Feed with herbs 3 %, with five replications. The herbs used are mixed with several medicinal plants. The variables were body weight gain, final body weight, daily feed consumption, and feed conversion ratio. The research data were analyzed by quantitative descriptive analysis. The conclusion was giving herbs through feed was better in final body weight, body weight gain, and feed conversion ratio. © The Authors, published by EDP Sciences, 2023.


Author keywords

Broilers final body weight; Environmentally friendly technology; Feed conversion; Increase productivity; Medicinal plant

Reaxys Chemistry database information

Substances

[View all substances \(1\)](#)



Powered by Reaxys®

Sustainable Development Goals 2023 New

SciVal Topics

Metrics

References (23)

[View in search results format >](#)

All

[Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 1 Oleforuh-Okoleh, V.U., Chukwu, G.C., Adeolu, A.I. (2014) *GJBB*, 3 (3), pp. 225-229. Cited 27 times.
<https://www.researchgate.net/profile/Vivian-Oleforuh-Okoleh-2/publication/271471089/Effect-of-ground-ginger-and-garlic-on-the-growth-performance-carcass-quality-and-economics-of-production-of-broiler-chickens/links/54c8b6020cf289f0ced0b9f5/Effect-of-ground-ginger-and-garlic-on-the-growth-performance-carcass-quality-and-economics-of-production-of-broiler-chickens.pdf>

- 2 Goodarzi, M., Nanekarani, S.
(2014) *IERI Procedia*, 8, pp. 107-112. Cited 14 times.
<https://doi.org/10.1016/j.ieri.2014.09.018>
-
- 3 Issa, K.J., Omar, J.M.A.
(2012) *Open J. Anim. Sci*, 2 (2), pp. 62-68. Cited 50 times.
<https://doi.org/10.4236/ojas.2012.22010>
-
- 4 Alifian, M.D., Nahrowi, E.D.
(2018) *Buletin Makanan Ternak [Animal Feed Bulletin]*, 6 (1), pp. 47-57.
[in Bahasa Indonesia]
<https://journal.ipb.ac.id/index.php/bulmater/issue/view/1985/86>
-
- 5 Rahayu, I.D., Widodo, W., Prihartini, I., Winaya, A.
Antibacterial activity of ethanolic extracts from Zingiber zerumbet rhizome against *Salmonella* spp.
(2019) *Biodiversitas*, 20 (11), pp. 3322-3327. Cited 2 times.
<http://biodiversitas.mipa.uns.ac.id/D/D2011/D201127.pdf>
doi: 10.13057/biodiv/d201127
- [View at Publisher](#)
-
- 6 Onyimonyi, A.E., Omeje, M.U.
(2013) *Afr. J. Biotechnol*, 12 (25), pp. 4039-4043. Cited 4 times.
<https://www.ajol.info/index.php/ajb/article/view/132280/121879>
-
- 7 Sahoo, S., Parida, R., Singh, S., Padhy, R.N., Nayak, S.
(2014) *J. Acute Dis*, 3 (2), pp. 124-130. Cited 21 times.
[https://doi.org/10.1016/S2221-6189\(14\)60028-7](https://doi.org/10.1016/S2221-6189(14)60028-7)
-
- 8 Widodo, W., Rahayu, I.D., Sutanto, A., Setyobudi, R.H., Mel, M.
The effectiveness of curcuma (*Curcuma xanthorrhiza roxb.*) addition in the feed toward super Kampong chicken performances
(2019) *Proceedings of the Pakistan Academy of Sciences: Part B*, 56 (4). Cited 6 times.
<http://www.paspk.org/proceedings/>
-
- 9 Ullah, H.M.A., Zaman, S., Juhara, F., Akter, L., Tareq, S.M., Masum, E.H., Bhattacharjee, R.
Evaluation of antinociceptive, in-vivo & in-vitro anti-inflammatory activity of ethanolic extract of *Curcuma zedoaria* rhizome
(2014) *BMC Complementary and Alternative Medicine*, 14 (1), art. no. 346. Cited 110 times.
<http://www.biomedcentral.com/1472-6882/14/346>
doi: 10.1186/1472-6882-14-346
- [View at Publisher](#)

- 10 Diaz-Sanchez, S., D'Souza, D., Biswas, D., Hanning, I.
Botanical alternatives to antibiotics for use in organic poultry production
(2015) *Poultry Science*, 94 (6), pp. 1419-1430. Cited 126 times.
<https://www.journals.elsevier.com/poultry-science/>
doi: 10.3382/ps/pev014

[View at Publisher](#)

- 11 Widodo, W., Rahayu, I.D., Sutanto, A., Anggraini, A.D., Sahara, H., Safitri, S., Yaro, A.
Curcuma xanthorrhiza Roxb. as Feed Additive on the Carcass and Fat Weight Percentage, Meat Nutrient, and Nutrient Digestibility of Super Kampong Chicken ([Open Access](#))
(2021) *Sarhad Journal of Agriculture*, 37 (SpecialIssue 1), pp. 41-47. Cited 4 times.
researcherslinks.com/journal/Sarhad-Journal-of-Agriculture/14
doi: 10.17582/journal.sja/2021/37.s1.41.47

[View at Publisher](#)

- 12 Suriya, R., Zulkifli, I., Alimon, A.R.
The effect of dietary inclusion of herbs as growth promoter in broiler chickens
(2012) *Journal of Animal and Veterinary Advances*, 11 (3), pp. 346-350. Cited 23 times.
<http://docsdrive.com/pdfs/medwelljournals/javaa/2012/346-350.pdf>
doi: 10.3923/javaa.2012.346.350

[View at Publisher](#)

- 13 Dai, D.N., Thang, T.D., Chau, L.T.M., Ogunwande, I.A.
(2017) *Am. J. Plant Sci*, 4 (1), pp. 7-10. Cited 26 times.
<https://doi.org/10.4236/ajps.2013.41002>
-

- 14 Artha, C., Mustika, A., Sulistyawati, S.W.
(2017) *eJKI*, 5 (2), pp. 105-109. Cited 7 times.
[in Bahasa Indonesia]
<https://media.neliti.com/media/publications/177784-singawalang-leaf-extract-effects-on-ldl-b33d5d51.pdf>
-

- 15 Rahayu, I.D., Widodo, W., Prihartini, I., Winaya, A., Zalizar, L., Untari, T., Mel, M.
The potential of extract of Zingiber zerumbet (L.) Smith as a feed additive to improve the production performances and meat nutritional composition of broiler chickens ([Open Access](#))
(2019) *IOP Conference Series: Earth and Environmental Science*, 293 (1), art. no. 012023. Cited 3 times.
<https://iopscience.iop.org/journal/1755-1315>
doi: 10.1088/1755-1315/293/1/012023

[View at Publisher](#)

- 16 Makabe, H., Maru, N., Kuwabara, A., Kamo, T., Hirota, M.
Anti-inflammatory sesquiterpenes from Curcuma zedoaria
([Open Access](#))
(2006) *Natural Product Research*, 20 (7), pp. 680-685. Cited 149 times.
doi: 10.1080/14786410500462900
[View at Publisher](#)
-
- 17 Daneshmand, A., Sadeghi, G.H., Karimi, A.
(2012) *Rev. Bras. Cienc. Avic.*, 14 (2), pp. 71-158. Cited 3 times.
<https://www.scielo.br/j/rbca/a/6jynBh5PrYzwFdyLkBb4Mmn/format=pdf&lang=en>
-
- 18 Fitro, R., Sudrajat, D., Dihansih, E.
(2017) *J. Peternak. Nusant.*, 1 (1), pp. 1-8. Cited 2 times.
[in Bahasa Indonesia]
<https://doi.org/10.30997/jpnu.v1i1.131>
-
- 19 Asmawati, A., Marianah, M., Atoum, M.F.M., Sari, D.A., Iqrar, I., Hussain, Z., Setyobudi, R.H., (...), Nurhayati, N.
The Potential of Cashew Apple Waste as a Slimming Agent
([Open Access](#))
(2022) *Jordan Journal of Biological Sciences*, 15 (5), pp. 887-892. Cited 3 times.
<http://jjbs.hu.edu.jo/>
doi: 10.54319/jjbs/150518
[View at Publisher](#)
-
- 20 Setyobudi, R.H., Zalizar, L., Wahono, S.K., Widodo, W., Wahyudi, A., Mel, M., Prabowo, B., (...), Zaebudin, A.
Prospect of Fe non-heme on coffee flour made from solid coffee waste: Mini review ([Open Access](#))
(2019) *IOP Conference Series: Earth and Environmental Science*, 293 (1), art. no. 012035. Cited 23 times.
<https://iopscience.iop.org/journal/1755-1315>
doi: 10.1088/1755-1315/293/1/012035
[View at Publisher](#)
-
- 21 Setyobudi, R.H., Atoum, M.F.M., Damat, D., Yandri, E., Nugroho, Y.A., Susanti, M.S., Wahono, S.K., (...), Mindarti, S.
Evaluation of Coffee Pulp Waste from Coffee Cultivation Areas in Indonesia as Iron Booster ([Open Access](#))
(2022) *Jordan Journal of Biological Sciences*, 15 (3), pp. 475-488. Cited 12 times.
<http://jjbs.hu.edu.jo/>
doi: 10.54319/jjbs/150318
[View at Publisher](#)
-

22 Liu, X.L., Xu, Y.J., Go, M.L.

Functionalized chalcones with basic functionalities have antibacterial activity against drug sensitive *Staphylococcus aureus* ([Open Access](#))

(2008) *European Journal of Medicinal Chemistry*, 43 (8), pp. 1681-1687. Cited 84 times.
doi: 10.1016/j.ejmech.2007.10.007

[View at Publisher](#)

23 Shang, Y., Regassa, A., Kim, J.H., Kim, W.K.

The effect of dietary fructooligosaccharide supplementation on growth performance, intestinal morphology, and immune responses in broiler chickens challenged with *Salmonella Enteritidis* lipopolysaccharides ([Open Access](#))

(2015) *Poultry Science*, 94 (12), pp. 2887-2897. Cited 58 times.
<https://www.journals.elsevier.com/poultry-science/>
doi: 10.3382/ps/pev275

[View at Publisher](#)

✉ Widodo, W.; Nutrition Laboratory of University of Muhammadiyah Malang, Jl. Raya Tlogomas No. 246, East Java, Malang, Indonesia; email:wahyu@umm.ac.id

© Copyright 2023 Elsevier B.V., All rights reserved.

[< Back to results](#) | 1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.

