

## Documents

Aabid, A.<sup>b</sup>, Hrairi, M.<sup>a</sup>, Ali, S.J.M.<sup>a</sup>, Ibrahim, Y.E.<sup>b</sup>

**Review of Piezoelectric Actuator Applications in Damaged Structures: Challenges and Opportunities**  
(2023) *ACS Omega*, 8 (3), pp. 2844-2860. Cited 12 times.

DOI: 10.1021/acsomega.2c06573

<sup>a</sup> Department of Mechanical and Aerospace Engineering, International Islamic University Malaysia, Kuala Lumpur, 50728, Malaysia

<sup>b</sup> Department of Engineering Management, College of Engineering, Prince Sultan University, Riyadh, 11586, Saudi Arabia

### Abstract

Piezoelectric material transducers can work as an actuator or sensor. Generally, the actuator will be used to repair the structure, and the sensor will be used to find the health condition. In the last two decades, piezoelectric actuators have shown the capacity to lower and control the shear stress concentration and joint edge peel in adhesively bonded joint systems. Hence, this paper aims at reviewing the application of piezoelectric actuators in damaged structures and adhesively bonded combined systems based on three different repair investigation methods: analytical, numerical, and experimental. Moreover, the study also explores the delamination control of composite material beams and some other studies using a piezoelectric actuator. The specific aim of this work is to determine scientific challenges and future opportunities for considering piezoelectric materials in damaged structure investigations for novice researchers. © 2022 American Chemical Society. All rights reserved.

### References

- Perez, N.  
(2004) *Fracture Mechanics*, 1.  
CRC Press: Taylor & Francis Group Location: Boca Raton, FL
- Song, G., Ma, N., Li, H.N.  
**Applications of shape memory alloys in civil structures**  
(2006) *Eng. Struct.*, 28 (9), pp. 1266-1274.
- Prasad, S.E., Waechter, D.F., Blacow, R.G., King, H.W., Yaman, Y.  
**Application of piezoelectrics to smart structures**  
(2005) *Eccomas Themat. Conf. Smart Struct. Mater.*, pp. 1-16.
- Lee, H.-J., Saravanos, D.A.  
**A mixed multi-field finite element formulation for thermopiezoelectric composite shells**  
(2000) *Int. J. Solids Struct.*, 37 (36), pp. 4949-4967.
- Park, G., Sohn, H., Farrar, C.R., Inman, D.J.  
**Overview of piezoelectric impedance-based health monitoring and path forward**  
(2003) *Shock Vib*, 35, pp. 451-464.
- Wang, Q., Quek, S.T.  
**Repair of delaminated beams via piezoelectric patches**  
(2004) *Smart Mater. Struct.*, 13 (5), pp. 1222-1229.
- Liu, T.J.C.  
**Crack repair performance of piezoelectric actuator estimated by slope continuity and fracture mechanics**  
(2008) *Eng. Fract. Mech.*, 75 (8), pp. 2566-2574.
- Iannucci, L., Dawood, M.S.I.S., Greenhalgh, E., Ariffin, A.K.  
(2009) *Delamination Control in Composite Beams Using Piezoelectric Actuators in ICCM*

*International Conferences on Composite Materials*, p. 10.  
Edinburgh

- Wang, Q., Wu, N.  
**A review on structural enhancement and repair using piezoelectric materials and shape memory alloys**  
(2012) *Smart Mater. Struct.*, 21 (1), p. 13001.
- Aabid, A., Parveez, B., Raheman, M.A., Ibrahim, Y.E., Anjum, A., Hrairi, M., Parveen, N., Zayan, M.J.  
**A review of piezoelectric materials based structural control and health monitoring techniques for engineering structures: challenges and opportunities**  
*Actuators*, 10 (5), p. 101.  
2021
- Aabid, A., Raheman, M.A., Ibrahim, Y.E., Anjum, A., Hrairi, M., Parveez, B., Parveen, N., Zayan, M.  
**A Systematic Review of Piezoelectric Materials and Energy Harvesters for Industrial Applications**  
(2021) *Sensors*, (21), pp. 1-28.
- Elahi, H.  
**The investigation on structural health monitoring of aerospace structures via piezoelectric aeroelastic energy harvesting**  
(2021) *Microsyst. Technol.*, (27), p. 2605.
- Abuzaid, A., Dawood, M.S., Hrairi, M.  
**Effects of Adhesive Bond on Active Repair of Aluminium Plate Using Piezoelectric Patch**  
(2015) *Appl. Mech. Mater.*, 799-800, pp. 788-793.
- Abuzaid, A., Dawood, S.M.S.I., Hrairi, M.  
**The effect of piezoelectric actuation on stress distribution in aluminum plate with circular hole**  
(2015) *ARPN J. Eng. Appl. Sci.*, 10 (21), pp. 9723-9729.
- Abuzaid, A., Hrairi, M., Dawood, M.S.I.  
**Survey of Active Structural Control and Repair Using Piezoelectric Patches**  
(2015) *Actuators*, 4 (2), pp. 77-98.
- Arnau, A., Soares, D.  
**Fundamentals of piezoelectricity**  
(2008) *Piezoelectric Transducers and Applications*, pp. 1-38.
- Nogas-Ćwikiel, E.  
**Fabrication of Mn Doped PZT for Ceramic-Polymer Composites**  
(2011) *Arch. Metall. Mater.*, 56 (4), pp. 2-6.
- Badr, B.M., Ali, W.G.  
**Applications of Piezoelectric Materials**  
(2011) *Adv. Mater. Res.*, 189-193, pp. 3612-3620.
- Holterman, J., Groen, P.  
(2013) *An Introduction to Piezoelectric Materials and Applications*,  
Stichting Applied Piezo: Netherlands
- Bafandeh, M.R., Gharakhani, R., Lee, J.S.  
**Dielectric and piezoelectric properties of sodium potassium niobate-based ceramics sintered in microwave furnace**  
(2015) *Mater. Chem. Phys.*, 156, pp. 254-260.

- Nijmeijer, A., Kruidhof, H., Hennings, D.  
**Synthesis and Properties of Lead Magnesium Niobate Zirconate**  
(1997) *J. Am. Ceram. Soc.*, 80, pp. 2717-2721.
- Lee, T., Lakes, R.S.  
**Damping properties of lead metaniobate**  
(2001) *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 48 (1), pp. 48-52.
- Wang, Q., Quek, S.T., Liew, K.M.  
**On the repair of a cracked beam with a piezoelectric patch**  
(2002) *Smart Mater. Struct.*, 11 (3), pp. 404-410.
- Hall, D.A.  
**Nonlinearity in piezoelectric ceramics**  
(2001) *J. Mater. Sci.*, 36 (19), pp. 4575-4601.
- Hudec, M.  
(2013) *Modeling and control of a piezoelectric actuator for active and adaptive optics*, Czech Technical University in Prague Faculty
- Lin, X.J., Zhou, K.C., Zhang, X.Y., Zhang, D.  
**Development, modeling and application of piezoelectric fiber composites**  
(2013) *Trans. Nonferrous Met. Soc. China*, 23 (1), pp. 98-107.  
English Ed
- Inoue, J.-I., Kanda, K., Fujita, T., Maenaka, K.  
**Thin-film piezoelectric bimorph actuators with increased thickness using double Pb[Zr, Ti]O<sub>3</sub> layers**  
(2015) *J. Micromechanics Microengineering*, 25 (5), p. 55001.
- Chee, C.Y.K., Tong, L., Steven, G.P.  
**A review on the modelling of piezoelectric sensors and actuators incorporated in intelligent structures**  
(1998) *J. Intell. Mater. Syst. Struct.*, 9 (1), pp. 3-19.
- Uchino, K.  
**The development of piezoelectric materials and the new perspective**  
(2010) *Advanced Piezoelectric Materials: Science and Technology*, pp. 1-85.  
2nd ed.; Uchino, K., Ed.; Woodhead Publishing
- Uchino, K.  
(2003) *Introduction to Piezoelectric Actuators and Transducers*, 16802.  
Penn State University University Park: PA
- Yoichi, M.  
**Applications of Piezoelectric Actuator**  
(2005) *Nec Technol. J.*, 1, pp. 82-86.
- Kwon, Y.W., Bang, H.  
(2000) *The Finite Element Method Using MATLAB*,  
2nd ed.; CRC Press: Taylor & Francis Group
- Meressi, T., Paden, B.  
**Buckling Control of a Flexible Beam Using Piezoelectric Actuators**  
(1993) *J. Guid. Control Dyn.*, 16 (10), pp. 977-980.
- Wang, Q.S.  
**Active buckling control of beams using piezoelectric actuators and strain gauge sensors**  
(2010) *Smart Mater. Struct.*, 19 (6), p. 65022.

- Barsoum, R.S.  
**Triangular Quarter Point Elements as Elastic and Perfectly Plastic Crack Tip Elements**  
(1977) *Int. j. Numer. Meth. Engng.*, 11 (1), p. 85.
- Dally, J.W., Sanford, R.J.  
**Strain-gage methods for measuring the opening-mode stress-intensity factor**  
(1987) *Kl. Exp. Mech.*, 27 (4), pp. 381-388.
- Gray, L.J., Phan, A.V., Paulino, G.H., Kaplan, T.  
**Improved quarter-point crack tip element**  
(2003) *Eng. Fract. Mech.*, 70 (2), pp. 269-283.
- Wang, Q., Quek, S.T.  
**Repair of cracked column under axially compressive load via piezoelectric patch**  
(2005) *Comput. Struct.*, 83 (15-16), pp. 1355-1363.
- Alaimo, A., Milazzo, A., Orlando, C.  
**Piezoelectric Patches for the Active Repair of Delaminated Structures**  
(2011) *J. Aerosp. Sci. Technol. Syst.*, 22 (18), pp. 2137-2146.
- Alaimo, A., Milazzo, A., Orlando, C.  
**Application of the 3-D boundary element method to delaminated composite structures**  
(2013) *Eng. Fract. Mech.*, 110, pp. 201-217.
- Alaimo, A., Milazzo, A., Orlando, C.  
**Numerical analysis of a piezoelectric structural health monitoring system for composite flange-skin delamination detection**  
(2013) *Compos. Struct.*, 100, pp. 343-355.
- Alaimo, A., Milazzo, A., Orlando, C., Messineo, A.  
**Numerical Analysis of Piezoelectric Active Repair in the Presence of Frictional Contact Conditions**  
(2013) *Sensors*, 13, pp. 4390-4403.
- Wang, L., Bai, R.X., Chen, H.  
**Analytical modeling of the interface crack between a piezoelectric actuator and an elastic substrate considering shear effects**  
(2013) *Int. J. Mech. Sci.*, 66, pp. 141-148.
- Isaksson, P., Häggglund, R.  
**Crack-tip fields in gradient enhanced elasticity**  
(2013) *Eng. Fract. Mech.*, 97 (1), pp. 186-192.
- Cheng, J., Taheri, F.  
**A novel smart adhesively bonded joint system**  
(2005) *Smart Mater. Struct.*, 14 (5), pp. 971-981.
- Cheng, J., Taheri, F., Han, H.  
**Strength improvement of a smart adhesive bonded joint system by partially integrated piezoelectric patches**  
(2006) *J. Adhes. Sci. Technol.*, 20 (6), p. 503.
- Cheng, J., Wu, X., Li, G., Pang, S.S., Taheri, F.  
**Design and analysis of a smart composite pipe joint system integrated with piezoelectric layers under bending**  
(2007) *Int. J. Solids Struct.*, 44 (1), pp. 298-319.
- Rabinovitch, O.  
**Piezoelectric Control of Edge Debonding in Beams Strengthened with Composite**

**Materials: Part I - Analytical Modeling**

(2007) *J. Compos. Mater.*, 41 (5), pp. 525-546.

- Cheng, J., Li, G.  
**Stress analyses of a smart composite pipe joint integrated with piezoelectric composite layers under torsion loading**  
(2008) *Int. J. Solids Struct.*, 45 (5), pp. 1153-1178.
- Chen, B., Yuan, Q., Luo, J.  
**Stress concentration in adhesive layer of adhesively bonded piezoelectric pipe-joint system**  
(2010) *J. Supercond. Nov. Magn.*, 23 (6), pp. 945-947.
- Khalili, S.M.R., Farsani, R.E., Khoeini, A.  
**Effect of piezoelectric patches on the behavior of adhesively bonded single lap joints**  
(2010) *J. Adhes.*, 86 (5-6), pp. 601-629.
- Jin, C., Wang, X.D., Zuo, M.J.  
**The dynamic behaviour of surface-bonded piezoelectric actuators with debonded adhesive layers**  
(2010) *Acta Mech*, 211 (3-4), pp. 215-235.
- Jin, C., Wang, X.  
**Analytical modelling of the electromechanical behaviour of surface-bonded piezoelectric actuators including the adhesive layer**  
(2011) *Eng. Fract. Mech.*, 78 (13), pp. 2547-2562.
- Abuzaid, A., Hrairi, M., Dawood, M.  
**Evaluating the Reduction of Stress Intensity Factor in Center-Cracked Plates Using Piezoelectric Actuators**  
(2018) *Actuators*, 7 (2), p. 25.
- Bueckner, H.F.  
**A novel principle for the computation of stress intensity factors**  
(1970) *Akad. GmbH*, 50 (9), pp. 529-546.
- Alfano, G., Crisfield, M.A.  
**Finite element interface models for the delamination analysis of laminated composites: Mechanical and computational issues**  
(2001) *Int. J. Numer. Methods Eng.*, 50 (7), pp. 1701-1736.
- Narayanan, S., Balamurugan, V.  
**Finite element modelling of piezolaminated smart structures for active vibration control with distributed sensors and actuators**  
(2003) *Journal of Sound and Vibration*, 262 (3), p. 529.
- Lashgari, H.R., Zangeneh, S., Shahmir, H., Saghafi, M., Emamy, M.  
**Heat treatment effect on the microstructure, tensile properties and dry sliding wear behavior of A356-10%B4C cast composites**  
(2010) *Mater. Des.*, 31 (9), pp. 4414-4422.
- Reddy, J.N.  
**A Generalization of Two-Dimensional Theories of Laminated Plates**  
(1987) *Commun. Appl. Numer. Methods*, 3 (8), pp. 173-180.
- Ariaei, A., Ziaei-Rad, S., Ghayour, M.  
**Repair of a cracked Timoshenko beam subjected to a moving mass using piezoelectric patches**  
(2010) *Int. J. Mech. Sci.*, 52 (8), p. 1074.

- Muthu, N., Maiti, S.K., Falzon, B.G., Yan, W.  
**Crack propagation in non-homogenous materials: Evaluation of mixed-mode SIFs, T-stress and kinking angle using a variant of EFG Method**  
(2016) *Eng. Anal. Bound. Elem.*, 72 (8), pp. 11-26.
- Platz, R., Stapp, C., Hanselka, H.  
**Statistical approach to evaluating reduction of active crack propagation in aluminum panels with piezoelectric actuator patches**  
(2011) *Smart Mater. Struct.*, 20 (8), p. 85009.
- Al-Ashtari, W.  
**A Novel Analytical Model to Design Piezoelectric Patches Used to Repair Cracked Beams**  
(2016) *J. Eng.*, 22 (6), pp. 117-136.
- Maleki, V.A., Mohammadi, N.  
**Buckling analysis of cracked functionally graded material column with piezoelectric patches**  
(2017) *Smart Mater. Struct.*, 26 (3), pp. 1-9.
- Khiem, N.T., Hai, T.T., Huong, L.Q.  
**Modal analysis of cracked FGM beam with piezoelectric layer**  
(2021) *Mech. Based Des. Struct. Mach.*, 43 (2), pp. 105-120.
- Crawley, E.F., de Luis, J.  
**Use of piezoelectric actuators as elements of intelligent structures**  
(1987) *AIAA J*, 25 (10), pp. 1373-1385.
- Garg, A.C.  
**Delamination-a damage mode in composite structures**  
(1988) *Eng. Fract. Mech.*, 29 (5), pp. 557-584.
- Man, K.W.  
**Topics in Engineering, Contact Mechanics using Boundary Elements**  
(1994) *Computational Mechanics*, 22 (27).
- Wang, Q., Zhou, G.Y., Quek, S.T.  
**Repair of Delaminated Beams Subjected to Compressive Force via Piezoelectric Layers**  
(2005) *Adv. Struct. Eng.*, 8 (4), pp. 411-426.
- Wu, N.  
**Structural Repair using Smart Materials**  
(2012) *J. Aeronaut. Aeronaut. Eng.*, pp. 1-2.  
01 01
- Amaral, L., Alderliesten, R., Benedictus, R.  
**Understanding Mixed-Mode Cyclic Fatigue Delamination Growth in unidirectional composites: an experimental approach**  
(2017) *Eng. Fract. Mech.*, 180, p. 161.
- Duan, W.H., Quek, S.T., Wang, Q.  
**Finite element analysis of the piezoelectric-based repair of a delaminated beam**  
(2008) *Smart Mater. Struct.*, 17 (1), p. 15017.
- Alaimo, A., Milazzo, A., Orlando, C.  
**Boundary elements analysis of adhesively bonded piezoelectric active repair**  
(2009) *Eng. Fract. Mech.*, 76 (4), pp. 500-511.
- Wu, N., Wang, Q.  
**Repair of a delaminated plate under static loading with piezoelectric patches**

(2010) *Smart Mater. Struct.*, 19 (10), p. 105025.

- Bolotin, V.V.  
**Delaminations in composite structures: Its origin, buckling, growth and stability**  
(1996) *Compos. Part B Eng.*, 27 (2), pp. 129-145.
- Kinloch, A.J.  
**Interlaminar response of composite materials**  
(1990) *Compos. Sci. Technol.*, 39, pp. 377-379.
- Singh, R., Carter, B.J., Wawrzynek, P.A., Ingraffea, A.R.  
**Universal crack closure integral for SIF estimation**  
(1998) *Eng. Fract. Mech.*, 60 (2), pp. 133-146.
- Fett, T.  
**Stress intensity factors and weight functions for special crack problems**  
(1998) *Rep. FZKA*, 6025, pp. 1-36.
- Shih, C.F., Moran, B., Nakamura, T.  
**Energy release rate along a three-dimensional crack front in a thermally stressed body**  
(1986) *Int. J. Fract.*, 30 (10), pp. 79-102.
- Bueckner, H.F.  
**Weight Functions for the Notched Bar**  
(1971) *Eng. Math. Gen. Electr. Co*, 51, pp. 97-109.
- Anderson, T.L.  
(1995) *Fracture Mechanics*,  
NW; CRC Press: Taylor & Francis Group
- Krueger, R.  
**Virtual crack closure technique: History, approach, and applications**  
(2004) *Appl. Mech. Rev.*, 57 (2), p. 109.
- Liu, P.F., Hou, S.J., Chu, J.K., Hu, X.Y., Zhou, C.L., Liu, Y.L., Zheng, J.Y., Yan, L.  
**Finite element analysis of postbuckling and delamination of composite laminates using virtual crack closure technique**  
(2011) *Compos. Struct.*, 93 (6), pp. 1549-1560.
- Suo, Z.  
**Singularities, interfaces and cracks in dissimilar anisotropic media**  
(1990) *Proc. R. Soc. London. Ser. A, Math. Phys.*, 427 (1873), pp. 331-358.
- Agrawal, A., Karlsson, A.M.  
**Obtaining mode mixity for a bimaterial interface crack using the virtual crack closure technique**  
(2006) *Int. J. Fract.*, 141, pp. 75-98.
- Chan, S.K., Tuba, I.S., Wilson, W.K.  
**On the finite element method in linear fracture mechanics**  
(1970) *Eng. Fract. Mech.*, 2 (1), pp. 1-17.
- Rybicki, E.F., Kanninen, M.F.  
**A finite element calculation of stress intensity factors by a modified crack closure integral**  
(1977) *Eng. Fract. Mech.*, 9 (4), pp. 931-938.
- Providakis, C.P.  
**Repair of Cracked Structures under Dynamic Load Using Electromechanical Admittance Approach**  
(2007) *Key Eng. Mater.*, 348-349, pp. 49-52.

- Caimmi, F., Pavan, A.  
**A numerical study of crack-fibre interaction at varying fibre orientation**  
(2013) *Eng. Fract. Mech.*, 101, pp. 129-139.
- Banks-Sills, L., Sherman, D.  
**On quarter-point three-dimensional finite elements in linear elastic fracture mechanics**  
(1989) *Int. J. Fract.*, 41 (3), pp. 177-196.
- Pietropaoli, E., Riccio, A.  
**Formulation and assessment of an enhanced finite element procedure for the analysis of delamination growth phenomena in composite structures**  
(2011) *Compos. Sci. Technol.*, 71 (6), pp. 836-846.
- Wu, N., Wang, Q.  
**An experimental study on the repair of a notched beam subjected to dynamic loading with piezoelectric patches**  
(2011) *Smart Mater. Struct.*, 20 (11), p. 115023.
- Krueger, R., Minguet, J., Kevin, T., Army, U.S., Brien, O.  
**A Method for Calculating Strain Energy Release Rates in Preliminary Design of Composite Skin/Stringer Debonding Under Multi-Axial Loading**  
(1999) *NASA Cent. Aerosp. Inf.*, 6, pp. 1-34.
- Yarrington, P.W., Collier, C.S., Bednarczyk, B.A.  
**Failure Analysis of Adhesively Bonded Composite Joints via the Virtual Crack Closure Technique**  
(2006) *47th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference*, pp. 1-15.
- Khan, R., Alderliesten, R., Yao, L., Benedictus, R.  
**Composites: Part A Crack closure and fibre bridging during delamination growth in carbon fibre/epoxy laminates under mode I fatigue loading**  
(2014) *Compos. PART A*, 67 (9), pp. 201-211.
- Abuzaid, A., Hrairi, M., Dawood, M.S.  
**Mode I Stress Intensity Factor for a Cracked Plate with an Integrated Piezoelectric Actuator**  
(2015) *Adv. Mater. Res.*, 1115, pp. 517-522.
- Abuzaid, A., Hrairi, M., Dawood, M.S.  
**Modeling approach to evaluating reduction in stress intensity factor in center-cracked plate with piezoelectric actuator patches**  
(2017) *J. Intell. Mater. Syst. Struct.*, 28, pp. 1334-1345.
- Fesharaki, J.J., Golabi, S.  
**Optimum pattern of piezoelectric actuator placement for stress concentration reduction in a plate with a hole using particle swarm optimization algorithm**  
(2015) *Proc. Inst. Mech. Eng. Part C-Journal Mech. Eng. Sci.*, 229 (4), pp. 614-628.
- Fesharaki, J.J., Madani, S.G., Golabi, S.  
**Effect of stiffness and thickness ratio of host plate and piezoelectric patches on reduction of the stress concentration factor**  
(2016) *Int. J. Adv. Struct. Eng.*, 8 (3), pp. 229-242.
- Aabid, A., Hrairi, M., Dawood, M.S.I.S.  
**Modeling Different Repair Configurations of an Aluminum Plate with a Hole**  
(2019) *Int. J. Recent Technol. Eng.*, 7 (6 S), pp. 235-240.



- Kumar, R., Singh, A., Tiwari, M.  
**Investigation of crack repair in orthotropic composite by piezoelectric patching**  
(2020) *Mater. Today Proc.*, (21), pp. 1303-1312.
- Kumar, R., Pathak, H., Singh, A., Tiwari, M.  
**Modeling of crack repair using piezoelectric material: XFEM approach**  
(2021) *Eng. Comput. (Swansea, Wales)*, 38 (2), pp. 586-617.
- Zhu, S., Liu, H.  
**Finite element analysis of the three-dimensional crack and defects in piezoelectric materials under the electro-mechanical coupling field**  
(2021) *J. Intell. Mater. Syst. Struct.*, 32 (15), pp. 1662-1677.
- Mishra, R., Burela, R.G., Pathak, H.  
(2019) *Crack interaction study in piezoelectric materials under thermo-electro-mechanical loading environment*, 15 (2).  
Springer: Netherlands
- Zaccardi, C., Mazette, A., Chamoin, L.  
**Smart Structures for Crack Growth Issues Using Piezoelectric Actuators: A First Feasibility Study**  
(2021) *20th International Conference of Numerical analysis and applied mathematics*, pp. 4-9.
- Toledo, J., Ruiz-Díez, V., Diaz-Molina, A., Ruiz, D., Donoso, A., Bellido, J.C., Wistrela, E., Sánchez-Rojas, J.L.  
**Design and characterization of in-plane piezoelectric microactuators**  
(2017) *Actuators*, 6 (2), p. 19.
- Zaccardi, C., Mazette, A., Chamoin, L.  
**Numerical Studies of Smart Structure With Piezoelectric Actuators to Enhance Surface Integrity**  
(2022) *Procedia CIRP*, (108), pp. 147-151.
- Orifici, A.C., Krueger, R.  
**Benchmark assessment of automated delamination propagation capabilities in finite element codes for static loading**  
(2012) *Finite Elem. Anal. Des.*, 54, pp. 28-36.
- Shindo, Y., Miura, M., Takeda, T., Narita, F., Watanabe, S.  
**Piezoelectric control of delamination response in woven fabric composites under mode I loading**  
(2013) *Acta Mech*, 224 (6), pp. 1315-1322.
- Shindo, Y., Watanabe, S., Takeda, T., Miura, M., Narita, F.  
**Controllability of cryogenic Mode I delamination behavior in woven fabric composites using piezoelectric actuators**  
(2013) *Eng. Fract. Mech.*, 102, pp. 171-179.
- Roy, G., Panigrahi, B.K., Pohit, G.  
**Evaluation and repair of cracks on statically loaded beams using piezoelectric actuation**  
(2021) *Int. J. Manuf. Mater. Mech. Eng.*, 11 (1), pp. 34-49.
- Sarangi, H., Murthy, K.S.R.K., Chakraborty, D.  
**Radial locations of strain gages for accurate measurement of mode I stress intensity factor**  
(2010) *Mater. Des.*, 31 (6), pp. 2840-2850.
- Sarangi, H., Murthy, K.S.R.K., Chakraborty, D.  
**Optimum strain gage location for evaluating stress intensity factors in single and**

- double ended cracked configurations**  
(2010) *Eng. Fract. Mech.*, 77 (16), pp. 3190-3203.
- Younis, N.T., Kang, B.  
**Averaging effects of a strain gage**  
(2011) *J. Mech. Sci. Technol.*, 25 (1), pp. 163-169.
  - Sarangi, H., Murthy, K.S.R.K., Chakraborty, D.  
**Experimental verification of optimal strain gage locations for the accurate determination of mode I stress intensity factors**  
(2013) *Eng. Fract. Mech.*, 110, pp. 189-200.
  - Abuzaid, A., Hrairi, M., Dawood, M.S.  
**Experimental and numerical analysis of piezoelectric active repair of edge-cracked plate**  
(2018) *J. Intell. Mater. Syst. Struct.*, 29 (18), pp. 3656-3666.
  - Abuzaid, A., Hrairi, M., Dawood, S.M.S.I.  
**Estimation of Stress Concentration Factor of Plate with Hole using Piezoelectric Actuator and Finite Element Method**  
(2017) *IOP conf. Ser. Mater. Sci. Eng.*, 184 (3), pp. 1-7.
  - Fesharaki, J.J., Madani, S.G., Golabi, S.  
**Best pattern for placement of piezoelectric actuators in classical plate to reduce stress concentration using PSO algorithm**  
(2020) *Mech. Adv. Mater. Struct.*, (27), pp. 141-151.
  - Huynh, T.C., Lee, S.Y., Dang, N.L., Kim, J.T.  
**Sensing region characteristics of smart piezoelectric interface for damage monitoring in plate-like structures**  
(2019) *Sensors (Switzerland)*, 19 (6), p. 1377.
  - Kumar, R., Singh, A., Tiwari, M.  
**Investigation of crack repair using piezoelectric material under thermo-mechanical loading**  
(2020) *J. Intell. Mater. Syst. Struct.*, 31 (19), pp. 2243-2260.
  - Bujang, A.H.I.B.A.  
(2020) *Evaluating the reduction of stress intensity factor in cracked plates with piezoelectric actuators under mixed mode loading*,  
International Islamic University Malaysia
  - Khoshravan, M., Asgari, F.  
**International Journal of Adhesion & Adhesives Fracture analysis in adhesive composite material/aluminum joints under mode-I loading; experimental and numerical approaches**  
(2012) *Int. J. Adhes. Adhes.*, 39, pp. 8-14.
  - Li, J., Narita, Y.  
**Analysis and active control for wind induced vibration of beam with ACLD patch**  
(2013) *Wind Struct. An Int. J.*, 17 (4), p. 399.
  - Shah, O.R., Tarfaoui, M.  
**Effect of adhesive thickness on the Mode I and II strain energy release rates**  
(2016) *Compos. Part B Eng.*, 96, pp. 354-363.
  - Ahmed, A.A.  
(2016) *Modeling And Experiment Of Piezoelectric Actuators In Active Repair Of Isotropic And Composite Structures*,  
IIUM thesis

- Tavares, P.J., Gomes, F.S., Moreira, P.M.G.P.  
**A Hybrid Experimental-numerical SIF Determination Technique**  
(2014) *Procedia Mater. Sci.*, 3, pp. 190-197.
- Hamam, R., Hild, F., Roux, S.  
**Stress intensity factor gauging by digital image correlation: Application in cyclic fatigue**  
(2007) *Strain*, 43 (3), pp. 181-192.
- Mogadpalli, G.P., Parameswaran, V.  
**Determination of stress intensity factor for cracks in orthotropic composite materials using digital image correlation**  
(2008) *Strain*, 44 (6), pp. 446-452.
- Richter-Trummer, V., Moreira, P.M.G.P., Pastrama, S.D., Vaz, M.A.P., De Castro, P.M.S.T.  
**Methodology for in situ stress intensity factor determination on cracked structures by digital image correlation**  
(2010) *Int. J. Struct. Integr.*, 1 (4), pp. 344-357.
- Mathieu, F., Hild, F., Roux, S.  
**Identification of a crack propagation law by digital image correlation**  
(2012) *Int. J. Fatigue*, 36 (4), pp. 146-154.
- Tasdemir, B.  
**Determination of Stress Intensity Factor using Digital Image Correlation Method**  
(2013) *Matter*, 2 (1), pp. 20-24.
- Roux-Langlois, C., Gravouil, A., Baietto, M.C., Réthoré, J., Mathieu, F., Hild, F., Roux, S.  
**DIC identification and X-FEM simulation of fatigue crack growth based on the Williams' series**  
(2015) *Int. J. Solids Struct.*, 53, pp. 38-47.
- Gonzáles, G.L.G., Diaz, J.G., González, J.A.O., Castro, J.T.P., Freire, J.L.F.  
**Determining SIFs Using DIC Considering Crack Closure and Blunting**  
(2017) *Experimental and Applied Mechanics*, pp. 25-36.
- Manthiramoorthy, K.  
**Fracture Parameter Evaluation Using Digital Image Correlation Technique**  
(2017) *Int. J. Eng. Technol. Sci. Res.*, 4 (11), pp. 306-311.
- Mokhtarishirazabad, M., Lopez-Crespo, P., Zanganeh, M.  
**Stress intensity factor monitoring under cyclic loading by digital image correlation**  
(2018) *Fatigue Fract. Eng. Mater. Struct.*, 41 (10), pp. 2162-2171.
- Dai, J., Zhao, P., Su, H., Wang, Y.  
**Mechanical behavior of single patch composite repaired al alloy plates: Experimental and numerical analysis**  
*Materials (Basel)* 2020, 13 (12), p. 2740.
- Wang, Q., Wu, N.  
**A review on structural enhancement and repair using piezoelectric materials and shape memory alloys**  
(2012) *Smart Mater. Struct.*, 21 (1), p. 13001.
- Mishra, K.R.  
**A Review on Fracture Mechanics in Piezoelectric Structures**  
(2018) *Mater. Today Proc.*, 5 (2), pp. 5407-5413.
- Amin, A.  
**Crack Behaviour in Materials: A Comparative Study**  
(2022) *J. Algebr. Stat.*, 13 (3), pp. 4159-4193.

- Qing, X., Li, W., Wang, Y., Sun, H.  
**Piezoelectric transducer-based structural health monitoring for aircraft applications**  
(2019) *Sensors (Switzerland)*, 19 (3), p. 545.
- Abuzaid, A., Hrairi, M., Kabrein, H.  
**Stress analysis of plate with opposite semicircular notches and adhesively bonded piezoelectric actuators**  
(2020) *Vibroengineering Procedia*, (31), pp. 134-139.
- Zarrinzadeh, H., Deylami, A., Kabir, M.Z.  
**Archive of SID Fracture Analysis of 3D Cracked Orthotropic Shells with Extended Finite Element Method Archive of SID**  
(2017) *16th International Conference of Iranian Aerospace Society*, 3000, pp. 1-7.
- Harilal, R., Vyasarayani, C.P., Ramji, M.  
**A linear least squares approach for evaluation of crack tip stress field parameters using DIC**  
(2015) *Opt. Lasers Eng.*, 75, pp. 95-102.
- Muthu, N., Maiti, S.K., Falzon, B.G., Yan, W.  
**Crack propagation in non-homogenous materials: Evaluation of mixed-mode SIFs, T-stress and kinking angle using a variant of EFG Method**  
(2016) *Eng. Anal. Bound. Elem.*, 72, pp. 11-26.
- Maleki, H.N., Chakherlou, T.N.  
**Investigation of the effect of bonded composite patch on the mixed-mode fracture strength and stress intensity factors for an edge crack in aluminum alloy 2024-T3 plates**  
(2017) *J. Reinf. Plast. Compos.*, 36 (15), pp. 1074-1091.
- Maleki, H.N., Chakherlou, T.N.  
(2018) *Comparison Between Composite Patches and Bolt Clamping Force to Repair an Edge Crack in Aluminum Alloy 2024-T3 Specimens*, 50 (3), pp. 205-208.
- Fesharaki, J.J., Golabi, S.  
**Effect of stiffness ratio of piezoelectric patches and plate on stress concentration reduction in a plate with a hole**  
(2017) *Mech. Adv. Mater. Struct.*, 24 (3), pp. 253-259.
- Alaimo, A., Milazzo, A., Orlando, C.  
**On the dynamic behavior of piezoelectric active repair by the boundary element method**  
(2011) *J. Intell. Mater. Syst. Struct.*, 22 (18), pp. 2137-2146.
- Meng, H., Yang, W., Yang, X.  
**Real-Time Monitoring of Timber-Surface Crack Repair Using Piezoelectric Ceramics**  
(2021) *J. Sensors*, p. 1.  
2021

**Correspondence Address**Aabid A.; Department of Engineering Management, Saudi Arabia; email: [aaabid@psu.edu.sa](mailto:aaabid@psu.edu.sa)Hrairi M.; Department of Mechanical and Aerospace Engineering, Malaysia; email: [meftah@iium.edu.my](mailto:meftah@iium.edu.my)**Publisher:** American Chemical Society**ISSN:** 24701343**Language of Original Document:** English**Abbreviated Source Title:** ACS Omega

2-s2.0-85174888868

**Document Type:** Review**Publication Stage:** Final**Source:** Scopus

---

**ELSEVIER**

Copyright © 2024 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

 **RELX Group™**