

Documents

Faudzi, F.^a, Miskon, M.F.^b, Azid, A.^c, Tajudin, N.S.^a, Shaharudin, S.M.^d

DEVELOPMENT OF TRACE METALS CONCENTRATION MODEL FOR RIVER: APPLICATION OF PRINCIPAL COMPONENT ANALYSIS AND ARTIFICIAL NEURAL NETWORK

(2023) *Water Conservation and Management*, 7 (2), pp. 122-127.

DOI: 10.26480/wcm.02.2023.122.127

^a Kulliyyah of Science, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Pahang, Kuantan, 25200, Malaysia

^b Institute Oceanography and Maritime Studies, Kulliyyah of Science, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Pahang, Kuantan, 25200, Malaysia

^c Faculty of Bioresources and Food Industry, Universiti Sultan Zainal Abidin, Besut Campus, Besut, Terengganu 22200, Malaysia

^d Department of Mathematics, Faculty of Science and Mathematics, Universiti Pendidikan Sultan Idris, Perak, Tg Malim, 35900, Malaysia

Abstract

Rapid development along the Kuantan River was long perceived as the rivers serve many communities in terms of drinking water source, domestic, fisheries, recreation, and agricultural purposes. Due to the rapid changes in technology and upsurge in chemical usage, pollutant alterations turn out to be more drastic with respect to space and time. Research on the trace metals in river water is quite limited in Malaysia, probably due to their ppb-level existence and the need for special handling techniques. Hence, the aim of this study is to forecast heavy metals concentration in Kuantan River waters using a collective of 10 years (2007 – 2016) dataset of heavy metals that provided by the Department of Environment, Malaysia. Principal Component Analysis (PCA) was used to compute the data, which showed that As, Cr, Fe, Zn and Cd explain 67.3% of the total variance through three principal components. For ANN computation, those significant metals extracted from rotating PCA was selected and used in ANN model. The developed approaches were trained and tested using 80% and 20% of the data, respectively. Then, the coefficient of determination (R^2) was executed to calculate the model performance. Out of five metals, only As shown acceptable R^2 for ANN models with 0.8690 and 0.8088 for training and testing, respectively, probably due to the model's limitation. Generally, this study illustrates the usefulness of PCA and ANN for analysis and interpretation of complex data sets and understanding the temporal and spatial variations in the Kuantan River for effective river water management. © 2023, Zibeline International Publishing Sdn. Bhd.. All rights reserved.

Author Keywords

Chemometrics; Estuaries; Forecasting; Heavy metals; Neural networks

Index Keywords

artificial neural network, drinking water, estuarine environment, forecasting method, principal component analysis, river water; Kuantan River, Malaysia, Pahang, West Malaysia

References

- Abernathy, C.O., Liu, Y.P., Longfellow, D., Aposhian, H.V., Beck, B., Fowler, B., Goyer, R., Waalkes, R.

Arsenic: Health effects, mechanisms of actions and research issues
(1999) *Environ Health Perspect*, 107, pp. 593-597.

- Ahmad, I.H., Azid, A.

Air Quality Pattern Assessment in Malaysia Using Multivariate Techniques
(2015) *Malaysian Journal of Analytical Sciences*, 19 (5), pp. 966-978.

- **Artificial neural networks in hydrology: preliminary concepts**
(2000) *J Hydrol Eng*, 5 (2), pp. 115-123.

- Azaman, F., Azid, A., Juahir, H., Mohamed, M., Yunus, K., Toriman, M.E., Mustafa, A.D., Hairoma, N.

Application of artificial neural network and response surface methodology for modelling of hydrogen production using nickel loaded zeolite
(2015) *Jurnal Teknologi*, 77 (1), pp. 109-118.

- Azid, A., Juahir, H., Toriman, M.E., Kamarudin, M.K.A., Saudi, A.S.M., Hasnam, C.N.C., Aziz, N.A.A., Osman, M.R.
Prediction of the level of air pollution using principal component analysis and artificial neural network techniques: A case study in Malaysia
(2014) *Water, Air, & Soil Pollution*, 225 (8), pp. 2063-2077.
- Azid, A., Rani, N.A.A., Samsudin, M.S., Khalit, S.I., Gasim, M.B., Kamarudin, M.K.A., Yunus, K., Yusof, K.M.K.K.
Air Quality Modelling Using Chemometric Techniques
(2017) *Journal of Fundamental and Applied Sciences*, 9 (2S), pp. 443-466.
- Chau, K.W.
A review on integration of artificial intelligence into water quality modelling
(2006) *Marine Pollution Bulletin*, 52, pp. 726-733.
- Chitra, V., Ravichandran, K.S., Varadarajan, R.
Artificial Neural Network in Field Oriented Control for Matrix Converter Drive
(2012) *World Appl. Sci. J.*, 16 (4), pp. 560-567.
- Cho, K.H., Park, Y., Kang, J., Ki, S.J., Cha, S., Lee, S.W.
Interpretation of seasonal water quality variation in the Yeongsan Reservoir, Korea using multivariate statistical analyses
(2009) *J. Hydroinform*, 59 (11), pp. 2219-2226.
- (2015) *Environmental Annual Report*,
DOE, 2015. Kuantan. Department of Environment Pahang, Ministry of Natural Resources and Environment
- Felipe-Sotelo, M., Andrade, J.M., Carlosena, A., Tauler, R.
Temporal characterisation of river waters in urban and semi-urban areas using physico-chemical parameters and chemometric methods
(2007) *Analytica Chimica Acta*, 583, pp. 128-137.
- Goethals, P.L.M., Dedecker, A.P., Gabriels, W., Lek, S., De Pauw, N.
Applications of artificial neural networks predicting macroinvertebrates in freshwaters
(2007) *Aquatic Ecology*, 41 (3), pp. 491-508.
- Hair, J.F., Anderson, R.E., Tatham, R.L., William, C.
(1995) *Multivariate data analysis with readings*,
Prentice Hall, Englewood Cliffs
- Han, S., Kim, E., Kim, S.
The water quality management in the Nakdong River watershed using multivariate statistical techniques
(2009) *Korean J Civ Eng*, 13 (2), pp. 97-105.
- Haykin, S.
(1999) *Neural Network: A Comprehensive Foundation*,
Englewood Cliffs, NJ: Prentice-Hall
- Helena, B., Pardo, R., Vega, M., Barrado, E., Fernandez, J., Fernandez, L.
Temporal evolution of groundwater composition in an alluvial aquifer (Pisuerga River, Spain) by principal component analysis
(2000) *Water Res*, 34 (3), pp. 807-816.
- Hornik, K., Stinchcombe, M., White, H.
Universal approximation of an unknown mapping and its derivatives using multilayer feed-forward networks
(1990) *Neural Netw*, 3 (5), pp. 551-560.

- Ismail, A., Toriman, M.E., Juahir, H., Zain, S.M., Habir, N.L.A., Retnam, A., Kamaruddin, M.K.A., Azid, A.
Spatial assessment and source identification of heavy metals pollution in surface water using several chemometric techniques
(2016) *Marine Pollution Bulletin*, 106 (1), pp. 292-300.
- Juahir, H., Zain, S., Jaafar, M.N., Ahmad, Z.
An Application of Second order backpropagation method in Modeling River Discharge at Sungai Langat, Malaysia. Water Environmental Planning: Towards integrated planning and management of water resources for environmental risks
(2004) *IIUM Journal*, pp. 300-307.
Md. and, a
- Juahir, H., Zain, S., Toriman, M.E., Mokhtar, M.
Application of Artificial Neural Network Model In the Predicting Water Quality Index
(2004) *Jurnal Kejuruteraan Awam*, 16 (2), pp. 42-55.
Md. and, b
- Juahir, H., Zain, S., Toriman, M.E., Jaafar, M.N., Klaewtanong, W.
Performance of autoregressive integrated moving average and neural network approaches for forecasting dissolved oxygen at Langat River Malaysia
(2003) *Urban Ecosystem Studies In Malaysia: A study of change*, pp. 145-165.
Md. and, a. Universal Publishers
- Juahir, H., Zain, S.M., Yusoff, M.K., Hanidza, T.I.T., Armi, A.S.M., Toriman, M.E., Mokhtar, M.
Spatial water quality assessment of Langat River Basin (Malaysia) using environmetric techniques
(2011) *Environ. Monit. Assess.*, 173, pp. 625-641.
- Keskin, T.E., Dugenci, M., Kacaroglu, F.
Prediction of water pollution sources using artificial neural networks in the study areas of Sivas, Karabük and Bartın (Turkey)
(2014) *Environ Earth Sci*, 73 (9), pp. 5333-5347.
- Khalit, S.I., Samsudin, M.S., Azid, A., Yunus, K., Zaudi, M.A., Sharifuddin, S.S., Husin, T.M.
A preliminary study of marine water quality status using principal component analysis at three selected mangrove estuaries in East Coast Peninsular Malaysia
(2017) *Malaysian Journal of Fundamental and Applied Sciences*, 13 (4), pp. 764-768.
- Khan, R.A., Zain, S.M., Juahir, H., Yusoff, M.K., Tg Hanidza, T.I.
(2012) *Using Principal Component Scores and Artificial Neural Networks in Predicting Water Quality Index; Chemometrics in Practical Applications*,
- Kisi, Ö.
Constructing neural network sediment estimation models using a data-driven algorithm
(2008) *Math Comput Simul*, 79 (1), pp. 94-103.
- Kisi, Ö.
Daily pan evaporation modelling using multi-layer perceptrons and radial basis neural networks
(2009) *Hydrol Process*, 23 (2), pp. 213-223.
- Kuo, J.T., Wang, Y.Y., Lung, W.S.
A hybrid neural-genetic algorithm for reservoir water quality management
(2006) *World Appl. Sci. J.*, 10 (12), pp. 1493-1500.

- Liu, C.W., Lin, K.H., Kuo, Y.M.
Application of factor analysis in the assessment of groundwater area in Taiwan
(2003) *The Science of the Total Environ.*, 313, pp. 77-89.
- Low, K.H., Koki, I.B., Juahir, H., Azid, A., Behkami, S., Ikram, R., Mohammed, H.A., Zain, S.M.
Evaluation of water quality variation in lakes, rivers, and ex-mining ponds in Malaysia
(2016) *Desalination and Water Treatment*, 57 (58), pp. 28215-28239.
- Maier, H.R., Dandy, G.C.
The effect of internal network parameters and geometry on the performance of back-propagation neural networks: an empirical study
(1998) *Environmental Modelling and Software*, 13, pp. 193-209.
- Medici, L., Bellanova, J., Belviso, C., Cavalcante, F., Lettino, A., Ragone, P.P., Fiore, S.
Trace metals speciation in sediments of the Basento River (Italy)
(2011) *Appl. Clay. Sci.*, 53, pp. 414-442.
- Mutalib, S.N.S.A., Juahir, H., Azid, A., Sharif, S.M., Latif, M.T., Aris, A.Z., Zain, S.M., Dominick, D.
Spatial and temporal air quality pattern recognition using enironmetric techniques: a case study in Malaysia
(2013) *Environmental Science: Processes & Impacts*, 15 (9), pp. 1717-1728.
- Najah, A.A., Elshafie, O.A., Karim, Jaffar, O.
Prediction of Johor River Water Quality Parameters Using Artificial Neural Networks
(2009) *European Journal of Scientific Research*, 28 (3), pp. 422-435.
- Nasri, M.
Application of artificial neural networks (ANNs) in prediction models in risk management
(2010) *Water Research*, 40, pp. 1367-1376.
- Panigrahi, S., Acharya, B.C., Panigrahy, R.C., Nayak, B.K., Banarjee, K., Sarkar, S.K.
Anthropogenic impact on water quality of Chilika lagoon RAMSAR site: a statistical approach
(2007) *Wetlands Ecol Manage*, 15 (2), pp. 113-126.
- Rani, N.A., Azid, A., Khalit, S.I., Juahir, H.
Prediction Model of Missing Data: A Case Study of Pm10 Across Malaysia Region
(2018) *Journal of Fundamental and Applied Sciences*, 10 (1S), pp. 182-203.
- Rashid, M.H., Mridha, A.K.
Arsenic contamination in groundwater in Bangladesh
(1998) *Sanitation and Water for All, 24th WEDC Conference*, pp. 162-165.
Islamabad, Pakistan
- Rossi, L., Chevre, N., Fankhauser, R., Margot, J., Curdy, R., Babut, M., Barry, D.A.
Sediments contamination assessment in urban areas based on total suspended solids
(2013) *Water. Res.*, 47, pp. 339-350.
- Samsudin, M.S., Azid, A., Khalit, S.I., Saudi, A.S.M., Zaudi, M.A.
River water quality assessment using APGS-MLR and statistical process control in Johor River Basin, Malaysia
(2017) *International Journal of Advanced and Applied Sciences*, 4 (8), pp. 84-97.
- Samsudin, M.S., Khalit, S.I., Azid, A., Juahir, H., Saudi, A.S.M., Sharip, Z., Zaudi, M.A.
Control limit detection for source apportionment in Perlis River Basin, Malaysia
(2017) *Malaysian Journal of Fundamental and Applied Sciences*, 13 (3), pp. 294-303.

- Samsudin, M.S., Khalit, S.I., Azid, A., Yunus, K., Zaudi, M.A., Badaluddin, N.A., Saudi, A.S.M.
Spatial Analysis of Heavy Metals in Mangrove Estuary at East Coast Peninsular Malaysia: A Preliminary Study
(2017) *Journal of Fundamental and Applied Sciences*, 9 (2S), pp. 680-697.
- Sarbu, C., Pop, H.F.
Principal component analysis versus fuzzy principal component analysis a case study: the quality of Danube water (1985–1996)
(2005) *Talanta*, 65, pp. 1215-1220.
- Shaharudin, S.M., Ahmad, N., Yusof, F.
Improved Cluster Partition in Principal Component Analysis Guided Clustering
(2013) *International Journal of Computer Applications*, 75 (11), pp. 22-25.
- Shaharudin, S.M., Ahmad, N., Zainuddin, N.H., Mohamed, N.S.
Identification of Rainfall Patterns on Hydrological Simulation Using Robust Principal Component Analysis
(2018) *Indonesian Journal of Electrical Engineering and Computer Science*, 11 (3), pp. 1162-1167.
- Singh, K.P., Malik, A., Sinha, S.
Water quality assessment and apportionment of pollution sources of Gomti river (India) using multivariate statistical techniques—A case study
(2005) *Analytica Chimica Acta*, 538 (1–2), pp. 355-374.
- Sulaiman, N.H., Khalit, S.I., Sharip, Z., Samsudin, M.S., Azid, A.
Seasonal variations of water quality and heavy metals in two ex-mining lakes using chemometric assessment approach
(2018) *Malaysian Journal of Fundamental and Applied Sciences*, 14 (1), pp. 67-72.
- Suthar, S., Nema, A.K., Chabukdhara, M., Gupta, S.K.
Assessment of metals in water and sediments of Hindon River, India: impact of industrial and urban dis-charges
(2009) *J. Hazard. Mater.*, 171 (1–3), pp. 1088-1095.
- Tanrıverdi, Ç., Alp, A., Demirkiran, A.R., Üçkardes, F.
Assessment of surface water quality of the Ceyhan River Basin, Turkey
(2010) *Environ Monit Assess*, 167 (1), pp. 175-184.
- Toriman, M.E., Abdullah, M.P., Mokhtar, M.B., Gasim, M.B., Karim, O.
Penilaian hakisan permukaan dan muatan sedimen dari kawasan tadahan sungai anak bangi selangor
(2010) *Malaysian Journal of Analytical Sciences*, 14 (1), pp. 12-23.
- Toriman, O.E., Hashim, N., Hassan, A.J., Mokhtar, M., Juahir, H., Gasim, M.B., Abdullah, M.P.
Study on the impact of tidal effects on water quality modelling of Juru River, Malaysia
(2011) *Asian Journal of Scientific Research*, 4 (2), pp. 129-138.
- Uca, Toriman, E., Jaafar, O., Maru, R., Arfan, A., Ahmar, A.S.
Daily Suspended Sediment Discharge Prediction Using Multiple Linear Regression and Artificial Neural Network
(2018) *Journal of Physics: Conference Series*, 954 (1).
[012030]
- Yidana, S.M., Ophori, D., Banoeng-Yakubo, B.
A multivariate statistical analysis of surface water chemistry data – the Ankobra

Basin, Ghana(2008) *J. Environ. Manager*, 86, pp. 80-87.**Correspondence Address**

Faudzi F.; Kulliyyah of Science, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Pahang, Malaysia; email: fikriahf@jiuum.edu.my

Publisher: Zibeline International Publishing Sdn. Bhd.

ISSN: 25235664

Language of Original Document: English

Abbreviated Source Title: Water Conserv. Manag.

2-s2.0-85171287570

Document Type: Article

Publication Stage: Final

Source: Scopus

ELSEVIER

Copyright © 2023 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

 RELX Group™