

Documents

ullah, S.^a, Huyop, F.^a, Huda, N.^b, Ab Wahab, R.^c, Hamid, A.A.A.^d, Mohamad, M.A.N.^d, Ahmad, H.F.^e, Shariff, A.H.M.^f, Nasir, M.H.M.^d

Green honey of Banggi Island: A preliminary anti-diabetic study on zebrafish model
(2024) *Heliyon*, 10 (4), art. no. e26469, .

DOI: 10.1016/j.heliyon.2024.e26469

^a Department of Biosciences, Faculty of Science, Universiti Teknologi Malaysia, Johor Bahru, 81310, Malaysia

^b Faculty of Sustainable Agriculture, Universiti Malaysia Sabah, Sabah, Sandakan, 90509, Malaysia

^c Department of Chemistry, Faculty of Science, Universiti Teknologi Malaysia, Johor Bahru, 81310, Malaysia

^d Department of Biotechnology, Kulliyah of Science, International Islamic University Malaysia, Bandar Indera Mahkota, Pahang, Kuantan, 25200, Malaysia

^e Faculty of Industrial Sciences and Technology, Universiti Malaysia Pahang Al Sultan Abdullah, Pahang, Gambang, 26300, Malaysia

^f Greentreebee Enterprise, Pahang, Kuantan, 26070, Malaysia

Abstract

Zebrafish is a developing vertebrate model with several advantages, including its small size, and high experimental efficiency. Malaysia exhibit one of the highest diabetes rates in the Western Pacific and incurring an annual cost of 600 million US dollars. The objective of the study is to determine the antidiabetic properties of green honey (GH) using a zebrafish model. Adult zebrafish, aged 3–4 months, were subjected to overfeeding and treated with streptozotocin (STZ) through intraperitoneal injection (IP) on days 7 and 9. The study assessed the oral sucrose tolerance test (OSTT) and the anti-diabetic effects of green honey. The evaluation was conducted at three time points: 30, 60, and 120 min after treatment and sucrose administration. The study utilised a model with a sample size of 5. The study was performed in six groups. These groups are (1) Normal control (non-diabetic, no intervention), (2) Normal control + GH (non-diabetic, supplemented with GH 3 µl), (3) DM control (diabetic, no intervention), (4) DM Gp1 (diabetic, 3 µL GH), (5) DM Gp2 (diabetic, 6 µ L GH), (6) DM Acarbose (diabetic, treated with acarbose). Fasting blood glucose levels for non-diabetic (non-DM) and diabetic (DM) groups were evaluated before and after the 10 days of diabetic induction. DM groups (excess of food and two injections of STZ) have caused a significant increment in the fasting blood glucose to 11.55 mmol/l ($p < 0.0001$). Both GH treatments effectively decreased postprandial blood glucose levels and the area under the curve in the oral glucose tolerance test (OSTT). Based on these results, it is concluded that green honey could play a role in hyperglycemia management and show potential as a natural alternative to conventional diabetes therapy. The underlying mechanisms need to be clarified, and their potential use in human diabetes therapy needs to be investigated. © 2024

Author Keywords

Acarbose; Antidiabetic; Green honey; STZ; Zebrafish

Funding details

Universiti Teknologi MalaysiaUTM

International Islamic University MalaysiaIIUM

We express our sincere appreciation to NS Field Sdn. Bhd. for their generous financial support of the Green Honey project (Grant Number: GH-2023-01 under UTM Vot 2215). Special gratitude is extended to the Zebra Fish Research Laboratory in the Biotechnology Department at IIUM for granting us access to their facilities for our research.

References

- Franco, R.R.
Antidiabetic effects of Syzygium cumini leaves: a non-hemolytic plant with potential against process of oxidation, glycation, inflammation and digestive enzymes catalysis
(2020) *J. Ethnopharmacol.*, 261.
- Chen, C., Liu, D.
Establishment of zebrafish models for diabetes mellitus and its microvascular complications
(2022) *J. Vasc. Res.*, 59, pp. 251-260.

- Bobiş, O., Dezmirean, D.S., Moise, A.R.
Honey and Diabetes: the Importance of Natural Simple Sugars in Diet for Preventing and Treating Different Type of Diabetes, Oxidative Medicine and Cellular Longevity (2018),
- Galicia-Garcia, U.
Pathophysiology of type 2 diabetes mellitus (2020) *Int. J. Mol. Sci.*, 21, p. 6275.
- Zang, L., Maddison, L.A., Chen, W.
Zebrafish as a model for obesity and diabetes (2018) *Front. Cell Dev. Biol.*, 6, p. 91.
10.3389%2Fcell.2018.00091
- Abdullah, N.R.
Bioreactor-grown exo-and endo- β -glucan from Malaysian *Ganoderma lucidum*: an in vitro and in vivo study for potential antidiabetic treatment (2022) *Front. Bioeng. Biotechnol.*, 10.
- Nishio, S.-I.
Fasting induces CART down-regulation in the zebrafish nervous system in a cannabinoid receptor 1-dependent manner (2012) *Mol. Endocrinol.*, 26, pp. 1316-1326.
- Eissa, M.A.
Fabrication and characterization of Agarwood extract-loaded nanocapsules and evaluation of their toxicity and anti-inflammatory activity on RAW 264.7 cells and in zebrafish embryos (2021) *Drug Deliv.*, 28, pp. 2618-2633.
- Erejuwa, O.O.
Effect of honey in diabetes mellitus: matters arising (2014) *J. Diabetes Metab. Disord.*, 13, pp. 1-4.
10.1186%2F2251-6581-13-23
- Stefanis, C., Stavropoulou, E., Giorgi, E., Voidarou, C.C., Constantinidis, T.C., Vrioni, G., Tsakris, A.
Honey's antioxidant and antimicrobial properties: a bibliometric study (2023) *Antioxidants*, 12 (2), p. 414.
- Zakaria, N., Jaafar, N.M., Mohamad, A.Z.
Antioxidant, antibacterial and anti-diabetic activities of stingless bee honey from selected areas in Peninsular Malaysia (2020) *IOP Conference Series: Earth and Environmental Science*, IOP Publishing
- Chew, C.Y., Chua, L.S., Soontorngun, N., Lee, C.T.
Discovering potential bioactive compounds from Tualang honey (2018) *Agriculture and Natural Resources*, 52, pp. 361-365.
- Sousa, J.M.
Polyphenolic profile and antioxidant and antibacterial activities of monofloral honeys produced by *Meliponini* in the Brazilian semiarid region (2016) *Food Res. Int.*, 84, pp. 61-68.
- Shamsudin, S.
Antioxidant properties and characterization of *Heterotrigona itama* honey from various botanical origins according to their polyphenol compounds (2022) *J. Food Qual.*, 2022.

- Ali
In vitro anti-diabetic activity of stingless bee honey from different botanical origins
(2020) *Food Res.*, 4 (5).
- Erejuwa, O.O.
Hepatoprotective effect of tualang honey supplementation in streptozotocin-induced diabetic rats
(2012) *International Journal of Applied Research in Natural Products*, 4, pp. 37-41.
- Rajindran, N.
Physicochemical properties of a new green honey from Banggi Island
(2022) *Sabah, Molecules*, 27, p. 4164.
- ullah, S.
Exploring the microbial communities in green honey from Banggi Island, Sabah, Malaysia using amplicon sequencing analysis
(2023) *Access Microbiology*,
v2
- Chong, C.T.
Prevalence of overweight and its associated factors among Malaysian adults: findings from a nationally representative survey
(2023) *PLoS One*, 18.
- Zang, L.
Repeated blood collection for blood tests in adult zebrafish
(2015) *JoVE*,
- Ali, Z.
Daily date vinegar consumption improves hyperlipidemia, β -carotenoid and inflammatory biomarkers in mildly hypercholesterolemic adults
(2019) *J. Herb. Med.*, 17.
- Elmazar, M.M., El-Abhar, H.S., Schaalán, M.F., Farag, N.A.
Phytol/Phytanic acid and insulin resistance: potential role of phytanic acid proven by docking simulation and modulation of biochemical alterations
(2013) *PLoS One*, 8.
- ullah, S.
LC-MS/MS-QTOF Dataset of Chlorophyll Derivatives and Chemical Compounds Detected in Green Honey (GH) and Tualang Honey
(2023), TH) from Malaysia
- Semaan, D.
In vitro anti-diabetic activity of flavonoids and pheophytins from *Allophylus cominia* Sw. on PTP1B, DPPIV, alpha-glucosidase and alpha-amylase enzymes
(2017) *J. Ethnopharmacol.*, 203, pp. 39-46.

Correspondence Address

Huyop F.; Department of Biosciences, Malaysia; email: fahrul@utm.my

Nasir M.H.M.; Department of Biotechnology, Bandar Indera Mahkota, Pahang, Malaysia; email: hamzahn@iium.edu.my

Publisher: Elsevier Ltd

ISSN: 24058440

Language of Original Document: English

Abbreviated Source Title: Heliyon

2-s2.0-85185799762

Document Type: Article

Publication Stage: Final

Source: Scopus

ELSEVIER

Copyright © 2024 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

 **RELX Group™**