

Documents

Mokhtar, N.^a, Aziz, E.A.^a, Aris, A.^b, Shukor, H.^c, Mohd Zaki, S.^d

Biosorption of anionic and cationic azo dye onto red macro alga: Determination of the significant variables using resolution V fractional factorial design

(2024) *Physics and Chemistry of the Earth*, 134, art. no. 103593, .

DOI: 10.1016/j.pce.2024.103593

^a Faculty of Civil Engineering Technology, Universiti Malaysia Pahang Al-Sultan Abdullah (UMPSA), Lebuhraya Tun Razak, Gambang, Pahang, Kuantan, 26300, Malaysia

^b Centre for Environmental Sustainability & Water Security (IPASA), Research Institute for Sustainable Environment, Block C07, Level 2, Universiti Teknologi Malaysia, Johor, UTM Johor Bahru, 81310, Malaysia

^c Centre of Excellence for Biomass Utilization (CoEBU), Faculty of Chemical Engineering Technology, Universiti Malaysia Perlis (UniMAP), Perlis, Arau, 02600, Malaysia

^d Department of Manufacturing and Materials Engineering, International Islamic University Malaysia, Gombak, Kuala Lumpur, 51300, Malaysia

Abstract

Naturally inspired biosorbent from macro algae species are favored because of its excellent biosorptive capability and low cost. The present investigation reports the potential of red macro-alga, *E. spinosum* as a biosorbent to remove both anionic and cationic azo dyes, namely Acid Yellow 17 (AY17) and Methylene Blue (MB) from aqueous solution. A resolution V fractional factorial design (2^v5-1) analysis was employed to study the main effects and interaction of variables on the biosorption process. Factorial matrix with five variables; pH (2–12), dosage (0.4–2 g/L), initial concentration (50–200 mg/L), contact time (5–120 min) and temperature (30–50 °C) at two levels were conducted in batch study. Pareto charts and ANOVA (within 95% confidence level) were applied to examine the relationship and significance between independent variables and their interactions. A regression model with R²AY17 = 0.9998 and R²MB = 0.9995 was implemented to fit the experimental data. The results obtained indicated that the most significant variables that affected biosorption process were initial concentration and the dosage of the dyes. Experimental screenings are crucial in optimization studies. The remarkable performance of *E. spinosum* as biosorbent to absorb both dyes shows a great potential to be implemented for local marine macro alga as an alternative. Resource for biosorption process. © 2024

Author Keywords

Acid yellow 17; Biosorbent; Decolorization; *Euchema spinosum*; Fractional factorial design; Macro algae; Methylene blue

Index Keywords

Algae, Aromatic compounds, Biosorption, Regression analysis; Acid Yellow 17, Biosorbents, Biosorption process, Cationics, Decolourization, *Euchema spinosa*, Fractional factorial designs, Macro algae, Macro-algae, Methylene Blue; Azo dyes; anion, cation, design, dye, macroalga, resolution, sorption

References

- Achak, M., Hafidi, A., Ouazzani, N., Sayadi, S., Mandi, L.
Low cost biosorbent “banana peel” for the removal of phenolic compounds from olive mill wastewater: kinetic and equilibrium studies
(2009) *J. Hazard Mater.*, 166 (1), pp. 117-125.
- Albadarin, A.B., Mangwandi, C.
Mechanisms of Alizarin Red S and Methylene blue biosorption onto olive stone by-product: isotherm study in single and binary systems
(2015) *J. Environ. Manag.*, 164, pp. 86-93.
- Angelova, R., Baldikova, E., Pospiskova, K., Maderova, Z., Safarikova, M., Safarik, I.
Magnetically modified *Sargassum horneri* biomass as an adsorbent for organic dye removal
(2016) *J. Clean. Prod.*, 137, pp. 189-194.
- Aravindhan, R., Rao, J.R., Nair, B.U.
Removal of basic yellow dye from aqueous solution by sorption on green alga

Caulerpa scalpelliformis
(2007) *J. Hazard Mater.*,

- Ardekani, P.S., Karimi, H., Ghaedi, M., Asfaram, A., Purkait, M.K.
Ultrasonic assisted removal of methylene blue on ultrasonically synthesized zinc hydroxide nanoparticles on activated carbon prepared from wood of cherry tree: experimental design methodology and artificial neural network
(2017) *J. Mol. Liq.*, 229, pp. 114-124.
- Asfaram, A., Ghaedi, M., Hajati, S., Goudarzi, A., Dil, E.A.
Screening and optimization of highly effective ultrasound-assisted simultaneous adsorption of cationic dyes onto Mn-doped Fe₃O₄-nanoparticle-loaded activated carbon
(2017) *Ultrason. Sonochem.*, 34, pp. 1-12.
- Bagheri, A.R., Ghaedi, M., Asfaram, A., Bazrafshan, A.A., Jannesar, R.
Comparative study on ultrasonic assisted adsorption of dyes from single system onto Fe₃O₄ magnetite nanoparticles loaded on activated carbon: experimental design methodology
(2017) *Ultrason. Sonochem.*, 34, pp. 294-304.
- Balakrishnan, V.K., Shirin, S., Aman, A.M., De Solla, S.R., Mathieu-Denoncourt, J., Langlois, V.S., Balakrishnan, V.K.
Genotoxic and carcinogenic products arising from reductive transformations of the azo dye, Disperse Yellow 7
(2016) *Chemosphere*, 146, pp. 206-215.
- Bilal, M., Rasheed, T., Sosa-Hernández, J.E., Raza, A., Nabeel, F., Iqbal, H.M.N.
Biosorption: an interplay between marine algae and potentially toxic elements—a review
(2018) *Mar. Drugs*, 16 (2), pp. 1-16.
- Brouers, F., Al-Musawi, T.J.
On the optimal use of isotherm models for the characterization of biosorption of lead onto algae
(2015) *J. Mol. Liq.*, 212, pp. 46-51.
- Cengiz, S., Cavas, L.
Removal of methylene blue by invasive marine seaweed: caulerpa racemosa var. cylindracea
(2008) *Bioresour. Technol.*, 99 (7), pp. 2357-2363.
- Daneshvar, E., Kousha, M., Jokar, M., Koutahzadeh, N., Guibal, E.
Acidic dye biosorption onto marine brown macroalgae: isotherms, kinetic and thermodynamic studies
(2012) *Chem. Eng. J.*,
- Daneshvar, E., Kousha, M., Sohrabi, M.S., Khataee, A., Converti, A.
Biosorption of three acid dyes by the brown macroalga *Stoechospermum marginatum*: isotherm, kinetic and thermodynamic studies
(2012) *Chem. Eng. J.*, 195-196, pp. 297-306.
- Dias, S.C.L., Dias, J.A.
Effects of the dealumination methodology on the FER zeolite acidity: a study with fractional factorial design
(2018) *Mol. Catal.*,
- Fomina, M., Gadd, G.M.
Biosorption: current perspectives on concept, definition and application
(2014) *Bioresour. Technol.*, 160, pp. 3-14.

- Gao, J., Zhang, Q., Su, K., Chen, R., Peng, Y.
Biosorption of Acid Yellow 17 from aqueous solution by non-living aerobic granular sludge
(2010) *J. Hazard Mater.*, 174 (1-3), pp. 215-225.
- Ghaly, A., Ananthashankar, R., Alhattab, M., Ramakrishnan, V.
Production, characterization and treatment of textile effluents: a critical review
(2013) *J. Chem. Eng. Process Technol.*, 5 (1), pp. 1-19.
- Habibzadeh, M., Chaibakhsh, N., Naeemi, A.S.
Optimized treatment of wastewater containing cytotoxic drugs by living and dead biomass of the freshwater microalga, Chlorella vulgaris
(2018) *Ecol. Eng.*, 111 (August 2017), pp. 85-93.
- Hii, S., Estrop, L., Wong, C.
Adsorption of reactive blue 4 onto the chemically modified red seaweed Amphiroa foliacea: equilibrium, kinetics and modeling studies
(2011) *Afr. J. Bus. Manag.*, 6 (31), pp. 7171-7182.
- Inam, E., Etim, U.J., Akpabio, E.G., Umoren, S.A.
Process optimization for the application of carbon from plantain peels in dye abstraction
(2017) *Integrative Medicine Research*, 11 (1), pp. 173-185.
- Jiuuhui, Q.U.
Research progress of novel adsorption processes in water purification: a review
(2008) *J. Environ. Sci. (China)*, 20, pp. 1-13.
- Lee, L.Y., Gan, S., Yin Tan, M.S., Lim, S.S., Lee, X.J., Lam, Y.F.
Effective removal of Acid Blue 113 dye using overripe Cucumis sativus peel as an eco-friendly biosorbent from agricultural residue
(2016) *J. Clean. Prod.*, 113, pp. 194-203.
- Lhanafi, S., Anfar, Z., Chebli, B., Benafqir, M., El Haouti, R., Azougarh, Y., Abbaz, M., El Alem, N.
Factorial experimental design to enhance methane production of dairy wastes co-digestion
(2018) *Sustainable Environment Research*,
- Dhiman, N., Shukla, S.P., Kisku, G.C.
Statistical optimization of process parameters for removal of dyes from wastewater on chitosan cenospheres nanocomposite using response surface methodology
(2017) *J. Clean. Prod.*, 149, pp. 597-606.
- Marzbali, M.H., Mir, A.A., Pazoki, M., Pourjamshidian, R., Tabeshnia, M.
Removal of direct yellow 12 from aqueous solution by adsorption onto spirulina algae as a high-efficiency adsorbent
(2017) *J. Environ. Chem. Eng.*, 5 (2), pp. 1946-1956.
- Mazur, L.P., Cechinel, M.A.P., de Souza, S.M.A.G.U., Boaventura, R.A.R., Vilar, V.J.P.
Brown marine macroalgae as natural cation exchangers for toxic metal removal from industrial wastewaters: a review
(2018) *J. Environ. Manag.*, 223 (May), pp. 215-253.
- Mokhtar, N., Aziz, E.A., Aris, A., Ishak, W.F.W., Mohd Ali, N.S.
Biosorption of azo-dye using marine macro-alga of Euchema Spinosum
(2017) *J. Environ. Chem. Eng.*, 5 (6).
- Morshedi, D., Mohammadi, Z., Akbar Boojar, M.M., Aliakbari, F.
Using protein nanofibrils to remove azo dyes from aqueous solution by the

- coagulation process**
(2013) *Colloids Surf. B Biointerfaces*, 112, pp. 245-254.
- Nageeb El-Helaly, S., Habib, B.A., Abd El-Rahman, M.K.
Resolution V fractional factorial design for screening of factors affecting weakly basic drugs liposomal systems
(2018) *Eur. J. Pharmaceut. Sci.*, 119 (April), pp. 249-258.
 - Nayak, A.K., Pal, A.
Green and efficient biosorptive removal of methylene blue by Abelmoschus esculentus seed: process optimization and multi-variate modeling
(2017) *J. Environ. Manag.*, 200, pp. 145-159.
 - Njoku, V.O., Foo, K.Y., Asif, M., Hameed, B.H.
Preparation of activated carbons from rambutan (*Nephelium lappaceum*) peel by microwave-induced KOH activation for acid yellow 17 dye adsorption
(2014) *Chem. Eng. J.*, 250, pp. 198-204.
 - Ozbay, N., Yargic, A.S.
Factorial experimental design for Remazol Yellow dye sorption using apple pulp/apple pulp carbon-titanium dioxide co-sorbent
(2015) *J. Clean. Prod.*, 100, pp. 333-343.
 - Pavan, F.A., Lima, E.C., Dias, S.L.P., Mazzocato, A.C.
Methylene blue biosorption from aqueous solutions by yellow passion fruit waste
(2008) *J. Hazard Mater.*, 150 (3), pp. 703-712.
 - Ponnusami, V., Krithika, V., Madhuram, R., Srivastava, S.N.
Biosorption of reactive dye using acid-treated rice husk: factorial design analysis
(2007) *J. Hazard Mater.*, 142 (1-2), pp. 397-403.
 - Rathinam, A., Rao, J.R., Nair, B.U.
Adsorption of phenol onto activated carbon from seaweed: determination of the optimal experimental parameters using factorial design
(2011) *J. Taiwan Inst. Chem. Eng.*, 42 (6), pp. 952-956.
 - Salleh, E.M., Hussain, Z., Ramakrishnan, S.
Synthesis of biodegradable Mg-Zn alloy by mechanical alloying: statistical prediction of elastic modulus and mass loss using fractional factorial design
(2018) *Trans. Nonferrous Metals Soc. China*, 28 (4), pp. 687-699.
 - Shao, H., Li, Y., Zheng, L., Chen, T., Liu, J.
Removal of methylene blue by chemically modified defatted brown algae *Laminaria japonica*
(2017) *J. Taiwan Inst. Chem. Eng.*, 80, pp. 525-532.
 - Vassilev, S.V., Vassileva, C.G.
Composition, properties and challenges of algae biomass for biofuel application: an overview
(2016) *Fuel*, 181, pp. 1-33.
 - Verma, A.K., Dash, R.R., Bhunia, P.
A review on chemical coagulation/flocculation technologies for removal of colour from textile wastewaters
(2012) *J. Environ. Manag.*, 93 (1), pp. 154-168.
 - Verma, A., Kumar, S., Kumar, S.
Biosorption of lead ions from the aqueous solution by *Sargassum filipendula*: equilibrium and kinetic studies
(2016) *J. Environ. Chem. Eng.*,

• Vijayaraghavan, K., Yun, Y.S.

Biosorption of C.I. Reactive Black 5 from aqueous solution using acid-treated biomass of brown seaweed Laminaria sp

(2008) *Dyes Pigments*, 76 (3), pp. 726-732.

• Vučurović, V.M., Razmovski, R.N., Miljić, U.D., Puškaš, V.S., Pus, V.S., Vuc, V.M., Vučurović, V.M., Vučurović, V.M.

Removal of cationic and anionic azo dyes from aqueous solutions by adsorption on maize stem tissue

(2014) *J. Taiwan Inst. Chem. Eng.*, 45 (4), pp. 1700-1708.

• Zbair, M., Anfar, Z., Ait Ahsaine, H., El Alem, N., Ezahri, M.

Acridine orange adsorption by zinc oxide/almond shell activated carbon composite: operational factors, mechanism and performance optimization using central composite design and surface modeling

(2018) *J. Environ. Manag.*, 206, pp. 383-397.

Correspondence Address

Mokhtar N.; Faculty of Civil Engineering Technology, Lebuhraya Tun Razak, Gambang, Pahang, Malaysia; email: nadiah@umpsa.edu.my

Publisher: Elsevier Ltd

ISSN: 14747065

CODEN: PCEHA

Language of Original Document: English

Abbreviated Source Title: Phys. Chem. Earth

2-s2.0-85191185771

Document Type: Article

Publication Stage: Final

Source: Scopus

ELSEVIER

Copyright © 2024 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

 RELX Group™