Web of Science[™]

Smart Search

Research • Assistant



Results for HIGH-FLOW NAS... >

High-Flow Nasal Oxygen Therapy in Preventing Post-Extubation Hypoxaemi...

High-Flow Nasal Oxygen Therapy in Preventing Post-Extubation Hypoxaemia and Postoperative Pulmonary Complications: A Systematic Review and Meta-Analysis

By Tan, JWY (Tan, Jamie Wen Yen); Izaham, A (Izaham, Azarinah); Abd

Rahman, R (Abd Rahman, Raha); Teo, R (Teo, Rufinah); Masri, SNNS (Masri, Syarifah Noor Nazihah Sayed); Ralib, AM (Md Ralib, Azrina)

; Chin, KY (Chin, Kok-Yong)

View Web of Science ResearcherID and ORCID (provided by

Clarivate)

Source DIAGNOSTICS

Volume: 15 Issue: 19

DOI: 10.3390/diagnostics15192449

Article Number 2449

Published SEP 25 2025

Indexed 2025-10-23

Document Type Review

Abstract Background: Post-extubation hypoxaemia and postoperative

pulmonary complications (PPCs) are common in surgical

patients and contribute significantly to morbidity and prolonged recovery. High-flow nasal oxygen therapy (HFNOT) has been





proposed as an alternative to conventional oxygen therapy (COT) in improving oxygenation and reducing PPCs postoperatively. Objectives: To evaluate the effectiveness of HFNOT compared to COT in reducing post-extubation hypoxaemia and PPCs in adult surgical patients, and to assess its impact on other clinical outcomes including ICU and hospital length of stay, mortality, and the need for escalation of respiratory support. Methods: A systematic review and meta-analysis of randomized controlled trials was conducted following PRISMA guidelines. Studies were identified from five databases including PubMed, Scopus, EBSCOHost, ProQuest, Ovid MEDLINE and Web of Science. Adult postoperative patients who received HFNOT after extubation were compared to those receiving COT. Primary outcomes included PaO2/FiO(2) (PF) ratio and incidence of PPCs. Secondary outcomes were hospital and ICU length of stay, mortality, and need for escalation of therapy. Results: Seventeen trials comprising 1830 patients were included. HFNOT significantly improved PF ratio post-extubation and reduced the incidence of hypoxaemia and PPCs compared to COT. For secondary outcomes, HFNOT was associated with a reduced hospital length of stay and lower postoperative mortality, while no significant difference was found for ICU stay. Escalation of respiratory support was more frequent in the COT group. Subgroup analyses indicated greater improvements in oxygenation with HFNOT of shorter duration (<24 h) and in noncardiothoracic patients. Conclusions: HFNOT is associated with improved postoperative oxygenation and a reduction in respiratory complications following extubation in surgical patients. The most pronounced benefits were observed in noncardiothoracic populations and with short-duration applications. While the beneficial effects of HFNOT appear consistent across the included randomized controlled trials, further large-scale studies with standardized intervention durations, surgical populations, and clearly defined criteria for escalation of therapy are needed to strengthen and confirm these findings.

Keywords

Author Keywords: high-flow nasal oxygen; postoperative; hypoxaemia; extubation; pulmonary complications

Keywords Plus: CANNULA OXYGEN; SURGERY PATIENTS; OBESE-PATIENTS; ATELECTASIS; ANESTHESIA; EXTUBATION; EXCHANGE; OUTCOMES

Addresses 1 Univ Kebangsaan Malaysia, Fac Med, Dept Anaesthesiol & Intens Care, Jalan Yaacob Latif, Kuala Lumpur 56000, Malaysia 2 Univ Kebangsaan Malaysia, Hosp Canselor Tuanku Muhriz, Dept Anaesthesiol & Intens Care, Jalan Yaacob Latif, Kuala Lumpur 56000, Malaysia

Int Islamic Univ Malaysia, Dept Anaesthesiol & Intens Care, Kulliyyah Med, Bandar Indera Mahkota 25200, Kuantan, Malaysia

⁴ Univ Kebangsaan Malaysia, Fac Med, Dept Pharmacol, Jalan Yaacob Latif, Kuala Lumpur 56000, Malaysia

Categories/ Classification Research Areas: General & Internal Medicine

Web of Science Categories Medicine, General & Internal

Language English

Accession WOS:001595036900001

Number

PubMed ID 41095668

eISSN 2075-4418

IDS Number 8QR40

See fewer data fields

Citation Network Use in Web of Science In Web of Science Core Collection O Last 180 Days Since 2013

43

Cited References

This record is from:

Web of Science Core Collection

 Science Citation Index Expanded (SCI-EXPANDED)

Suggest a correction

If you would like to improve the quality of the data in this record, please <u>Suggest a correction</u>

Clarivate

© 2025 Clarivate. All rights reserved.

Legal Training
Center Portal
Privacy Product
Statement Support
Copyright Newsletter
Notice

Cookie Accessibility
Policy Help
Manage Terms of
cookie Use
preferences
Data
Correction

Follow Us



