Back

Stable and channel spacing tunable of SOA-based multiwavelength fiber laser utilizing parallel Lyot filter

Results in Optics • Article • *Open Access* • 2025 • DOI: 10.1016/j.rio.2025.100890

Muridan, Norasmahan [a] ; Sulaiman, Abdul Hadi [b] ; Norizan, Siti Fatimah [c] ; Ibrahim, Siti Azlida [d] ; Yusoff, Nelidya Md [a]

[a] Faculty of Artificial Intelligence, Universiti Teknologi Malaysia, Jalan Sultan Yahya Petra, Kuala Lumpur, 54100, Malaysia

Abstract

We proposed the generation of a tunable channel-spacing in a multiwavelength fiber laser that incorporates a semiconductor optical amplifier (SOA) and a parallel Lyot filter. Previously, only a few works demonstrated channel spacing tunability using parallel Lyot filter, with none of them utilizing SOA. A stable and tunable multiwavelength spectrum with up to three distinct channel spacings is demonstrated using three different sets of parallel Lyot filter either Short, Long, and Mixed based on varying lengths of polarization-maintaining fiber (PMF). Channel spacing tunability is achieved by selecting different PMF length combinations. Experimental results show that two channel spacing modes, either single or multiple, can be selected for each configuration. Additionally, increasing the SOA drive current results in a greater number of lasing lines with higher intensity within the cavity. The system demonstrates good stability, with peak power differences of 1.46 dB, 0.65 dB, and 2.61 dB for the Short, Long, and Mixed sets, respectively, during a 60-minute observation period. © 2025 The Author(s)

Author keywords

Intensity dependent loss; Lyot filter; Multiwavelength fiber laser; Semiconductor optical amplifier

Funding details

Details about financial support for research, including funding sources and grant numbers as provided in academic publications.

Funding sponsor	Funding number	Acronym
Universiti Tenaga Nasional See opportunities		
Tenaga Nasional Berhad See opportunities by TNB		TNB
Universiti Teknologi Malaysia See opportunities by UTM	Q.K130000.3856.22H95	UTM
Universiti Teknoloai Malavsia		UTM

Funding text

This research was partly financially supported by Universiti Teknologi Malaysia under the UTM Fundamental Research (Q.K130000.3856.22H95). This work was also supported by Tenaga Nasional Berhad (TNB) and Universiti Tenaga Nasional (UNITEN) through the BOLD Refresh Postdoctoral Fellowships under the project code of J510050002-IC-6 BOLDREFRESH2025-Centre of Excellence.

Corresponding authors

Corresponding author	A.H. Sulaiman
Affiliation	School of Physics, Universiti Sains Malaysia, Penang, Gelugor, 11800, Malaysia
Email address	hadisulaiman@usm.my

Abstract

Author keywords

Funding details

Corresponding authors