



Qasim H. Shah
Hasan M. Abid

FROM LS-PREPOST TO LS-DYNA : AN INTRODUCTION

LS-Dyna for Beginners with 13 step by step solved examples

6
4F
1



LAMBERT
Academic Publishing

LIBRARY
INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA

Qasim H. Shah
Hasan M. Abid

FROM LS-PREPOST TO LS-DYNA : AN INTRODUCTION

**LS-Dyna for Beginners with 13 step by step solved
examples**

LAP LAMBERT Academic Publishing

19487

458-290

Impressum/Imprint (nur für Deutschland/only for Germany)

Bibliografische Information der Deutschen Nationalbibliothek: Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über <http://dnb.d-nb.de> abrufbar.

Alle in diesem Buch genannten Marken und Produktnamen unterliegen warenzeichen-, marken- oder patentrechtlichem Schutz bzw. sind Warenzeichen oder eingetragene Warenzeichen der jeweiligen Inhaber. Die Wiedergabe von Marken, Produktnamen, Gebrauchsnamen, Handelsnamen, Warenbezeichnungen u.s.w. in diesem Werk berechtigt auch ohne besondere Kennzeichnung nicht zu der Annahme, dass solche Namen im Sinne der Warenzeichen- und Markenschutzgesetzgebung als frei zu betrachten wären und daher von jedermann benutzt werden dürften.

Coverbild: www.ingimage.com

Verlag: LAP LAMBERT Academic Publishing GmbH & Co. KG
Dudweiler Landstr. 99, 66123 Saarbrücken, Deutschland
Telefon +49 681 3720-310, Telefax +49 681 3720-3109
Email: info@lap-publishing.com

Herstellung in Deutschland:
Schaltungsdienst Lange o.H.G., Berlin
Books on Demand GmbH, Norderstedt
Reha GmbH, Saarbrücken
Amazon Distribution GmbH, Leipzig
ISBN: 978-3-8454-0951-1

Imprint (only for USA, GB)

Bibliographic information published by the Deutsche Nationalbibliothek: The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

Any brand names and product names mentioned in this book are subject to trademark, brand or patent protection and are trademarks or registered trademarks of their respective holders. The use of brand names, product names, common names, trade names, product descriptions etc. even without a particular marking in this works is in no way to be construed to mean that such names may be regarded as unrestricted in respect of trademark and brand protection legislation and could thus be used by anyone.

Cover image: www.ingimage.com

Publisher: LAP LAMBERT Academic Publishing GmbH & Co. KG
Dudweiler Landstr. 99, 66123 Saarbrücken, Germany
Phone +49 681 3720-310, Fax +49 681 3720-3109
Email: info@lap-publishing.com

Printed in the U.S.A.
Printed in the U.K. by (see last page)
ISBN: 978-3-8454-0951-1

Copyright © 2011 by the author and LAP LAMBERT Academic Publishing GmbH & Co. KG and licensors
All rights reserved. Saarbrücken 2011

14/12/11 Pay
14/12/11 #1

Copy no: 11235358
Initial: NABA
Date: 7/12/11
Location: M73N/PJ/STAC/NILA/K/K2/11/BF

fp
QA
76.76
A65
S524F
2011

Table of Contents

Disclaimer	2
Preface	9
CHAPTER 1	10
Introduction	10
Units	10
LS PREPOST Versions	10
ELEMENTS AND FEA MODEL	11
MATERIAL MODELS	11
LSPREPOST PAGES	12
K FILE	12
COMMON KEYWORDS	12
Termination time	12
Contact	13
d3plot	13
MAT	13
PART	13
Section	13
RIGIDWALL	13
BOUNDARY	13
DEFINE_CURVE	13
ROTATING A MODEL	13
ZOOM IN ZOOM OUT	13
LSDYNA & LSPREPOST INTERNET FORUMS	14
LSDYNA HELP SITES	14
CHAPTER 2	15
IMPACT	15
MODEL MESHING	15
MATERIAL MODELS	17
SECTION PROPERTIES	18
PART	18
PROJECTILE VELOCITY	19
CONTACT	19

FIXING EDGES.....	19
END TIME.....	20
SHELL THICKNESS VARIATION CALCULATION.....	20
GRAPHIC OUTPUT FILES.....	20
SAVE THE K FILE.....	20
LS-DYNA SOLVER.....	20
POST PROCESSING THE RESULTS.....	20
CHAPTER 3	22
ROTATING TARGET.....	22
POST PROCESSING.....	26
CHAPTER 4	28
FRICTION TO HEAT.....	28
*DEFINE_CURVE.....	33
CHAPTER 5	37
RUBBER MODELING.....	37
CHAPTER 6	42
TIE BREAK.....	42
DEFINING MATERIALS AND SECTIONS.....	43
CREATING NODE SETS.....	43
APPLY DISPLACEMENT ONE EDGE.....	44
TO CONSTRAIN THE OTHER EDGE.....	44
CONSTRAINED_TIE_BREAK.....	44
RESULT.....	45
Note.....	45
CHAPTER 7	46
LEAD PROJECTILE DEFORMATION.....	46
CHAPTER 8	49
INTERNAL PRESSURE.....	49
MATERIAL.....	51
CONSTRAINTS.....	51
Note.....	52
APPLY PRESSURE.....	52
RESULTS.....	53

CHAPTER 9	55
METAL CUTTING USING SPH	55
OVERVIEW	55
BUILDING THE SPH MODEL	56
PARTICLE FILLING IN A SHELL BOX	56
CONTACT	58
TOOL TRAVERSING	59
SPH SPECIFIC	60
RESULTS	60
CHAPTER 10	61
VIBRATION ANALYSIS	61
CHAPTER 11	64
IMPACT ON CONCRETE	64
CHAPTER 12	66
SLOSHING SIMULATION	66
Water and Air Modeling	67
Node Merging.....	71
Tank Shell Elements	73
Part-Set Node-Set of Water and Air.....	78
Node-Set for Tank Velocity and Constrain	81
Material selection *MAT	83
Water & Void Material	83
Tank Material of Polycarbonate.....	84
Section type selection **SECTION	85
Water & Void/Air (*SECTION_SOLID_ALE).....	85
Tank (*SECTION_SHELL)	85
*EOS_GRUNEISEN	86
*HOURGLASS	86
*PART	87
*DEFINE_CURVE	88
*INITIAL_VOID_PART	89
*INITIAL_VELOCITY	90
*LOAD_BODY_Y	90

Identifying Reference Nodes for ALE	91
Identifying the three reference nodes	92
*ALE	93
*ALE_REFERENCE_SYSTEM_NODE	93
*ALE_REFERNECE_SYSTEM_GROUP	93
*BOUNDARY_PRESCRIBED_MOTION_SET	94
*BOUNDARY_SPC_SET	94
*CONSTARINED_LAGRAGE_IN_SOLID	95
*CONTROL	96
*CONTROL_ALE	96
*CONTROL_ENERGY	96
*CONTROL_TERMINATION	96
*CONTROL_TIMESTEP	97
*DATABASE	97
*DATABASE_OPTION	97
*DATABASE_BINARY_D3PLOT	98
*DATABASE_BINARY_FSIFOR	99
*DATABASE_EXTENT_BINARY	99
*DATABASE_FSI	99
Result	101
CHAPTER 13	102
EFFECT OF EXPLOSION ON A CONCRETE WALL	102
GENERATING PARTS	103
SECTION PROPERTIES	104
MATERIAL PROPERTIES	104
EQUATIONS OF STATE (EOS)	105
ALE CARDS	105
PART SETS	106
CONSTRAINED_LAGRANGE_IN_SOLID	107
INITIAL_DETONATION	108
TIME STEP SIZE	108
RESULTS	109
CHAPTER 14	110

LSPREPOST & LSDYNA TIPS	110
*Interface_Springback_Lsdyna.....	110
How to view node and element numbers?.....	110
SPH Appearance	110
SPH PART GENERATION.....	110
Refining Mesh.....	111
Increasing memory in SPH analysis	111
SPH particles pass through shell or solid elements	111
Filling SPH particles as a liquid in a tilted container	111
Element failure criteria	112
2D Analysis.....	112
*Contact_Tiebreak_Surface_to_Surface.....	112
SPH to model foam	112
Applying Pressure on liquid surface.....	112
Generating a new part from a portion of an existing part	113
OUT OF RANGE VELOCITY IN ALE SIMULATION.....	114
HOW TO DISPLAY ELASTIC STRAIN VALUES?	114
WHEN EOS IS REQUIRED?.....	114
*MAT_ADD_EROSION USAGE	114
HOW TO USE MAT_084?.....	115
HIGH VELOCITY IMPACT	115
HEB AND AIR MODELING	116
COMBATTING INSTABILITY IN ALE.....	116
USING *MAT_CONCRETE_DAMAGE_REL3 (MAT_072 R3).....	116
USING *CONSTRAINED_NODAL_RIGID_BODY	117
USING ELASTIC_PLASTIC_HYDRO MATERIAL	117
HOW TO DISPLAY STRAIN IN VECTOR FORM?.....	117
NECESSARY INPUT TO EXTRACT VIBRATION MODES.....	118
HOLE FILL WITH SHELL ELEMENTS	118
IN POST PROCESSING WHAT DOES PRESSURE MEAN?	119
NOTE ON JOHNSON COOK MATERIAL MODEL.....	119
PATH PLOT.....	120
HOW TO ERASE ELEMENTS BUT KEEP THE SURFACES TO REMESH AGAIN	120

References	121
-------------------------	-----