

Scopus

Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More...](#)
[Full Text](#) [View at Publisher](#)

Proceedings - 5th International Conference on Computer and Communication Engineering: Emerging Technologies via Comp-Unication Convergence, ICCCE 2014

4 February 2015, Article number 7031614, Pages 115-118

5th International Conference on Computer and Communication Engineering, ICCCE 2014; Sunway Putra Hotel Kuala Lumpur; Malaysia; 23 September 2014 through 24 September 2014; Category number E5413; Code 110844

Independent joint control of a 3-DOF robotic system using PI controller

(Conference Paper)

Sado, F. Sidek, S.N. Yusuf, H.M.

Department of Mechatronics Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, Malaysia

Abstract

[View references \(12\)](#)

The use of robotic devices for repetitive exercising of patients with upper limb sensor motor impairment has become accepted as effective in rehabilitation therapy. Two forms of rehabilitation robotic devices for upper limb are so far available which include the exoskeleton and end-effect or based devices with the emphasis on proper joint coordination and control to actualize effective trajectory tracking and consequently effective therapy. An end-effect or based 3 degree of freedom (3-DOF) rehabilitation platform is proposed in this work which uses brushless DC (BLDC) motor for actuation of the two revolute joints. For set-point and trajectory tracking of the revolute joints, each joint and corresponding link has been modeled has a SISO system and a PI compensator has been employed. Preliminary simulation studies showed the effectiveness of the proposed control framework. © 2014 IEEE.

Author keywords

compensator end-effector rehabilitation robotic sensorimotor

Indexed keywords

Engineering controlled terms:	Brushless DC motors	Degrees of freedom (mechanics)	End effectors	Joints (anatomy)
	Neuromuscular rehabilitation	Patient rehabilitation	Patient treatment	

3 degree of freedom
(3-DOF)

Brushless dc (BLDC)
motors

compensator

Independent joint
controls

Rehabilitation
robotics

Rehabilitation
therapy

sensorimotor

Trajectory tracking

Metrics

0 Citations in Scopus

0 Field-Weighted
Citation Impact



PlumX Metrics

Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 0 documents

Inform me when this document
is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

Assessment of a 7-DOF hand
exoskeleton for
neurorehabilitation

Abbruzzese, K. , Foulds, R.
(2017) *Biosystems and
Biorobotics*

Model-based assistance-as-needed
for robotic movement
therapy after stroke

Taheri, H. , Reinkensmeyer, D.J. ,
Wolbrecht, E.T.
(2016) *Proceedings of the Annual
International Conference of the
IEEE Engineering in Medicine
and Biology Society, EMBS*

Design of a thumb module for
the FINGER rehabilitation robot

Wolbrecht, E.T. , Morse, K.J. ,
Perry, J.C.
(2016) *Proceedings of the Annual
International Conference of the
IEEE Engineering in Medicine
and Biology Society, EMBS*

Engineering main
heading:
Robotics

ISBN: 978-147997635-5
Source Type: Conference
Proceeding
Original language: English

DOI: 10.1109/ICCCE.2014.43
Document Type: Conference Paper
Volume Editors: Gunawan T.S.
Sponsors: Felda Wellness Corporation,Malaysia
Convention and Exhibition Bureau (MyCEB),Malaysian
Industry-Government Group for High
Technology,University Putra Malaysia,Yayasan
Kesejahteraan Bandar
Publisher: Institute of Electrical and Electronics
Engineers Inc.

[View all related documents based
on references](#)

Find more related documents in
Scopus based on:

[Authors >](#) [Keywords >](#)

References (12)

[View in search results format >](#)

All [Export](#)  [Print](#)  [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 1 De Lee, G., Wang, W.-W., Lee, K.-W., Lin, S.-Y., Fu, L.-C., Lai, J.-S., Chen, W.-S., (...), Luh, J.-J.
Arm exoskeleton rehabilitation robot with assistive system for patient after stroke

(2012) *International Conference on Control, Automation and Systems*, art. no. 6393168, pp. 1943-1948. Cited 13 times.
ISBN: 978-146732247-8

- 2 Maciejasz, P., Eschweiler, J., Gerlach-Hahn, K., Jansen-Troy, A., Leonhardt, S.
A survey on robotic devices for upper limb rehabilitation

(2014) *Journal of NeuroEngineering and Rehabilitation*, 11 (1), art. no. 3. Cited 112 times.
doi: 10.1186/1743-0003-11-3

[View at Publisher](#)

- 3 Marchal-Crespo, L., Reinkensmeyer, D.J.
Review of control strategies for robotic movement training after neurologic injury

(2009) *Journal of NeuroEngineering and Rehabilitation*, 6 (1), art. no. 20. Cited 414 times.
doi: 10.1186/1743-0003-6-20

[View at Publisher](#)

- 4 Kwakkel, G., Kollen, B.J., Krebs, H.I.
Effects of robot-assisted therapy on upper limb recovery after stroke: A systematic review

(2008) *Neurorehabilitation and Neural Repair*, 22 (2), pp. 111-121. Cited 715 times.
doi: 10.1177/1545968307305457

[View at Publisher](#)

- 5 Bütefisch, C., Hummelsheim, H., Denzler, P., Mauritz, K.-H.
Repetitive training of isolated movements improves the outcome of motor rehabilitation of the centrally paretic hand

(1995) *Journal of the Neurological Sciences*, 130 (1), pp. 59-68. Cited 558 times.
doi: 10.1016/0022-510X(95)00003-K

[View at Publisher](#)

- 6 Gunasekara, J.M.P., Gopura, R.A.R.C., Jayawardane, T.S.S., Lalitharathne, S.W.H.M.T.D.
Control methodologies for upper limb exoskeleton robots
(2012) *2012 IEEE/SICE International Symposium on System Integration, SII 2012*, art. no. 6427387, pp. 19-24. Cited 20 times.
ISBN: 978-146731496-1
doi: 10.1109/SII.2012.6427387

[View at Publisher](#)

-
- 7 Spong, M.W., Hutchinson, S., Vidyasagar, M.
(2006) *Robot Modeling and Control*. Cited 1463 times.
John Wiley & Sons New York

-
- 8 Rambabu, S.
(2007) *Modeling and Control of A Brushless DC Motor*. Cited 6 times.

-
- 9 Rao, A.P.C., Obulesh, Y.P., Babu, C.S.
Mathematical modeling of bldc motor with closed loop speed control using pid controller under various loading conditions
(2012) *ARPN Journal of Engineering and Applied Sciences*, 7 (10), pp. 1321-1328. Cited 11 times.
http://www.arpnjournals.com/j eas/research_papers/rp_2012/j eas_1012_796.pdf

-
- 10 Younkin, G.
Electric Servo Motor Equations and Time Constants. Cited 2 times.
Bulls Eye Marketing, Inc

-
- 11 Oguntoyinbo, O.
(2009) *PID Control of Brushless DC Motor and Robot Trajectory Planning Simulation with MATLAB®/SIMULINK®*. Cited 12 times.

-
- 12 Alter, D.M.
(2006) *Using PWM Output As A Digital-to-analog Converter on A TMS320F280X Digital Signal Controller*. Cited 11 times.
Texas Instruments, Dallas, TX, Application Report SPAA88

© Copyright 2015 Elsevier B.V., All rights reserved.

[Back to results](#) | 1 of 1

[Top of page](#)

About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切换到繁體中文](#)
- [Русский язык](#)

Customer Service

- [Help](#)
- [Contact us](#)

ELSEVIER[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our Cookies page.

 RELX Gr