

Scopus

Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More...](#)
[Full Text](#)
[View at Publisher](#)

Automatika

Volume 56, Issue 1, 2015, Pages 76-83

Open Access

[Metrics](#) [View all metrics >](#)

1 Citation in Scopus

0.41 Field-Weighted
Citation Impact

PlumX Metrics

Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

A compact wideband patch antenna for ultra high frequency RFID tag

(Article)

[Kompaktna širokopojasna patch antena za ultra visoki frekvencijski RFID tag]

Bashri, M.S.R., Ibrahimy, M.I., Motakabber, S.M.A.

International Islamic University Malaysia, Electrical and Computer Engineering, Gombak, Malaysia

Abstract

[View references \(22\)](#)

A compact and simple patch antenna for ultra high frequency band is current demand for RFID tag. By em-bedding a pair of symmetrical key-shaped slot near the non-radiating edge of the rectangular patch, a new adjacent resonant mode close to the fundamental mode is excited to form a wide half-power impedance bandwidth (Returnloss ≥ 3 dB) of 122 MHz to cover the entire frequency range of ultra high frequency RFID operation (860-960MHz). The structure of the antenna is completely planar without any cross or multi-layered construction thus it provides ease of fabrication and reduced cost. Performance of the antenna is evaluated by using a commercial electromagnetic simulator, Ansoft HFSS v13. Simulation results demonstrate that the antenna is able to perform considerably well when mounted on different size of metallic plate as well as in free space. © 2015, KoREMA. All rights reserved.

Author keywords

Patch antenna Planner antenna RFID UHF band

ISSN: 00051144**DOI:** 10.7305/automatika.2015.04.598**Source Type:** Journal**Document Type:** Article**Original language:** English**Publisher:** KoREMA

Cited by 1 document

Design and simulation of an optimized slotted patch antenna for RFID reader applications

Tabakh, I. , Jorio, M. , El Amrani El Idrissi, N.
(2016) 2016 International Conference on Information Technology for Organizations Development, IT4OD 2016
[View details of this citation](#)

Inform me when this document is cited in Scopus:

[Set citation alert >](#)
[Set citation feed >](#)

References (22)

[View in search results format >](#)
 All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)
 1 Lorchirachoonkul, W., Mo, J.P.T.

Virtualisation of RFID supply chain

(2009) ISSNIP 2009 - Proceedings of 2009 5th International Conference on Intelligent Sensors, Sensor Networks and Information Processing, art. no. 5416853, pp. 319-324. Cited 2 times.

ISBN: 978-142443518-0

doi: 10.1109/ISSNIP.2009.5416853

[View at Publisher](#)

Related documents

Design of a planar wideband patch antenna for UHF RFID tag

Bashri, M.S.R. , Ibrahimy, M.I. , Motakabber, S.M.A.
(2014) Microwave and Optical Technology Letters

Design of a wideband inductively coupled loop feed patch antenna for UHF RFID tag

Bashri, M.S.R. , Ibrahimy, M.I. , Motakabber, S.M.A.
(2015) Radioengineering

Design and development of a compact wideband c-shaped

- 2 Liu, J., Tan, X., Min, H.
Dual frequency based real time location system using passive UHF RFID
(2011) *Proceedings of International Conference on ASIC*, art. no. 6157321, pp. 779-782. Cited 3 times.
ISBN: 978-161284190-8
doi: 10.1109/ASICON.2011.6157321
[View at Publisher](#)
- 3 Yao, W., Chu, C.-H., Li, Z.
The use of RFID in healthcare: Benefits and barriers
(2010) *Proceedings of 2010 IEEE International Conference on RFID-Technology and Applications, RFID-TA 2010*, art. no. 5529874, pp. 128-134. Cited 53 times.
ISBN: 978-142446700-6
doi: 10.1109/RFID-TA.2010.5529874
[View at Publisher](#)
- 4 Chung, C., Kim, Y.-H., Ki, T.-H., Bae, K., Kim, J.
Fully integrated ultra-low-power passive UHF RFID transponder IC
(2011) *2011 IEEE International Symposium on Radio-Frequency Integration Technology, RFIT 2011*, art. no. 6141789, pp. 77-80. Cited 6 times.
ISBN: 978-145770518-2
doi: 10.1109/RFIT.2011.6141789
[View at Publisher](#)
- 5 Bouzakis, A., Overmeyer, L.
Simulation analysis for the performance of integrated HF RFID antennas
(2012) *Proceedings - UKSim-AMSS 6th European Modelling Symposium, EMS 2012*, art. no. 6410182, pp. 391-394. Cited 3 times.
ISBN: 978-076954926-2
doi: 10.1109/EMS.2012.22
[View at Publisher](#)
- 6 Mayordomo, I., Van Der Heyd, N., Dräger, T., Bernhard, J.
Development of a wireless power transmission system for embedded passive sensors using LF RFID technology
(2012) *Proceedings - 2012 4th International EURASIP Workshop on RFID Technology, RFID 2012*, art. no. 6353850, pp. 65-71. Cited 6 times.
ISBN: 978-076954813-5
doi: 10.1109/RFID.2012.20
[View at Publisher](#)
- 7 Zhao, D., Yin, Y.Z., Yang, Y.
A review of antenna design and measurement for UHF RFID tags
(2010) *2010 9th International Symposium on Antennas Propagation and EM Theory, ISAPE 2010*, art. no. 5696472, pp. 349-352. Cited 2 times.
ISBN: 978-142446906-2
doi: 10.1109/ISAPE.2010.5696472
[View at Publisher](#)

patch antenna for uhf rfid tag
Bashri, M.S.R. , Ibrahimy, M.I. , Motakabber, S.M.A.
(2013) *Research Journal of Applied Sciences, Engineering and Technology*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

- 8 Tashi, Hasan, M.S., Yu, H.
Design and simulation of UHF RFID tag antennas and performance evaluation in presence of a metallic surface

(2011) *SKIMA 2011 - 5th International Conference on Software, Knowledge Information, Industrial Management and Applications*, art. no. 6089974, pp. 13-20. Cited 8 times.
ISBN: 978-146730246-3
doi: 10.1109/SKIMA.2011.6089974

[View at Publisher](#)

-
- 9 (2012) *Regulatory Status for Using RFID in the UHF Spectrum* 28 September GS1, (Accessed on October 20, 2012)
http://www.gs1.org/docs/epcglobal/UHF_Regulations.pdf

-
- 10 Monti, G., Catarinucci, L., Tarricone, L.
Broad-band dipole for RFID applications

(2010) *Progress In Electromagnetics Research C*, 12, pp. 163-172. Cited 15 times.
<http://ceta.mit.edu/PIERC/pierc12/14.10012606.pdf>
doi: 10.2528/PIERC10012606

[View at Publisher](#)

-
- 11 Choi, Y., Kim, U., Kim, J., Choi, J.
Design of modified folded dipole antenna for UHF RFID tag

(2009) *Electronics Letters*, 45 (8), pp. 387-389. Cited 36 times.
doi: 10.1049/el.2009.0198

[View at Publisher](#)

-
- 12 Ghannay, N., Ben Salah, M.B., Romdhani, F.
Samet,"Effects of metal plate to RFID tag antenna parameters
(2009) *In Proceedings of the Microwave Symposium Mediterranean, (Tangiers, Morocco)*, pp. 1-3. Cited 2 times.

-
- 13 Xi, J., Zhu, H., Ye, T.T.
Platform-tolerant PIFA-type UHF RFID tag antenna

(2010) *RFID 2010: International IEEE Conference on RFID*, art. no. 5467277, pp. 174-180. Cited 6 times.
ISBN: 978-142445743-4
doi: 10.1109/RFID.2010.5467277

[View at Publisher](#)

-
- 14 Jeong, S.-H., Son, H.-W., Yeo, J.
A low-cost, wideband RFID tag antenna on metallic surfaces using proximity-coupled feed

(2009) *APMC 2009 - Asia Pacific Microwave Conference 2009*, art. no. 5385470, pp. 2409-2411. Cited 2 times.
ISBN: 978-142442802-1
doi: 10.1109/APMC.2009.5385470

[View at Publisher](#)

- 15 Sahin, C., Deavours, D.D.
Wideband microstrip RFID tag: Theory and design
(2009) *IEEE Antennas and Propagation Society, AP-S International Symposium (Digest)*, art. no. 5171643. Cited 5 times.
ISBN: 978-142443647-7
doi: 10.1109/APS.2009.5171643

[View at Publisher](#)

-
- 16 Lu, J.-H., Hung, K.-T.
Planar inverted-E antenna for UHF RFID tag on metallic objects with bandwidth enhancement
(2010) *Electronics Letters*, 46 (17), pp. 1182-1183. Cited 22 times.
doi: 10.1049/el.2010.0817

[View at Publisher](#)

-
- 17 Lai, M., Li, R., Tentzeris, M.M.
Low-profile broadband RFID tag antennas mountable on metallic objects
(2010) *2010 IEEE International Symposium on Antennas and Propagation and CNC-USNC/URSI Radio Science Meeting - Leading the Wave, AP-S/URSI 2010*, art. no. 5561167. Cited 8 times.
ISBN: 978-142444968-2
doi: 10.1109/APS.2010.5561167

[View at Publisher](#)

-
- 18 Bird, T.S.
Definition and misuse of return loss
(2009) *IEEE Antennas and Propagation Magazine*, 51 (2), pp. 166-167. Cited 36 times.
doi: 10.1109/MAP.2009.5162049

[View at Publisher](#)

-
- 19 Shaikh, T., Khan, R.
Design of compact linearly polarized microstrip patch antenna for wireless communication
(2012) *International Journal of Information and Education Technology*, 2, pp. 498-502.

-
- 20 Wong, K.L.
Compact and broadband microstrip antennas
(2002) *1St Endition, John Wiley & Sons*

-
- 21 Son, H.-W., Jeon, H.-G., Cho, J.-H.
Flexible wideband UHF RFID tag antenna for curved metal surfaces
(2012) *Electronics Letters*, 48 (13), pp. 749-750. Cited 14 times.
doi: 10.1049/el.2012.1030

[View at Publisher](#)

-
- 22 Son, H.-W., Jeong, S.-H.
Wideband RFID tag antenna for metallic surfaces using proximity-coupled feed
(2011) *IEEE Antennas and Wireless Propagation Letters*, 10, art. no. 5756635, pp. 377-380. Cited 29 times.
doi: 10.1109/LAWP.2011.2148151

[View at Publisher](#)

© Copyright 2015 Elsevier B.V., All rights reserved.

[◀ Back to results](#) | 1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切換到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our Cookies page.

 RELX Gr