

Scopus

Document details

[< Back to results](#) | 1 of 3 [Next >](#)[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#)[View at Publisher](#)

AIAA Journal

Volume 53, Issue 4, 2015, Pages 1026-1036

Flowfield-dependent variation method for moving-boundary problems

(Conference Paper)

Fadhli, M.^{ad} [✉](#), Asrar, W.^{be} [✉](#), Omar, A.A.^{cf} [✉](#)^aUniversity Tun Hussein Onn Malaysia, Batu Pahat, Malaysia^bUniversity of Tripoli, Sidy Almasry, Al Furnaj Road, Tripoli, Libyan Arab Jamahiriya^cInternational Islamic University Malaysia, Kuala Lumpur, Malaysia[View additional affiliations >](#)

Abstract

[View references \(36\)](#)

A novel numerical scheme using the combination of flowfield-dependent variation method and arbitrary Lagrangian-Eulerian method is developed. This method is a mixed explicit-implicit numerical scheme, and its implicitness is dependent on the physical properties of the flowfield. The scheme is discretized using the finite-volume method to give flexibility in dealing with complicated geometries. The formulation itself yields a sparse matrix, which can be solved by using any iterative algorithm. Several benchmark problems in two-dimensional inviscid and viscous flow have been selected to validate the method. Good agreement with available experimental and numerical data in the literature has been obtained, thus showing its promising application in complex fluid-structure interaction problems. © 2014 by the American Institute of Aeronautics and Astronautics, Inc. All rights reserved.

Indexed keywords

Engineering controlled terms: Finite volume method Flow fields Fluid structure interaction Iterative methods

Arbitrary Lagrangian Eulerian method
Bench-mark problems
Complicated geometry
Iterative algorithm
Moving boundary problems
Numerical scheme
Sparse matrices
Variation method

Engineering main heading: Numerical methods

ISSN: 00011452

CODEN: AIAJA

Source Type: Journal

DOI: 10.2514/1.J053353

Document Type: Conference Paper

Metrics 

0 Citations in Scopus

0 Field-Weighted Citation Impact

PlumX Metrics 

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

Related documents

Flowfield dependent variation method for one-dimensional stationary and moving boundary problems

Fadhli, M. , Omar, A.A. , Asrar, W. (2015) *International Journal of Computational Science and Engineering*

Arbitrary lagrangian-eulerian form of flowfield dependent variation method for moving boundary problems

Fadhli, M. , Omar, A.A. , Asrar, W. (2014) *32nd AIAA Applied Aerodynamics Conference*

Arbitrary Lagrangian-Eulerian form of Flowfield Dependent Variation method for fluid-structure interaction application

Fadhli, M. , Shamsudin, S.S. , Omar, A.A. (2017) *ARPJ Journal of Engineering and Applied Sciences*

Original language: English

Publisher: American Institute of Aeronautics and Astronautics Inc.

View all related documents based on references

References (36)

View in search results format >

 All Export Print E-mail Save to PDF Create bibliography

Find more related documents in Scopus based on:

Authors > Keywords >

-
- 1 Chung, T.J.
Transitions and interactions of inviscid/viscous, compressible/incompressible and laminar/turbulent flows
(1999) *International Journal for Numerical Methods in Fluids*, 31 (1), pp. 223-246. Cited 9 times.
[View at Publisher](#)
-
- 2 Yoon, K.T., Chung, T.J.
Three-dimensional mixed explicit-implicit generalized Galerkin spectral element methods for high-speed turbulent compressible flows
(1996) *Computer Methods in Applied Mechanics and Engineering*, 135 (3-4), pp. 343-367. Cited 13 times.
[View at Publisher](#)
-
- 3 Yoon, K.T., Moon, S.Y., Garcia, S.A., Heard, G.W., Chung, T.J.
Flowfield-dependent mixed explicit-implicit (FDMEI) methods for high and low speed and compressible and incompressible flows
(1998) *Computer Methods in Applied Mechanics and Engineering*, 151 (1-2), pp. 75-104. Cited 19 times.
[View at Publisher](#)
-
- 4 Chung, T.J.
(2002) *Computational Fluid Dynamics*. Cited 677 times.
Cambridge Univ. Press, New York, Chaps 6, 7
-
- 5 Schunk, G., Canabal, F., Heard, G., Chung, T.J.
Unified CFD methods via flowfield-dependent variation theory
(1999) *30th Fluid Dynamics Conference*, art. no. AIAA 99-3715, p. 24. Cited 4 times.
-
- 6 Elfaghi, A.M., Asrar, W., Omar, A.A.
Comparison of high-order accurate schemes for solving the nonlinear viscous burgers equation
(2009) *Australian Journal of Basic and Applied Sciences*, 3 (3), pp. 2535-2543. Cited 4 times.
<http://www.insipub.com/ajbas/2009/2536-2543.pdf>
-
- 7 Elfaghi, A.M., Asrar, W., Omar, A.A.
Higher order compact- flowfield dependent variation (hoc-fdv) solution of one- dimensional problems
(2010) *Engineering Applications of Computational Fluid Mechanics*, 4 (3), pp. 434-440. Cited 5 times.
-
- 8 Richardson, G.A., Cassibry, J.T., Chung, T.J., Wu, S.T.
Finite element form of FDV for widely varying flowfields
(2010) *Journal of Computational Physics*, 229 (1), pp. 145-167. Cited 6 times.
doi: 10.1016/j.jcp.2009.09.023
[View at Publisher](#)
-

-
- 9 Yee, H.C.
(1989) *A Class of High-Resolution Explicit and Implicit Shock-Capturing Methods*. Cited 347 times.
NASA TM-101088
-
- 10 Donea, J., Huerta, A., Ponthot, J.P., Rodríguez-Ferran, A.
Arbitrary lagrangian-eulerian methods
(2004) *Encyclopedia of Computational Mechanics*, 1, pp. 1-25. Cited 17 times.
edited by Stein, E., Borst, R. D., and Hughes, T. J. R., John Wiley & Sons, New York, Chap. 14
-
- 11 Hirt, C.W., Amsden, A.A., Cook, J.L.
An arbitrary Lagrangian-Eulerian computing method for all flow speeds

(1974) *Journal of Computational Physics*, 14 (3), pp. 227-253. Cited 1421 times.
doi: 10.1016/0021-9991(74)90051-5

[View at Publisher](#)
-
- 12 Xia, G., Lin, C.-L.
An unstructured finite volume approach for structural dynamics in response to fluid motions

(2008) *Computers and Structures*, 86 (7-8), pp. 684-701. Cited 34 times.
doi: 10.1016/j.compstruc.2007.07.008

[View at Publisher](#)
-
- 13 Guardone, A., Isola, D., Quaranta, G.
Arbitrary Lagrangian Eulerian formulation for two-dimensional flows using dynamic meshes with edge swapping

(2011) *Journal of Computational Physics*, 230 (20), pp. 7706-7722. Cited 21 times.
doi: 10.1016/j.jcp.2011.06.026

[View at Publisher](#)
-
- 14 Habchi, C., Russeil, S., Bougeard, D., Harion, J.-L., Lemenand, T., Ghanem, A., Valle, D.D., (...), Peerhossaini, H.
Partitioned solver for strongly coupled fluid-structure interaction

(2013) *Computers and Fluids*, 71, pp. 306-319. Cited 24 times.
doi: 10.1016/j.compfluid.2012.11.004

[View at Publisher](#)
-
- 15 Feistauer, M., Hasnedlová-Prokopová, J., Horáček, J., Kosík, A., Kučera, V.
DGFEM for dynamical systems describing interaction of compressible fluid and structures

(2013) *Journal of Computational and Applied Mathematics*, 254, pp. 17-30. Cited 10 times.
doi: 10.1016/j.cam.2013.03.028

[View at Publisher](#)
-
- 16 Feistauer, M., Kučera, V., Prokopová, J.
Discontinuous Galerkin solution of compressible flow in time-dependent domains

(2010) *Mathematics and Computers in Simulation*, 80 (8), pp. 1612-1623. Cited 17 times.
doi: 10.1016/j.matcom.2009.01.020

[View at Publisher](#)
-

-
- 17 Sun, X., Zhang, J., Ren, X.
Characteristic-based split (CBS) finite element method for incompressible viscous flow with moving boundaries

(2012) *Engineering Applications of Computational Fluid Mechanics*, 6 (3), pp. 461-474. Cited 9 times.
doi: 10.1080/19942060.2012.11015435

[View at Publisher](#)
-
- 18 Thomas, P.D., Lombard, C.K.
Geometric conservation law and its application to flow computations on moving grids

(1979) *AIAA Journal*, 17 (10), pp. 1030-1037. Cited 742 times.
doi: 10.2514/3.61273

[View at Publisher](#)
-
- 19 Guillard, H., Farhat, C.
On the significance of the geometric conservation law for flow computations on moving meshes

(2000) *Computer Methods in Applied Mechanics and Engineering*, 190 (11-12), pp. 1467-1482. Cited 131 times.
doi: 10.1016/S0045-7825(00)00173-0

[View at Publisher](#)
-
- 20 Heard, G.W.
(2007) *Flowfield-Dependent Variation (FDV) Method for Compressible, Incompressible, Viscous, and Inviscid Flow Interactions with FDVAdaptive Mesh Refinements and Parallel Processing*. Cited 3 times.
Ph.D Dissertation, Univ. of Alabama, Huntsville, AL
-
- 21 Versteeg, H.K., Malalasekera, W.
(2007) *An Introduction to Computational Fluid Dynamics: The Finite Volume Method*, pp. 321-323. Cited 816 times.
Pearson Education, Harlow, England, U.K.
-
- 22 Diskin, B., Thomas, J.L.
Comparison of node-centered and cell-centered unstructured finite-volume discretizations: Inviscid fluxes

(2010) *48th AIAA Aerospace Sciences Meeting Including the New Horizons Forum and Aerospace Exposition*, art. no. 2010-1079. Cited 15 times.
ISBN: 978-160086739-2
-
- 23 Darwish, M.S., Moukalled, F.
TVD schemes for unstructured grids

(2003) *International Journal of Heat and Mass Transfer*, 46 (4), pp. 599-611. Cited 122 times.
doi: 10.1016/S0017-9310(02)00330-7

[View at Publisher](#)
-
- 24 Saad, Y., Schultz, M.H.
GMRES: A generalized minimal residual algorithm for solving nonsymmetric linear systems
(1986) *SIAM Journal on Scientific and Statistical Computing*, 7 (3), pp. 856-869. Cited 5905 times.
-

-
- 25 Persson, P.-O., Peraire, J.
Newton-GMRES preconditioning for discontinuous Galerkin discretizations of the Navier-stokes equations

(2008) *SIAM Journal on Scientific Computing*, 30 (6), pp. 2709-2733. Cited 98 times.
<http://siamdl.aip.org/getpdf/servlet/GetPDFServlet?filetype=pdf&id=SJOCE3000030000006002709000001&idtype=cvips>
doi: 10.1137/070692108

View at Publisher
-
- 26 Yu, M.L., Wang, Z.J., Hu, H.
A high-order spectral difference method for unstructured dynamic grids

(2011) *Computers and Fluids*, 48 (1), pp. 84-97. Cited 29 times.
doi: 10.1016/j.compfluid.2011.03.015

View at Publisher
-
- 27 Hu, F.Q., Li, X.D., Lin, D.K.
Absorbing boundary conditions for nonlinear Euler and Navier-Stokes equations based on the perfectly matched layer technique

(2008) *Journal of Computational Physics*, 227 (9), pp. 4398-4424. Cited 64 times.
doi: 10.1016/j.jcp.2008.01.010

View at Publisher
-
- 28 Landon, R.H.
Compendium of unsteady aerodynamic measurements
(1982) *AGARD Rept 702*. Cited 77 times.
Neuilly sur Seine, France
-
- 29 Murman, S.M., Aftosmis, M.J., Berger, M.J.
Implicit approaches for moving boundaries in a 3-D Cartesian method

(2003) *41st Aerospace Sciences Meeting and Exhibit*. Cited 16 times.
ISBN: 978-162410099-4
-
- 30 Venkatakrishnan, V., Mavriplis, D.J.
Implicit method for the computation of unsteady flows on unstructured grids

(1996) *Journal of Computational Physics*, 127 (2), pp. 380-397. Cited 102 times.
doi: 10.1006/jcph.1996.0182

View at Publisher
-
- 31 Schneiders, L., Hartmann, D., Meinke, M., Schröder, W.
An accurate moving boundary formulation in cut-cell methods

(2013) *Journal of Computational Physics*, 235, pp. 786-809. Cited 57 times.
doi: 10.1016/j.jcp.2012.09.038

View at Publisher
-
- 32 Mohaghegh, M.R., Jafarian, M.M.
Unsteady transonic aerodynamic analysis for oscillatory airfoils using time spectral method
(2010) *International Journal of Mechanical and Materials Engineering*, 1 (4), pp. 264-271.
-

- 33 Visbal, M.R., Shang, J.S.
Investigation of the flow structure around a rapidly pitching airfoil
(1989) *AIAA Journal*, 27 (8), pp. 1044-1051. Cited 144 times.
doi: 10.2514/3.10219
[View at Publisher](#)
-
- 34 Lomtev, I., Kirby, R.M., Karniadakis, G.E.
A Discontinuous Galerkin ALE Method for Compressible Viscous Flows in Moving Domains
(1999) *Journal of Computational Physics*, 155 (1), pp. 128-159. Cited 58 times.
doi: 10.1006/jcph.1999.6331
[View at Publisher](#)
-
- 35 Sen, S., Kalita, J.C., Gupta, M.M.
A robust implicit compact scheme for two-dimensional unsteady flows with a biharmonic stream function formulation
(2013) *Computers and Fluids*, 84, pp. 141-163. Cited 7 times.
doi: 10.1016/j.compfluid.2013.05.016
[View at Publisher](#)
-
- 36 Badr, H.M., Coutanceau, M., Dennis, S.C.R., Ménard, C.
Unsteady flow past a rotating circular cylinder at Reynolds numbers 10^3 and 10^4
(1990) *Journal of Fluid Mechanics*, 220 (II), pp. 459-484. Cited 134 times.
doi: 10.1017/S0022112090003342
[View at Publisher](#)

© Copyright 2016 Elsevier B.V., All rights reserved.

[< Back to results](#) | 1 of 3 [Next >](#)

[^ Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Gr