

Scopus

Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More...](#)

Natural Product Communications
Volume 10, Issue 9, 2015, Pages 1585-1587

α -Glucosidase and 15-lipoxygenase inhibitory activities of phytochemicals from *Calophyllum symingtonianum* (Article)

Aminudin, N.I.^a, Ahmad, F.^a , Taher, M.^b, Zulkifli, R.M.^c 

^aDepartment of Chemistry, Faculty of Science, Universiti Teknologi Malaysia, Skudai Johor, Malaysia

^bKulliyah of Pharmacy, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang, Malaysia

^cDepartment of Bioscience and Health Sciences, Faculty of Biosciences and Medical Engineering, Universiti Teknologi Malaysia, Skudai Johor, Malaysia

Abstract

[View references \(26\)](#)

A phytochemical investigation of the crude extracts of the bark and leaves of *Calophyllum symingtonianum* has resulted in the isolation of inophyllum D, inophyllum H, calanone, isocordato-oblongic acid, amentoflavone, carpachromene and lupenone. Their chemical structures were elucidated and confirmed by spectroscopic analysis. All flavonoids and coumarins showed significant α -glucosidase inhibitory activity, while amentoflavone gave a positive result against 15-lipoxygenase inhibition.

Reaxys Database Information

[View Compounds](#)

Author keywords

15-lipoxygenase *Calophyllum symingtonianum* Coumarins Flavonoids α -Glucosidase

Indexed keywords

EMTREE drug terms: acarbose alpha glucosidase amentoflavone antidiabetic agent arachidonate 15 lipoxygenase calanone *Calophyllum symingtonianum* extract carpachromene coumarin derivative flavonoid inophyllum D inophyllum H isocordatooblongic acid lupenone plant extract plant medicinal product quercetin unclassified drug alpha glucosidase arachidonate 15 lipoxygenase glycosidase inhibitor lipoxygenase inhibitor plant medicinal product

EMTREE medical terms: Article bark *Calophyllum* *Calophyllum symingtonianum* controlled study drug activity drug isolation drug screening drug structure enzyme inhibition nonhuman plant leaf spectroscopy chemical structure chemistry metabolism

MeSH: alpha-Glucosidases Arachidonate 15-Lipoxygenase *Calophyllum* Glycoside Hydrolase Inhibitors Lipoxygenase Inhibitors Molecular Structure Phytochemicals Plant Bark Plant Leaves

Metrics  [View all metrics](#)

4 Citations in Scopus

70th Percentile

1.30 Field-Weighted

Citation Impact



PlumX Metrics

Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 4 documents

A review on the phytochemistry, pharmacology, and pharmacokinetics of amentoflavone, a naturally-occurring biflavonoid

Yu, S. , Yan, H. , Zhang, L. (2017) *Molecules*

Incrassamarin A-D: Four new 4-substituted coumarins from *Calophyllum incrassatum* and their biological activities

Aminudin, N.I. , Ahmad, F. , Taher, M. (2016) *Phytochemistry Letters*

Cytotoxic, anti-inflammatory and adipogenic effects of inophyllum d, calanone, isocordato-oblongic acid, and morelloflavone on cell lines

Taher, M. , Aminuddin, A. , Susanti, D. (2016) *Natural Product Sciences*

[View all 4 citing documents](#)

Inform me when this document is cited in Scopus:

[Set citation alert](#)

[Set citation feed](#)

Related documents

Chemicals and CAS Registry Numbers:

acarbose, 56180-94-0; alpha glucosidase, 9001-42-7; amentoflavone, 1617-53-4; arachidonate 15 lipoxygenase, 82249-77-2; quercetin, 117-39-5;
 alpha-Glucosidases; Arachidonate 15-Lipoxygenase; Glycoside Hydrolase Inhibitors; Lipoxygenase Inhibitors; Phytochemicals

ISSN: 1934578X
Source Type: Journal
Original language: English

PubMed ID: 26594765
Document Type: Article
Publisher: Natural Product Incorporation

References (26)

View in search results format >

All [Export](#)  Print  E-mail [Save to PDF](#) [Create bibliography](#)

- 1 Kawamura, F., Muhamud, A., Hashim, R., Sulaiman, O., Ohara, S.
Two Antifungal Xanthones from the Heartwood of Calophyllum Symingtonianum
 (2012) *Japan Agricultural Research Quarterly*, 46 (2), pp. 181-185. Cited 5 times.
<http://www.jrcasaffrc.go.jp/english/publication/jarq/46-2/46-02-09.pdf>
 doi: 10.6090/jarq.46.181
[View at Publisher](#)

- 2 Ito, C., Itoigawa, M., Mishina, Y., Cechinel Filho, V., Enjo, F., Tokuda, H., Nishino, H., (...), Furukawa, H.
Chemical constituents of Calophyllum brasiliense. 2. Structure of three new coumarins and cancer chemopreventive activity of 4-substituted coumarins
 (2003) *Journal of Natural Products*, 66 (3), pp. 368-371. Cited 72 times.
 doi: 10.1021/np0203640
[View at Publisher](#)

- 3 Jankiprasad, Naresh, G., Gupta, J., Bhattacharya, S.M., Rajendran, S.M., Awasthi, S.K., Narendra, T.
Antifilarial activity of constituents of Calophyllum inophyllum and their derivatives
 (2013) *Natural Product Communications*, 8 (6), pp. 803-804.
<http://members.naturalproduct.us/InstitutionalLogin.aspx>

- 4 Nasir, N.M., Rahmani, M., Shaari, K., Ee, G.C.L., Go, R., Kassim, N.K., Muhamad, S.N.K., (...), Iskandar, M.J.
Two new xanthones from calophyllum nodusum (guttiferae)
 (2011) *Molecules*, 16 (11), pp. 8973-8980. Cited 3 times.
<http://www.mdpi.com/1420-3049/16/11/8973/pdf>
 doi: 10.3390/molecules16118973
[View at Publisher](#)

- 5 Ha, L.D., Hansen, P.E., Duus, F., Pham, H.D., Nguyen, L.-H.D.
A new chromanone acid from the bark of Calophyllum dryobalanoides
 (2012) *Phytochemistry Letters*, 5 (2), pp. 287-291. Cited 7 times.
 doi: 10.1016/j.phytol.2012.02.003
[View at Publisher](#)

- 6 Cao, S.-G., Sim, K.Y., Goh, S.H.
Minor methylated pyranoamentoflavones from Calophyllum venulosum
 (2001) *Natural Product Letters*, 15 (5), pp. 291-297. Cited 7 times.
[View at Publisher](#)

Cytotoxic and antibacterial evaluation of coumarins and chromanone acid from *Calophyllum symingtonianum*
 Aminudin, N.I. , Ahmad, F. , Taher, M.
(2016) Journal of Applied Pharmaceutical Science

5,9,11-trihydroxy-2,2-dimethyl-3-(2-methylbut-3-en-2-yl)pyrano[2,3-a]xanthen-12(2H)-one from the stem bark of *Calophyllum tetrapterum* Miq.
 Tjahjandarie, T.S. , Saputri, R.D. , Tanjung, M.
(2017) MolBank

Two new 4-arylcoumarins from the seeds of *Calophyllum polyanthum*
 Zhong, H. , Ruan, J.-L. , Yao, Q.-Q.
(2010) Journal of Asian Natural Products Research

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#) [Keywords >](#)

- 7 Xiao, Q., Zeng, Y.-B., Mei, W.-L., Zhao, Y.-X., Deng, Y.-Y., Dai, H.-F.
Cytotoxic prenylated xanthones from *Calophyllum inophyllum*
(2008) *Journal of Asian Natural Products Research*, 10 (10), pp. 993-997. Cited 17 times.
doi: 10.1080/10519990802240387
[View at Publisher](#)
-
- 8 Zou, J., Wu, J., Liu, S.-Z., Zhao, W.-M.
New coumarins and triterpenes from *Calophyllum inophyllum*
(2010) *Helvetica Chimica Acta*, 93 (9), pp. 1812-1821. Cited 5 times.
<http://onlinelibrary.wiley.com/doi/10.1002/hlca.200900469/pdf>
doi: 10.1002/hlca.200900469
[View at Publisher](#)
-
- 9 Gustafson, K.R., Bokesch, H.R., Fuller, R.W., Cardellina II, J.H., Kadushin, M.R., Soejarto, D.D., Boyd, M.R.
Calanone, a novel coumarin from *Calophyllum teysmannii*
(1994) *Tetrahedron Letters*, 35 (32), pp. 5821-5824. Cited 36 times.
doi: 10.1016/S0040-4039(00)78193-7
[View at Publisher](#)
-
- 10 Ranjith, H., Dharmaratne, W., Sotheeswaran, S., Balasubramaniam, S., Waight, E.S.
Triterpenoids and coumarins from the leaves of *calophyllum cordato-oblongum*
(1985) *Phytochemistry*, 24 (7), pp. 1553-1556. Cited 38 times.
doi: 10.1016/S0031-9422(00)81064-X
[View at Publisher](#)
-
- 11 Kaikabo, A.A., Eloff, J.N.
Antibacterial activity of two biflavonoids from *Garcinia livingstonei* leaves against
Mycobacterium smegmatis
(2011) *Journal of Ethnopharmacology*, 138 (1), pp. 253-255. Cited 21 times.
doi: 10.1016/j.jep.2011.08.023
[View at Publisher](#)
-
- 12 Jamil, S., Taher, M., Sirat, H.M., Othman, N.A.
Flavonoids and triterpenes from the leaves of *artocarpus fulvicortex*
(2012) *Natural Product Communications*, 7 (12), pp. 1587-1588. Cited 7 times.
http://members.naturalproduct.us/Institutional_login.aspx
-
- 13 Rengasamy, K.R.R., Aderogba, M.A., Amoo, S.O., Stirk, W.A., Van Staden, J.
Potential antiradical and alpha-glucosidase inhibitors from *Ecklonia maxima* (Osbeck)
Papenfuss
(2013) *Food Chemistry*, 141 (2), pp. 1412-1415. Cited 27 times.
doi: 10.1016/j.foodchem.2013.04.019
[View at Publisher](#)
-
- 14 Murai, A., Iwamura, K., Takada, M., Ogawa, K., Usui, T., Okumura, J.-I.
Control of postprandial hyperglycaemia by galactosyl maltobionolactone and its novel
anti-amylase effect in mice
(2002) *Life Sciences*, 71 (12), pp. 1405-1415. Cited 46 times.
doi: 10.1016/S0024-3205(02)01844-1
[View at Publisher](#)

- 15 Feng, J., Yang, X.-W., Wang, R.-F.
Bio-assay guided isolation and identification of α -glucosidase inhibitors from the leaves of *Aquilaria sinensis*
(2011) *Phytochemistry*, 72 (2-3), pp. 242-247. Cited 71 times.
doi: 10.1016/j.phytochem.2010.11.025
[View at Publisher](#)
- 16 Wang, H., Du, Y.-J., Song, H.-C.
 α -Glucosidase and α -amylase inhibitory activities of guava leaves
(2010) *Food Chemistry*, 123 (1), pp. 6-13. Cited 111 times.
doi: 10.1016/j.foodchem.2010.03.088
[View at Publisher](#)
- 17 Reddy, N.P., Aparoy, P., Reddy, T.C.M., Achari, C., Sridhar, P.R., Reddanna, P.
Design, synthesis, and biological evaluation of prenylated chalcones as 5-LOX inhibitors
(2010) *Bioorganic and Medicinal Chemistry*, 18 (16), pp. 5807-5815. Cited 20 times.
doi: 10.1016/j.bmc.2010.06.107
[View at Publisher](#)
- 18 Eleftheriadis, N., Thee, S., Te Biesebeek, J., Van Der Wouden, P., Baas, B.-J., Dekker, F.J.
Identification of 6-benzyloxyisocyanates as a novel class of inhibitors of 15-lipoxygenase-1
(2015) *European Journal of Medicinal Chemistry*, 94, pp. 265-275. Cited 7 times.
<http://www.journals.elsevier.com/european-journal-of-medicinal-chemistry/>
doi: 10.1111/cbdd.12375
[View at Publisher](#)
- 19 Ribeiro, D., Freitas, M., Tomé, S.M., Silva, A.M.S., Porto, G., Cabrita, E.J., Marques, M.M.B., (...), Fernandes, E.
Inhibition of LOX by flavonoids: A structure-activity relationship study
(2014) *European Journal of Medicinal Chemistry*, 72, pp. 137-145. Cited 26 times.
doi: 10.1016/j.ejmech.2013.11.030
[View at Publisher](#)
- 20 Shi, X., Attygalle, A.B., Liwo, A., Hao, M.-H., Meinwald, J., Dharmaratne, H.R.W., Wanigasekera, W.M.A.P.
Absolute stereochemistry of soulattrolide and its analogues
(1998) *Journal of Organic Chemistry*, 63 (4), pp. 1233-1238. Cited 15 times.
doi: 10.1021/jo9717752
[View at Publisher](#)
- 21 Pacheco, P., Albonico, S.M., Silva, M.
Alkaloids, triterpenes and other constituents of *Discaria crenata*
(1973) *Phytochemistry*, 12 (4), pp. 954-955. Cited 12 times.
doi: 10.1016/0031-9422(73)80719-8
[View at Publisher](#)
- 22 Chasani, M., Vaulina, V., Iswanto, P., Rahayu, Y.
Hidrasi ikatan rangkap C_{7,8} senyawa kalanon dan uji sitotoksitasnya terhadap sel leukemia L1210
(2010) *Molekul*, 5, pp. 41-49.

- 23 Jain, A.C., Khazanchi, R., Kumar, A.
Synthesis of carpachromene
(1978) *Chemistry Letters*, 80, pp. 991-994. Cited 4 times.
-
- 24 Hanrahan, J.R., Chebib, M., Davucheron, N.L.M., Hall, B.J., Johnston, G.A.R.
Semisynthetic preparation of amentoflavone: A negative modulator at GABAA receptors
(2003) *Bioorganic and Medicinal Chemistry Letters*, 13 (14), pp. 2281-2284. Cited 41 times.
doi: 10.1016/S0960-894X(03)00434-7

[View at Publisher](#)

-
- 25 Lee, S.Y., Mediani, A., Nur Ashikin, A.H., Azliana, A.B.S., Abas, F.
Antioxidant and α -glucosidase inhibitory activities of the leaf and stem of selected traditional medicinal plants
(2014) *International Food Research Journal*, 21 (1), pp. 165-172. Cited 18 times.
[http://www.ifrj.upm.edu.my/21%20\(01\)%202014/24%20IFRJ%2021%20\(01\)%202014%20Faridah%20359.pdf](http://www.ifrj.upm.edu.my/21%20(01)%202014/24%20IFRJ%2021%20(01)%202014%20Faridah%20359.pdf)

-
- 26 Shaveta, Singh, A., Kaur, M., Sharma, S., Bhatti, R., Singh, P.
Rational design, synthesis and evaluation of chromone-indole and chromone-pyrazole based conjugates: Identification of a lead for anti-inflammatory drug
(2014) *European Journal of Medicinal Chemistry*, 77, pp. 185-192. Cited 23 times.
www.elsevier.com/gb/html/detrevue.cfm?code=E1
doi: 10.1016/j.ejmch.2014.03.003

[View at Publisher](#)

✉ Ahmad, F.; Department of Chemistry, Faculty of Science, Universiti Teknologi Malaysia, Skudai Johor, Malaysia;
email:farediah@kimia.fs.utm.my
© Copyright 2016 Elsevier B.V., All rights reserved.

[◀ Back to results](#) | 1 of 1[^ Top of page](#)

About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切換到繁體中文](#)
- [Русский язык](#)

Customer Service

- [Help](#)
- [Contact us](#)

ELSEVIER[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.
Cookies are set by this site. To decline them or learn more, visit our Cookies page.

