

Find PDF Export... Add to Marked List

1 of 1

Cytotoxicity Studies of Lung Cancer Cells Using Impedance Biosensor

By: Mansor, AFM (Mansor, Ahmad Fairuzabadi Mohd)^[1]; Nordin, AN (Nordin, Anis Nurashikin)^[1]; Ibrahim, I (Ibrahim, Irmanisha)^[2]

[View Web of Science ResearcherID and ORCID](#)

2015 INTERNATIONAL CONFERENCE ON SMART SENSORS AND APPLICATION - ICSSA 2015

Book Group Author(s): IEEE

Pages: 1-6

Published: 2015

Document Type: Proceedings Paper

Conference

Conference: International Conference on Smart Smart Sensors and Applications

Location: Kuala Lumpur, MALAYSIA

Date: MAY 26-28, 2015

Sponsor(s): Edex; ESI; LEADER; UTM; IEEE instrumentation & measurements soc

Abstract

Electrical cell-substrate impedance sensing (ECIS) is a valuable tool for real time monitoring of cell behavior such as attachment, mobility, and growth. To employ ECIS, the cells need to attach, spread and proliferate on the sensor in the presence of adhesion-promoting protein that mimics the extracellular matrix (ECM) of the cells. For cell attachment, collagen I, Bovine had been used as the coating substrate. In this study, four designs with varying electrode distances had been measured to detect the changes in impedance values of Lung Carcinoma cell lines (A549). The impedance change due to the cell growth and attachment was modeled as an equivalent circuit consisting of resistors and capacitors of both the cell culture media and the cells. The impedance measurements were measured every 8 hours for 120 hours at frequencies of 100Hz to 10MHz using Agilent Precision Impedance Analyzer 4294A. The experimental results have shown that the closest distance of the electrode gave the most optimum impedance value for A549 cancer cell's measurement. The cancer cells were also treated with a chemotherapeutic drug, Taxol and its impedance response was monitored over 5 days. Experimental results show that there is significant reduction in impedance when the cancer cells were exposed to Taxol, indicating that the cells are no longer adherent to the sensor's surface or are dead.

Keywords

Author Keywords: ECIS; A549; Cell Adhesion; Collagen; Interdigitated Circuit

KeyWords Plus: ADHESION

Author Information

Reprint Address: Mansor, AFM (reprint author)

+ IIUM, Kulliyyah Engn, Dept Elect & Comp Engn, Kuala Lumpur, Malaysia.

Addresses:

+ [1] IIUM, Kulliyyah Engn, Dept Elect & Comp Engn, Kuala Lumpur, Malaysia

+ [2] IIUM, Kulliyyah Engn, Dept Biotechnol Engn, Kuala Lumpur, Malaysia

E-mail Addresses: anisnn@iium.edu.my

Publisher

IEEE, 345 E 47TH ST, NEW YORK, NY 10017 USA

Categories / Classification

Research Areas: Engineering; Instruments & Instrumentation

Web of Science Categories: Engineering, Electrical & Electronic; Instruments & Instrumentation

[See more data fields](#)

Citation Network

In Web of Science Core Collection

11

Times Cited

Create Citation Alert

All Times Cited Counts

11 in All Databases

[See more counts](#)

30

Cited References

[View Related Records](#)

Most recently cited by:

Nordin, Nur Dalilah; Rahman, Hasimah Abdul.

[Comparison of optimum design, sizing, and economic analysis of standalone photovoltaic/battery without and with hydrogen production systems. RENEWABLE ENERGY \(2019\)](#)

Ibrokhimov, Sanjar; Hui, Kueh Lee; Al-Absi, Ahmed Abdulhakim; et al. [Multi-Factor Authentication in Cyber Physical System: A State of Art Survey. 2019 21ST INTERNATIONAL CONFERENCE ON ADVANCED COMMUNICATION TECHNOLOGY \(ICACT\): ICT FOR 4TH INDUSTRIAL REVOLUTION \(2019\)](#)

[View All](#)

Use in Web of Science

Web of Science Usage Count

0

Last 180 Days

0

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection
- Conference Proceedings Citation Index- Science

[Suggest a correction](#)

If you would like to improve the quality of the data in this record, please suggest a

Cited References: 30Showing 30 of 30 [View All in Cited References page](#)

(from Web of Science Core Collection)

1. **Optimization of interdigitated electrode (IDE) arrays for impedance based evaluation of Hs 578T cancer cells** Times Cited: 2
By: Alexander Jr, F.; Price, D. T.; Bhansali, S.
J PHYS C SERIES Volume: 224 Issue: 1 Published: 2010
2. Title: [not available] Times Cited: 5
Group Author(s): American Cancer Society
Lung Cancer (Non-Small Cell): American Joint Committee on Cancer Staging (AJCC-2010) Published: 2013
3. Title: [not available] Times Cited: 4
By: [Anonymous].
Chemotherapy Principles Published: 2013
Available from accessed 27.02.14
Publisher: American Cancer Society
URL: <http://www.cancer.org/treatment/treatmentsandsideeffects/treatmenttypes/chemotherapy/chemotherapyprinciplesanin-depthdiscussionofthetechniquesanditsroleintreatment/chemotherapy-principles-indepth-toc>
4. **Cellular impedance biosensors for drug screening and toxin detection** Times Cited: 1
By: Asphahani, F.; Zhang, M.
Analyst Published: 2011
Author Manuscript
5. **Polyaniline, an electroactive polymer, supports adhesion and proliferation of cardiac myoblasts** Times Cited: 212
By: Bidez, PR; Li, SX; MacDiarmid, AG; et al.
JOURNAL OF BIOMATERIALS SCIENCE-POLYMER EDITION Volume: 17 Issue: 1-2 Pages: 199-212 Published: 2006
6. Title: [not available] Times Cited: 1
By: Bot, C.; Prodan, C.
Probing the membrane potential of living cells by Dielectric Spectroscopy Published: 2008
7. **LAMININ AND FIBRONECTIN IN CELL-ADHESION - ENHANCED ADHESION OF CELLS FROM REGENERATING LIVER TO LAMININ** Times Cited: 202
By: CARLSSON, R; ENGVALL, E; FREEMAN, A; et al.
PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA-BIOLOGICAL SCIENCES Volume: 78 Issue: 4
Pages: 2403-2406 Published: 1981
8. **Clinical and costeffectiveness of donepezil, rivastigmine and galantamine for Alzheimer's disease: A rapid and systematic review** Times Cited: 9
By: Clegg, A. J.; Bryant, J.; Nicholson, T.; et al.
Health Technol Assess Volume: 5 Published: 2001
[\[Show additional data\]](#)
9. **Enhanced cell attachment using a novel cell culture surface presenting functional domains from extracellular matrix proteins** Times Cited: 42
By: Cooke, M. J.; Phillips, S. R.; Shah, D. S. H.; et al.
CYTOTECHNOLOGY Volume: 56 Issue: 2 Pages: 71-79 Published: FEB 2008
10. Title: [not available] Times Cited: 1
By: Eker, B.; Meissner, R.; Bertsch, A.; et al.
Label-free recognition of drug resistance via impedimetric screening of breast cancer cell Volume: 8 Issue: 3 Published: 2013
[\[Show additional data\]](#)
11. Title: [not available] Times Cited: 163
By: Ferlay, J; Soerjomataram, I; Ervik, M; et al.
GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11 Published: 2012