

CELEBRATE WORLD EGG  
WITH A SPECIAL EGG COLL

OXFORD  
ACADEMIC



**Poultry Science**<sup>®</sup>  
Excellence in Science Publishing



# Critical limits for the control points for *halal* poultry slaughter

Intan Azura Shahdan, Joe Mac Regenstein, Mohammad Tariqur Rahman ✉

*Poultry Science*, Volume 96, Issue 6, 1 June 2017, Pages 1970–1981,

<https://doi.org/10.3382/ps/pew427>

**Published:** 13 December 2016    **Article history** ▼

## Abstract

This study proposes critical limits (CL) for control points for *halal* slaughter (CPHS).

Previously, 6 control points (CP) were determined, and CL for these 6 CPHS are suggested based on: 1) a literature survey for the CL for CP 1 (poultry breeding, rearing, and poultry feed) and CP 2 (welfare of poultry during transportation and lairage); 2) a field survey of slaughter plants in Kuantan (Malaysia) for CP 3 (immobilization), CP 4 (slaughter), CP 5 (time for full bleed-out), and CP 6 (washing and packaging); and 3) controlled experiments to refine the CL for CP 3, 4, and 5. The CL for CP 1 focused on stress reduction during rearing and use of substances that could compromise poultry meat wholesomeness. The CL for CP 2 emphasizes humane best-practices for handling poultry during lairage. The CL for CP 3 suggests a gap of 5 s between 2 shackles if only one shackler is employed and shackling times of <1 min for live chickens. In countries permitting water-bath electrical stunning of *halal* poultry, the stunning current needed to induce unconsciousness must be defined for the breed and bird size but not cause any chicken deaths. The CL for CP 4 mandates the recitation of the *tasmiyah* (the invocation), which if done for every chicken, will require  $\geq 5$  s between stunning and neck cutting. The CL for CP 4 also includes information about the slaughter knife. In

CP 5 the recommended minimum time between neck cutting and scalding is 9.5 min. Finally, the CL for CP 6 emphasizes good supply chain hygiene and zero adulteration from *haram* species and substances.

**Issue Section:** [Processing and Products](#)

© 2016 Poultry Science Association Inc.

You do not currently have access to this article.

## Sign in

Don't already have an Oxford Academic account? [Register](#)

### Oxford Academic account

Email address / Username <sup>?</sup>

Password

[Sign In](#)

[Forgot password?](#)

[Don't have an account?](#)

### Poultry Science Association members



[Sign in via society site](#)

### Sign in via your Institution

[Sign in](#)

[Skip to Main Content](#)

**Purchase**

[Subscription prices and ordering](#)

## Short-term Access

Critical limits for the control points for *halal* poultry slaughter - 24 Hours access

EUR €25.00

GBP £19.00

USD \$33.00

Buy

## Rental



This article is also available for rental through DeepDyve.



[View Metrics](#)

[Skip to Main Content](#)

### Email alerts

[New issue alert](#)

[Advance article alerts](#)[Article activity alert](#)[Subject alert](#)

---

[Receive exclusive offers and updates  
from Oxford Academic](#)

## Related articles in

Google Scholar

## Citing articles via

Google Scholar

CrossRef

**Latest** | **Most Read** | **Most Cited**

Effect of supplementation of phytase to diets low in inorganic phosphorus on growth performance and mineralization of broilers

Valeric acid glyceride esters in feed promote broiler performance and reduce the incidence of necrotic enteritis

In-ovo green light photostimulation during different embryonic stages affect somatotropic axis

Performance, egg quality, and liver lipid reserves of free-range laying hens naturally infected with *Ascaridia galli*

Effects of high ambient temperature on the community structure and composition of ileal microbiome of broilers

[Skip to Main Content](#)



**FREE** Highly Cited Collection  
from **Poultry Science®**

[About Poultry Science](#)

[Editorial Board](#)

[Policies](#)

[Author Guidelines](#)

[Contact Us](#)

[Journals Career Network](#)

[Facebook](#)

[Twitter](#)

[Purchase](#)

[Recommend to your Library](#)

[Advertising and Corporate Services](#)

Online ISSN 1525-3171

Print ISSN 0032-5791

Copyright © 2018 Poultry Science Association Inc.

[About Us](#)

[Contact Us](#)

[Careers](#)

[Help](#)

[Access & Purchase](#)

**Connect**

[Join Our Mailing List](#)

[OUPblog](#)

[Twitter](#)

[Facebook](#)

[Rights & Permissions](#)[YouTube](#)[Open Access](#)[Tumblr](#)

## Resources

[Authors](#)[Librarians](#)[Societies](#)[Sponsors & Advertisers](#)[Press & Media](#)[Agents](#)

## Explore

[Shop OUP Academic](#)[Oxford Dictionaries](#)[Oxford Index](#)[Epigeum](#)[OUP Worldwide](#)[University of Oxford](#)

*Oxford University Press is a department of the University of Oxford. It furthers the University's objective of excellence in research, scholarship, and education by publishing worldwide*

**OXFORD**  
UNIVERSITY PRESS

[Copyright © 2018 Oxford University Press](#)[Privacy Policy](#)[Cookie Policy](#)[Legal Notices](#)[Site Map](#)[Accessibility](#)[Get Adobe Reader](#)