


< Back to results | 1 of 10 Next >

Export Download Print E-mail Save to PDF Add to List More... >

[Full Text](#) View at Publisher

Applied Radiation and Isotopes
Volume 138, August 2018, Pages 65-72


Doped silica fibre thermoluminescence measurements of radiation dose in the use of ^{223}Ra (Article)

Bradley^{ab} ✉, Sani, S.F.A.^b, Shafiqah, A.S.S.^c, Collins, S.M.^d, Hugtenburg, R.P.^e, Rashid, H.A.A.^f, Najua Zulkepely, N.^b, Maah, M.J.^g 

^aCentre for Nuclear and Radiation Physics, Department of Physics, University of Surrey, Guildford, Surrey, United Kingdom

^bSunway University, Institute for Healthcare Development, PJ, Malaysia

^cDepartment of Physics, Kuliyah of Science, International Islamic University Malaysia, Kuantan, Malaysia

View additional affiliations 

Abstract

 View references (40)

Using tailor-made sub-mm dimension doped-silica fibres, thermoluminescent dosimetric studies have been performed for α -emitting sources of $^{223}\text{RaCl}_2$ (the basis of the Bayer Healthcare product Xofigo®). The use of $^{223}\text{RaCl}_2$ in the palliative treatment of bone metastases resulting from late-stage castration-resistant prostate cancer focuses on its favourable uptake in metabolically active bone metastases. Such treatment benefits from the high linear energy transfer (LET) and associated short path length (<100 μm) of the α -particles emitted by ^{223}Ra and its decay progeny. In seeking to provide for in vitro dosimetry of the α -particles originating from the ^{223}Ra decay series, investigation has been made of the TL yield of various forms of Ge-doped SiO_2 fibres, including photonic crystal fibre (PCF) collapsed, PCF uncollapsed, flat and single-mode fibres. Irradiations of the fibres were performed at the UK National Physical Laboratory (NPL). Notable features are the considerable sensitivity of the dosimeters and an effective atomic number Z_{eff} approaching that of bone, the glass fibres offering the added advantage of being able to be placed directly into liquid. The outcome of present research is expected to inform development of doped fibre dosimeters of versatile utility, including for applications as detailed herein. © 2017 Elsevier Ltd

Author keywords

[\$^{223}\text{Ra}\$](#) [Alpha particles](#) [Dosimetry](#) [Silica fibre](#) [Thermoluminescence](#)

Indexed keywords

Engineering controlled terms:

[Alpha particles](#) [Atoms](#) [Bone](#) [Diseases](#) [Dosimeters](#) [Dosimetry](#) [Energy transfer](#)
[Fibers](#) [Germanium](#) [Laboratories](#) [Pathology](#) [Silica](#) [Single mode fibers](#)
[Thermoluminescence](#)

Compendex keywords

[Bayer healthcares](#) [Effective atomic number](#) [Emitting sources](#) [High linear energy transfers](#)
[Measurements of](#) [National Physical Laboratory](#) [Prostate cancers](#) [Silica fibres](#)

Engineering main heading:

[Photonic crystal fibers](#)

Metrics

0 Citations in Scopus
0 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

References (40)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

-
- 1 Abdul Rahman, A.T., Nisbet, A., Bradley, D.A.
Dose-rate and the reciprocity law: TL response of Ge-doped SiO₂ optical fibers at therapeutic radiation doses
(2011) Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 652 (1), pp. 891-895. Cited 27 times.
doi: 10.1016/j.nima.2010.08.048
[View at Publisher](#)
-
- 2 Abdul Sani, S.F.
PhD thesis of Siti Fairus Abdul Sani, Characterisation of defects and thermoluminescence yield of novel tailor-made doped optical fibres for dosimetry
(2015) Faculty of Engineering and Physical Sciences
University of Surrey United Kingdom
-
- 3 Abdul Sani, S.F., Mahdiraji, G.A., Siti Shafiqah, A.S., Grime, G.W., Palitsin, V., Hinder, S.J., Tamchek, N., (...), Bradley, D.A.
XPS and PIXE analysis of doped silica fibre for radiation dosimetry
(2015) Journal of Lightwave Technology, 33 (11), art. no. 7050239, pp. 2268-2278. Cited 6 times.
doi: 10.1109/JLT.2015.2406394
[View at Publisher](#)
-
- 4 Abdul Sani, S.F., Grime, G.W., Palitsin, V., Mahdiraji, G.A., Abdul Rashid, H.A., Maah, M.J., Bradley, D.A.
Micro-PIXE analysis of doped SiO₂ fibres intended as TL dosimeters for radiation measurements
(2015) X-Ray Spectrometry, 44 (2), pp. 33-40. Cited 5 times.
[http://onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)1097-4539](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1097-4539)
doi: 10.1002/xrs.2575
[View at Publisher](#)
-
- 5 Abdul Sani, S.F., Hammond, R., Jafari, S.M., Wahab, N., Amouzad Mahdiraji, G., Siti Shafiqah, A.S., Abdul Rashid, H.A., (...), Bradley, D.A.
Measurement of a wide-range of X-ray doses using specialty doped silica fibres
(2017) Radiation Physics and Chemistry, 137, pp. 49-55.
www.elsevier.com/locate/radphyschem
doi: 10.1016/j.radphyschem.2016.03.008
[View at Publisher](#)
-
- 6 Abdulla, Y.A., Amin, Y.M., Bradley, D.A.
, 61, pp. 409-410.
The thermoluminescence response of Ge-doped optical fibre subjected to photon irradiation, Radiat. Phys. Chem.
-