



Save to EndNote online

Add to Marked List

1 of 1

**Latest developments in silica-based thermoluminescence spectrometry and dosimetry**

By: Bradley, DA (Bradley, D. A.)<sup>[1,2]</sup>; Jafari, SM (Jafari, S. M.)<sup>[1,3]</sup>; Shafiqah, ASS (Shafiqah, A. S. Siti)<sup>[4]</sup>; Tamcheck, N (Tamcheck, N.)<sup>[6]</sup>; Shutt, A (Shutt, A.)<sup>[6]</sup>; Rozaila, ZS (Rozaila, Z. Siti)<sup>[2]</sup>; Sani, SFA (Sani, S. F. Abdul)<sup>[2]</sup>; Sabtu, SN (Sabtu, Siti Norbaini)<sup>[2]</sup>; Alanazi, A (Alanazi, Abdulaziz)<sup>[1]</sup>; Mandiraji, GA (Mandiraji, G. Amouzad)<sup>[7]</sup>...More

[View ResearcherID and ORCID](#)**APPLIED RADIATION AND ISOTOPES**

Volume: 117 Pages: 128-134

DOI: 10.1016/j.apradiso.2015.12.034

Published: NOV 2016

[View Journal Information](#)**Abstract**

Using irradiated doped-silica preforms from which fibres for thermoluminescence dosimetry applications can be fabricated we have carried out a range of luminescence studies, the TL yield of the fibre systems offering many advantages over conventional passive dosimetry types. In this paper we investigate such media, showing emission spectra for irradiated preforms and the TL response of glass beads following irradiation to an Am-241-Be neutron source located in a tank of water, the glass fibres and beads offering the advantage of being able to be placed directly into liquid. The outcomes from these and other lines of research are intended to inform development of doped silica radiation dosimeters of versatile utility, extending from environmental evaluations through to clinical and industrial applications. (C) 2015 Elsevier Ltd. All rights reserved.

**Keywords****Author Keywords:** Dosimetry; Ge-doped silica fibre; Thermoluminescence; Glass beads TLDs**KeyWords Plus:** OPTICAL-FIBERS; GLASS-BEADS; GE; RADIATION; LUMINESCENCE; DEFECTS; CENTERS**Author Information****Reprint Address:** Bradley, DA (reprint author)

Univ Surrey, Dept Phys, Guildford GU2 7XH, Surrey, England.

**Addresses:**

- [ 1 ] Univ Surrey, Dept Phys, Guildford GU2 7XH, Surrey, England
- [ 2 ] Univ Malaya, Dept Phys, Kuala Lumpur 50603, Malaysia
- [ 3 ] Queen Alexandra Hosp, Radiotherapy Phys, Level B, Portsmouth PO6 3LY, Hants, England
- [ 4 ] Int Islamic Univ Malaysia, Kuliayah Sci, Dept Phys, Kuantan 25200, Malaysia
- [ 5 ] Univ Putra Malaysia, Dept Phys, Serdang 43400, Selangor, Malaysia
- [ 6 ] Publ Hlth England, CRCE, Didcot OX11 0RQ, Oxon, England
- [ 7 ] Univ Malaya, Dept Elect Engr, Integrated Lightwave Res Grp, Fac Engr, Kuala Lumpur 50603, Malaysia
- [ 8 ] Multimedia Univ, Fac Engr, Cyberjaya 2010, Selangor, Malaysia
- [ 9 ] Univ Malaya, Dept Chem, Kuala Lumpur 50603, Malaysia

**E-mail Addresses:** d.a.bradley@surrey.ac.uk**Publisher**

PERGAMON-ELSEVIER SCIENCE LTD, THE BOULEVARD, LANGFORD LANE, KIDLINGTON, OXFORD OX5 1GB, ENGLAND

**Categories / Classification****Research Areas:** Chemistry, Nuclear Science & Technology; Radiology, Nuclear Medicine & Medical Imaging**Web of Science Categories:** Chemistry, Inorganic & Nuclear, Nuclear Science & Technology; Radiology, Nuclear Medicine & Medical Imaging**Document Information****Document Type:** Article, Proceedings Paper**Language:** English**Accession Number:** WOS:000386642500025**PubMed ID:** 26778762**ISSN:** 0969-8043**Journal Information****Impact Factor:** Journal Citation Reports®**Other Information****IDS Number:** EA5EP**Cited References in Web of Science Core Collection:** 24**Times Cited in Web of Science Core Collection:** 0**Citation Network**

0 Times Cited

24 Cited References

[View Related Records](#)[View Citation Map](#)[Create Citation Alert](#)*(data from Web of Science™ Core Collection)***All Times Cited Counts**

0 in All Databases  
 0 in Web of Science Core Collection  
 0 in BIOSIS Citation Index  
 0 in Chinese Science Citation Database  
 0 in Data Citation Index  
 0 in Russian Science Citation Index  
 0 in SciELO Citation Index

**Usage Count**

Last 180 Days: 3

Since 2013: 3

[Learn more](#)**This record is from:**  
Web of Science™ Core Collection**Suggest a correction**

If you would like to improve the quality of the data in this record, please suggest a correction.

1 of 1