

Document details

< Back to results | < Previous 2 of 2

↗ Export

⬇ Download

🖨 Print

✉ E-mail

💾 Save to PDF

★ Add to List

More... >

Full Text

View at Publisher

Chinese Journal of Mechanical Engineering (English Edition)
Volume 30, Issue 3, 1 May 2017, Pages 500-514

Pulsed Eddy Current Non-destructive Testing and Evaluation: A Review (Review)

Sophian, A.^a, Tian, G.^{bc} ✉, Fan, M.^d 👤

^aFaculty of Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia
^bSchool of Automation Engineering, University of Electronic Science and Technology of China, Chengdu, China
^cSchool of Electrical and Electronic Engineering, Newcastle University, Newcastle upon Tyne, United Kingdom

View additional affiliations ▾

Abstract ▾ View references (97)

Pulsed eddy current (PEC) non-destructive testing and evaluation (NDT&E) has been around for some time and it is still attracting extensive attention from researchers around the globe, which can be witnessed through the reports reviewed in this paper. Thanks to its richness of spectral components, various applications of this technique have been proposed and reported in the literature covering both structural integrity inspection and material characterization in various industrial sectors. To support its development and for better understanding of the phenomena around the transient induced eddy currents, attempts for its modelling both analytically and numerically have been made by researchers around the world. This review is an attempt to capture the state-of-the-art development and applications of PEC, especially in the last 15 years and it is not intended to be exhaustive. Future challenges and opportunities for PEC NDT&E are also presented. © Chinese Mechanical Engineering Society and Springer-Verlag Berlin Heidelberg 2017

Author keywords

Material characterization Non-destructive evaluation Non-destructive testing Pulsed eddy currents Structural integrity

Indexed keywords

Engineering controlled terms: Bridge decks Characterization Nondestructive examination Structural integrity

Compendex keywords Development and applications Induced eddy currents Material characterizations
Non destructive evaluation Non destructive testing Non-destructive testing and evaluations
Pulsed eddy current Spectral components

Engineering main heading: Eddy current testing

Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
	China University of Mining and Technology	CUMT	See opportunities by CUMT↗
	Newcastle University		See opportunities↗
51677187	National Natural Science Foundation of China	NSFC	See opportunities by NSFC↗
FRGS16-059-0558	Ministry of Higher Education, Malaysia	MOHE	See opportunities by MOHE↗

Funding text

Metrics ⓘ View all metrics >

2	Citations in Scopus
	50th Percentile
1.07	Field-Weighted Citation Impact



PlumX Metrics ▾

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 2 documents

- Pulsed eddy current imaging of inclined surface cracks
- Nafiah, F. , Sophian, A. (2017) *Indonesian Journal of Electrical Engineering and Informatics*
- Effects of Coil Diameter in Thickness Measurement Using Pulsed Eddy Current Non-destructive Testing
- Azaman, K.N. , Sophian, A. , Nafiah, F. (2017) *IOP Conference Series: Materials Science and Engineering*

View all 2 citing documents

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related documents

- Thickness measurement using liftoff point of intersection in pulsed eddy current responses for elimination of liftoff effect
- Fan, M. , Cao, B. , Tian, G. (2016) *Sensors and Actuators, A: Physical*
- Defect characterisation based on pulsed eddy current imaging



The authors would like to thank Ministry of Higher Education of Malaysia for funding the project on PEC NDT at IIUM through the research grant FRGS16-059-0558. This work is also supported by the National Natural Science Foundation of China under research grants 51677187 and 51307172. Dr. Mengbao Fan would like to thank China Jiangsu Provincial Department of Education and China University of Mining and Technology for sponsoring his visit to Newcastle University as an academic visitor.

ISSN: 10009345
CODEN: CJMEE
Source Type: Journal
Original language: English

DOI: 10.1007/s10033-017-0122-4
Document Type: Review
Publisher: Chinese Mechanical Engineering Society

References (97)

[View in search results format >](#)

☐ All [Export](#)  [Print](#)  [E-mail](#) [Save to PDF](#) [Create bibliography](#)

[View all 97 references](#)

- ☐ 1 Lebrun, B., Jayet, Y., Baboux, J.-C.
Pulsed eddy current signal analysis: Application to the experimental detection and characterization of deep flaws in highly conductive materials

(1997) *NDT and E International*, 30 (3), pp. 163-170. Cited 78 times.

[View at Publisher](#)
- ☐ 2 Michniakova, M., Janousek, L.
The impact of various waveform shapes on the response signal in pulsed eddy current NDE

(2012) *Proceedings of 9th International Conference, ELEKTRO 2012*, art. no. 6225661, pp. 439-442.
ISBN: 978-146731179-3
doi: 10.1109/ELEKTRO.2012.6225661

[View at Publisher](#)
- ☐ 3 Li, J., Wu, X., Zhang, Q., Sun, P.
Pulsed eddy current testing of ferromagnetic specimen based on variable pulse width excitation

(2015) *NDT and E International*, 69, pp. 28-34. Cited 3 times.
doi: 10.1016/j.ndteint.2014.09.004

[View at Publisher](#)
- ☐ 4 Li, Y., Yan, B., Li, D., Jing, H., Li, Y., Chen, Z.
Pulse-modulation eddy current inspection of subsurface corrosion in conductive structures

(2016) *NDT and E International*, 79, pp. 142-149. Cited 9 times.
doi: 10.1016/j.ndteint.2016.02.001

[View at Publisher](#)
- ☐ 5 Abidin, I.Z., Mandache, C., Tian, G.Y., Morozov, M.
Pulsed eddy current testing with variable duty cycle on rivet joints

(2009) *NDT and E International*, 42 (7), pp. 599-605. Cited 53 times.
doi: 10.1016/j.ndteint.2009.04.001

[View at Publisher](#)
- ☐ 6 Dolabdjian, C.P., Perez, L., De Haan, V.O., De Jong, P.A.
Performance of magnetic pulsed-eddy-current system using high dynamic and high linearity improved giant MagnetoResistance magnetometer

(2006) *IEEE Sensors Journal*, 6 (6), pp. 1511-1517. Cited 20 times.
doi: 10.1109/JSEN.2006.883095

[View at Publisher](#)

technique

He, Y. , Luo, F. , Pan, M.
(2010) *Sensors and Actuators, A: Physical*

Reduction of lift-off effects in pulsed eddy current for defect classification

He, Y. , Pan, M. , Luo, F.
(2011) *IEEE Transactions on Magnetics*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#) [Keywords >](#)

- 7 Li, J., Wu, X., Zhang, Q., Sun, P.
Measurement of lift-off using the relative variation of magnetic flux in pulsed eddy current testing

(2015) *NDT and E International*, 75, art. no. 1702, pp. 57-64. Cited 7 times.
doi: 10.1016/j.ndteint.2015.06.008

[View at Publisher](#)

- 8 Huang, C., Wu, X.
An improved ferromagnetic material pulsed eddy current testing signal processing method based on numerical cumulative integration

(2015) *NDT and E International*, 69, pp. 35-39. Cited 6 times.
doi: 10.1016/j.ndteint.2014.09.006

[View at Publisher](#)

- 9 Blitz, J.
Eddy current testing of metals
(1997) *NDT E Int.*, 30 (1), p. 41.

- 10 Desjardins, D., Krause, T.W., Clapham, L.
Transient eddy current method for the characterization of magnetic permeability and conductivity

(2016) *NDT and E International*, 80, pp. 65-70. Cited 4 times.
doi: 10.1016/j.ndteint.2016.02.010

[View at Publisher](#)

- 11 Desjardins, D., Krause, T.W., Clapham, L.
Transient response of a driver-pickup coil probe in transient eddy current testing

(2015) *NDT and E International*, 75, pp. 8-14. Cited 8 times.
doi: 10.1016/j.ndteint.2015.04.008

[View at Publisher](#)

- 12 Vasić, D., Bilas, V., Ambruš, D.
Pulsed eddy-current nondestructive testing of ferromagnetic tubes

(2004) *IEEE Transactions on Instrumentation and Measurement*, 53 (4), pp. 1289-1294. Cited 56 times.
doi: 10.1109/TIM.2004.830594

[View at Publisher](#)

- 13 Park, D.G., Angani, C.S., Cheong, Y.M.
Differential pulsed eddy current probe to detect the sub surface cracks in a stainless steel pipe
(2012) *18th World Conference on Nondestructive Testing*. Cited 2 times.

- 14 Horan, P., Underhill, P.R., Krause, T.W.
Pulsed eddy current detection of cracks in F/A-18 inner wing spar without wing skin removal using Modified Principal Component Analysis

(2013) *NDT and E International*, 55, pp. 21-27. Cited 30 times.
doi: 10.1016/j.ndteint.2013.01.004

[View at Publisher](#)

- 15 He, Y., Luo, F., Pan, M., Weng, F., Hu, X., Gao, J., Liu, B.
Pulsed eddy current technique for defect detection in aircraft riveted structures

(2010) *NDT and E International*, 43 (2), pp. 176-181. Cited 91 times.
doi: 10.1016/j.ndteint.2009.10.010

[View at Publisher](#)

- 16 Abrantes, R.F., Rosado, L.S., Piedade, M., Ramos, P.M.
Pulsed eddy currents testing using a planar matrix probe

(2016) *Measurement: Journal of the International Measurement Confederation*, 77, pp. 351-361. Cited 7 times.
doi: 10.1016/j.measurement.2015.09.026

[View at Publisher](#)

- 17 (2004) *Southwest Research Institute 2004 Annual Report*
Southwest Research Institute

- 18 Yang, G., Tamburrino, A., Udpa, L., Udpa, S.S., Zeng, Z., Deng, Y., Que, P.
Pulsed eddy-current based giant magnetoresistive system for the inspection of aircraft structures

(2010) *IEEE Transactions on Magnetics*, 46 (3 PART 2), pp. 910-917. Cited 73 times.
doi: 10.1109/TMAG.2009.2032330

[View at Publisher](#)

- 19 He, Y., Pan, M., Luo, F., Tian, G.
Pulsed eddy current imaging and frequency spectrum analysis for hidden defect nondestructive testing and evaluation

(2011) *NDT and E International*, 44 (4), pp. 344-352. Cited 73 times.
doi: 10.1016/j.ndteint.2011.01.009

[View at Publisher](#)

- 20 He, Y., Luo, F., Pan, M., Hu, X., Gao, J., Liu, B.
Defect classification based on rectangular pulsed eddy current sensor in different directions

(2010) *Sensors and Actuators, A: Physical*, 157 (1), pp. 26-31. Cited 74 times.
doi: 10.1016/j.sna.2009.11.012

[View at Publisher](#)

- 21 Arjun, V., Sasi, B., Rao, B.P.C., Mukhopadhyay, C.K., Jayakumar, T.
Optimisation of pulsed eddy current probe for detection of sub-surface defects in stainless steel plates

(2015) *Sensors and Actuators, A: Physical*, 226, art. no. 9074, pp. 69-75. Cited 16 times.
doi: 10.1016/j.sna.2015.02.018

[View at Publisher](#)

- 22 Zhou, D., Wang, J., He, Y., Chen, D., Li, K.
Influence of metallic shields on pulsed eddy current sensor for ferromagnetic materials defect detection

(2016) *Sensors and Actuators, A: Physical*, 248, pp. 162-172. Cited 5 times.
doi: 10.1016/j.sna.2016.07.029

[View at Publisher](#)

- ☐ 23 Fan, M., Cao, B., Sunny, A.I., Li, W., Tian, G., Ye, B.
Pulsed eddy current thickness measurement using phase features immune to liftoff effect

(2017) *NDT and E International*, 86, pp. 123-131. Cited 4 times.
doi: 10.1016/j.ndteint.2016.12.003

[View at Publisher](#)
-

- ☐ 24 Tumanski, S.
Induction coil sensors - A review

(2007) *Measurement Science and Technology*, 18 (3), art. no. R01, pp. R31-R46. Cited 238 times.
<http://www.iop.org/EJ/journal/0957-0233>
doi: 10.1088/0957-0233/18/3/R01

[View at Publisher](#)
-

- ☐ 25 Ripka, P., Janošek, M.
Advances in magnetic field sensors

(2010) *IEEE Sensors Journal*, 10 (6), art. no. 5443656, pp. 1108-1116. Cited 154 times.
doi: 10.1109/JSEN.2010.2043429

[View at Publisher](#)
-

- ☐ 26 Herrera-May, A.L., Aguilera-Cortés, L.A., García-Ramírez, P.J., Manjarrez, E.
Resonant magnetic field sensors based on MEMS technology

(2009) *Sensors*, 9 (10), pp. 7785-7813. Cited 73 times.
<http://www.mdpi.com/1424-8220/9/10/7785/pdf>
doi: 10.3390/s91007785

[View at Publisher](#)
-

- ☐ 27 Li, Y., Tian, G.Y., Simm, A.
Fast analytical modelling for pulsed eddy current evaluation

(2008) *NDT and E International*, 41 (6), pp. 477-483. Cited 79 times.
doi: 10.1016/j.ndteint.2008.02.001

[View at Publisher](#)
-

- ☐ 28 Kim, J., Yang, G., Udpa, L., Udpa, S.
Classification of pulsed eddy current GMR data on aircraft structures

(2010) *NDT and E International*, 43 (2), pp. 141-144. Cited 48 times.
doi: 10.1016/j.ndteint.2009.10.003

[View at Publisher](#)
-

- ☐ 29 Cheng, W.
Pulsed eddy current testing of carbon steel pipes' wall-thinning through insulation and cladding

(2012) *Journal of Nondestructive Evaluation*, 31 (3), pp. 215-224. Cited 33 times.
doi: 10.1007/s10921-012-0137-9

[View at Publisher](#)
-

- ☐ 30 Albrecht, J., Carls, S., Robert, S.
Magnetoresistive Sensors for Nondestructive Evaluation
(2005) *10th SPIE International Symposium, Nondestructive Evaluation for Health Monitoring and Diagnostics, Conference 5770*
-

-
- ☐ 31 Panaitov, G., Krause, H.-J., Zhang, Y.
Pulsed eddy current transient technique with HTS SQUID magnetometer for non-destructive evaluation
(2002) *Physica C: Superconductivity and its Applications*, 372-376 (PART 1), pp. 278-281. Cited 20 times.
doi: 10.1016/S0921-4534(02)00696-2
[View at Publisher](#)
-
- ☐ 32 Li, Y., Yan, B., Li, D., Li, Y., Zhou, D.
Gradient-field pulsed eddy current probes for imaging of hidden corrosion in conductive structures
(2016) *Sensors and Actuators, A: Physical*, 238, pp. 251-265. Cited 11 times.
doi: 10.1016/j.sna.2015.12.026
[View at Publisher](#)
-
- ☐ 33 Joubert, P.-Y., Le Diraison, Y., Xi, Z., Vourc'H, E.
Pulsed eddy current imaging device for non destructive evaluation applications
(2013) *Proceedings of IEEE Sensors*, art. no. 6688145. Cited 5 times.
ISBN: 978-146734640-5
doi: 10.1109/ICSENS.2013.6688145
[View at Publisher](#)
-
- ☐ 34 Joubert, P.-Y., Le Diraison, Y.
Pulsed eddy current imager for the enhanced non destructive evaluation of aeronautical riveted assemblies
(2014) *Proceedings of IEEE Sensors*, 2014-December (December), art. no. 6985221, pp. 1188-1191.
<http://www.ieee.org/sensors>
doi: 10.1109/ICSENS.2014.6985221
[View at Publisher](#)
-
- ☐ 35 Majidnia, S., Nilavalan, R., Rudlin, J.
Investigation of an encircling pulsed eddy current probe for corrosion detection
(2014) *Proceedings of IEEE Sensors*, 2014-December (December), art. no. 6985129, pp. 835-838.
<http://www.ieee.org/sensors>
doi: 10.1109/ICSENS.2014.6985129
[View at Publisher](#)
-
- ☐ 36 Dai, X.-W., Ludwig, R., Palanisamy, R.
Numerical Simulation of Pulsed Eddy-Current Nondestructive Testing Phenomena
(1990) *IEEE Transactions on Magnetics*, 26 (6), pp. 3089-3096. Cited 41 times.
doi: 10.1109/20.102897
[View at Publisher](#)
-
- ☐ 37 Ludwig, R., Dai, X.-W.
Numerical and Analytical Modeling of Pulsed Eddy Currents in a Conducting Half-Space
(1990) *IEEE Transactions on Magnetics*, 26 (1), pp. 299-307. Cited 51 times.
doi: 10.1109/20.50558
[View at Publisher](#)
-

- ☐ 38 Allen, Bruce L., Lord, W.
FINITE ELEMENT MODELING OF PULSED EDDY CURRENT PHENOMENA.

(1984) *Review of Progress in Quantitative Nondestructive Evaluation*, 3 A, pp. 561-568. Cited 5 times.
ISBN: 0306416786

[View at Publisher](#)

- ☐ 39 Allen, B., Ida, N., Lord, W.
Finite element modeling of pulse eddy current NDT phenomena

(1985) *IEEE Transactions on Magnetics*, 21 (6), pp. 2250-2253. Cited 18 times.
doi: 10.1109/TMAG.1985.1064184

[View at Publisher](#)

- ☐ 40 Desjardins, D.P.R., Krause, T.W., Gauthier, N.
Analytical modeling of the transient response of a coil encircling a ferromagnetic conducting rod in pulsed eddy current testing

(2013) *NDT and E International*, 60, pp. 127-131. Cited 14 times.
doi: 10.1016/j.ndteint.2013.07.007

[View at Publisher](#)

- ☐ 41 Fan, M., Huang, P., Ye, B., Hou, D., Zhang, G., Zhou, Z.
Analytical modeling for transient probe response in pulsed eddy current testing

(2009) *NDT and E International*, 42 (5), pp. 376-383. Cited 45 times.
doi: 10.1016/j.ndteint.2009.01.005

[View at Publisher](#)

- ☐ 42 Chen, X., Lei, Y.
Time-domain analytical solutions to pulsed eddy current field excited by a probe coil outside a conducting ferromagnetic pipe

(2014) *NDT and E International*, 68, pp. 22-27. Cited 9 times.
doi: 10.1016/j.ndteint.2014.07.005

[View at Publisher](#)

- ☐ 43 Fan, M., Cao, B., Wang, Y.
Computation of coil-induced voltage due to a defect-free plate using Stehfest's method for pulsed eddy current evaluation

(2010) *Insight: Non-Destructive Testing and Condition Monitoring*, 52 (6), pp. 302-304. Cited 3 times.
<http://www.atyp-on-link.com/BINT/doi/pdf/10.1784/insi.2010.52.6.302>
doi: 10.1784/insi.2010.52.6.302

[View at Publisher](#)

- ☐ 44 Chen, X., Lei, Y.
Electrical conductivity measurement of ferromagnetic metallic materials using pulsed eddy current method

(2015) *NDT and E International*, 75, art. no. 1699, pp. 33-38. Cited 13 times.
doi: 10.1016/j.ndteint.2015.06.005

[View at Publisher](#)

- ☐ 45 Theodoulidis, T., Wang, H., Tian, G.Y.
Extension of a model for eddy current inspection of cracks to pulsed excitations

(2012) *NDT and E International*, 47, pp. 144-149. Cited 20 times.
doi: 10.1016/j.ndteint.2012.01.005

[View at Publisher](#)

-
- ☐ 46 Liu, S.-X., Xin, W., Ding, K.-Q.
Simulation of corrosion on detection for pulsed eddy current

(2010) *Proceedings - 2010 7th International Conference on Fuzzy Systems and Knowledge Discovery, FSKD 2010*, 4, art. no. 5569432, pp. 1839-1842. Cited 6 times.
ISBN: 978-142445934-6
doi: 10.1109/FSKD.2010.5569432

[View at Publisher](#)
-
- ☐ 47 Pávó, J.
Numerical calculation method for pulsed eddy-current testing

(2002) *IEEE Transactions on Magnetics*, 38 (2 l), pp. 1169-1172. Cited 24 times.
doi: 10.1109/20.996299

[View at Publisher](#)
-
- ☐ 48 Alamin, M., Tian, G.Y., Andrews, A., Jackson, P.
Principal component analysis of pulsed eddy current response from corrosion in mild steel

(2012) *IEEE Sensors Journal*, 12 (8), art. no. 6186750, pp. 2548-2553. Cited 16 times.
doi: 10.1109/JSEN.2012.2195308

[View at Publisher](#)
-
- ☐ 49 Xu, Z., Wu, X., Li, J., Kang, Y.
Assessment of wall thinning in insulated ferromagnetic pipes using the time-to-peak of differential pulsed eddy-current testing signals

(2012) *NDT and E International*, 51, pp. 24-29. Cited 27 times.
doi: 10.1016/j.ndteint.2012.07.004

[View at Publisher](#)
-
- ☐ 50 Tian, G.Y., Sophian, A.
Defect classification using a new feature for pulsed eddy current sensors

(2005) *NDT and E International*, 38 (1), pp. 77-82. Cited 140 times.
doi: 10.1016/j.ndteint.2004.06.001

[View at Publisher](#)
-
- ☐ 51 Chen, X., Hou, D., Zhao, L., Huang, P., Zhang, G.
Study on defect classification in multi-layer structures based on Fisher linear discriminate analysis by using pulsed eddy current technique

(2014) *NDT and E International*, 67, pp. 46-54. Cited 8 times.
doi: 10.1016/j.ndteint.2014.07.003

[View at Publisher](#)
-
- ☐ 52 BinFeng, Y., FeiLu, L., Dan, H.
Research on edge identification of a defect using pulsed eddy current based on principal component analysis

(2007) *NDT and E International*, 40 (4), pp. 294-299. Cited 19 times.
doi: 10.1016/j.ndteint.2006.12.005

[View at Publisher](#)
-

- 53 Yang, G., Tian, G.Y., Que, P.W., Chen, T.L.
Independent component analysis-based feature extraction technique for defect classification applied for pulsed eddy current NDE

(2009) *Research in Nondestructive Evaluation*, 20 (4), pp. 230-245. Cited 24 times.
doi: 10.1080/09349840903078996

[View at Publisher](#)

- 54 Sophian, A., Tian, G.Y., Taylor, D., Rudlin, J.
A feature extraction technique based on principal component analysis for pulsed Eddy current NDT

(2003) *NDT and E International*, 36 (1), pp. 37-41. Cited 164 times.
doi: 10.1016/S0963-8695(02)00069-5

[View at Publisher](#)

- 55 Horan, P.F., Underhill, P.R., Krause, T.W.
Real time pulsed eddy current detection of cracks in F/A-18 inner wing spar using discriminant separation of modified principal components analysis scores

(2014) *IEEE Sensors Journal*, 14 (1), art. no. 6600740, pp. 171-177. Cited 9 times.
doi: 10.1109/JSEN.2013.2281368

[View at Publisher](#)

- 56 Qiu, X., Zhang, P., Wei, J., Cui, X., Wei, C., Liu, L.
Defect classification by pulsed eddy current technique in con-casting slabs based on spectrum analysis and wavelet decomposition

(2013) *Sensors and Actuators, A: Physical*, 203, pp. 272-281. Cited 19 times.
doi: 10.1016/j.sna.2013.09.004

[View at Publisher](#)

- 57 Pan, M., He, Y., Tian, G., Chen, D., Luo, F.
Defect characterisation using pulsed eddy current thermography under transmission mode and NDT applications

(2012) *NDT and E International*, 52, pp. 28-36. Cited 49 times.
doi: 10.1016/j.ndteint.2012.08.007

[View at Publisher](#)

- 58 Stott, C.A., Underhill, P.R., Babbar, V.K., Krause, T.W.
Pulsed eddy current detection of cracks in multilayer aluminum lap joints

(2015) *IEEE Sensors Journal*, 15 (2), art. no. 6892934, pp. 956-962. Cited 18 times.
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=7361>
doi: 10.1109/JSEN.2014.2354404

[View at Publisher](#)

- 59 Buck, J.A., Underhill, P.R., Mokros, S.G., Morelli, J.E., Babbar, V.K., Lepine, B., Renaud, J., (...), Krause, T.W.
Pulsed eddy current inspection of support structures in steam generators

(2015) *IEEE Sensors Journal*, 15 (8), art. no. 7073638, pp. 4305-4312. Cited 10 times.
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=7361>
doi: 10.1109/JSEN.2015.2418220

[View at Publisher](#)

- 60 Hosseini, S., Lakis, A.A.
Application of timefrequency analysis for automatic hidden corrosion detection in a multilayer aluminum structure using pulsed eddy current

(2012) *NDT and E International*, 47, pp. 70-79. Cited 21 times.
doi: 10.1016/j.ndteint.2011.12.001

[View at Publisher](#)

- 61 Qiu, X.B., Liu, L.L., Li, C.L., Wei, J.L., Wu, Y.F., Cui, X.C.
Defect classification by pulsed eddy-current technique based on power spectral density analysis combined with wavelet transform

(2014) *IEEE Transactions on Magnetism*, 50 (9), art. no. 6812222. Cited 3 times.
doi: 10.1109/TMAG.2014.2320882

[View at Publisher](#)

- 62 Kiwa, T., Kawata, T., Yamada, H., Tsukada, K.
Fourier-transformed eddy current technique to visualize cross-sections of conductive materials

(2007) *NDT and E International*, 40 (5), pp. 363-367. Cited 25 times.
doi: 10.1016/j.ndteint.2007.01.006

[View at Publisher](#)

- 63 Tian, G.Y., Sophian, A., Taylor, D., Rudlin, J.
Wavelet-based PCA defect classification and quantification for pulsed eddy current NDT

(2005) *IEE Proceedings: Science, Measurement and Technology*, 152 (4), pp. 141-148. Cited 66 times.
doi: 10.1049/ip-smt:20045011

[View at Publisher](#)

- 64 Zhang, Q., Chen, T.-L., Yang, G., Liu, L.
Time and frequency domain feature fusion for defect classification based on pulsed eddy current NDT

(2012) *Research in Nondestructive Evaluation*, 23 (3), pp. 171-182.
doi: 10.1080/09349847.2012.660243

[View at Publisher](#)

- 65 Giguère, S., Lepine, B.A., Dubois, J.M.S.
Pulsed eddy current technology: Characterizing material loss with gap and lift-off variations

(2001) *Research in Nondestructive Evaluation*, 13 (3), pp. 119-129. Cited 79 times.
doi: 10.1080/09349840109409692

[View at Publisher](#)

- 66 Giguère, S., Dubois, S.J.M.
Pulsed eddy current: Finding corrosion independently of transducer lift-off
(2000) *AIP Conf. Proc.*, 509 (1), pp. 449-456. Cited 31 times.

- 67 Angani, C.S., Ramos, H.G., Ribeiro, A.L., Rocha, T.J., Baskaran, P.
Lift-Off Point of Intersection Feature in Transient Eddy-Current Oscillations Method to Detect Thickness Variation in Stainless Steel

(2016) *IEEE Transactions on Magnetism*, 52 (6), art. no. 7410086. Cited 2 times.
doi: 10.1109/TMAG.2016.2531024

[View at Publisher](#)

- 68 Liu, Z., Ramuhalli, P., Safizadeh, S., Forsyth, D.S.
Combining multiple nondestructive inspection images with a generalized additive model

(2008) *Measurement Science and Technology*, 19 (8), art. no. 085701. Cited 8 times.
<http://www.iop.org/E/journal/0957-0233>
doi: 10.1088/0957-0233/19/8/085701

[View at Publisher](#)

- 69 Lefebvre, J.H.V., Dubois, J.M.S.
Lift-off point of intercept (LOI) behavior

(2005) *AIP Conference Proceedings*, 760, pp. 523-530. Cited 3 times.
ISBN: 0735402450; 978-073540245-4
doi: 10.1063/1.1916720

[View at Publisher](#)

- 70 Tian, G.Y., Li, Y., Mandache, C.
Study of lift-off invariance for pulsed eddy-current signals

(2009) *IEEE Transactions on Magnetics*, 45 (1), art. no. 4773557, pp. 184-191. Cited 64 times.
doi: 10.1109/TMAG.2008.2006246

[View at Publisher](#)

- 71 Li, Y., Chen, Z., Qi, Y.
Generalized analytical expressions of liftoff intersection in PEC and a liftoff-intersection-based fast inverse model

(2011) *IEEE Transactions on Magnetics*, 47 (10), art. no. 6027802, pp. 2931-2934. Cited 20 times.
doi: 10.1109/TMAG.2011.2148099

[View at Publisher](#)

- 72 Lefebvre, J.H.V., Mandache, C.
Pulsed eddy current thickness measurement of conductive layers over ferromagnetic substrates

(2008) *International Journal of Applied Electromagnetics and Mechanics*, 27 (1-2), pp. 1-8. Cited 12 times.

[View at Publisher](#)

- 73 Mandache, C., Lefebvre, J.H.V.
Transient and harmonic eddy currents: Lift-off point of intersection

(2006) *NDT and E International*, 39 (1), pp. 57-60. Cited 61 times.
doi: 10.1016/j.ndteint.2005.06.003

[View at Publisher](#)

- 74 Kral, J., Smid, R., Ramos, H.M.G., Ribeiro, A.L.
The lift-off effect in Eddy currents on thickness modeling and measurement

(2013) *IEEE Transactions on Instrumentation and Measurement*, 62 (7), art. no. 6477230, pp. 2043-2049. Cited 25 times.
doi: 10.1109/TIM.2013.2247713

[View at Publisher](#)

- 75 Tian, G.Y., Sophian, A.
Reduction of lift-off effects for pulsed eddy current NDT

(2005) *NDT and E International*, 38 (4), pp. 319-324. Cited 91 times.
doi: 10.1016/j.ndteint.2004.09.007

[View at Publisher](#)

- 76 Yu, Y., Yan, Y., Wang, F., Tian, G., Zhang, D.
An approach to reduce lift-off noise in pulsed eddy current nondestructive technology
(2014) *NDT and E International*, 63, pp. 1-6. Cited 24 times.
doi: 10.1016/j.ndteint.2013.12.012
[View at Publisher](#)
-
- 77 Huang, C., Wu, X.
Probe lift-off compensation method for pulsed eddy current thickness measurement
(2014) *Proceedings of 3rd Asia-Pacific Conference on Antennas and Propagation, APCAP 2014*, art. no. 6992656, pp. 937-939. Cited 2 times.
ISBN: 978-147994354-8
doi: 10.1109/APCAP.2014.6992656
[View at Publisher](#)
-
- 78 Tian, G.Y., He, Y., Adewale, I., Simm, A.
Research on spectral response of pulsed eddy current and NDE applications
(2013) *Sensors and Actuators, A: Physical*, 189, pp. 313-320. Cited 32 times.
doi: 10.1016/j.sna.2012.10.011
[View at Publisher](#)
-
- 79 Yang, H.-C., Tai, C.-C.
Pulsed eddy-current measurement of a conducting coating on a magnetic metal plate
(2002) *Measurement Science and Technology*, 13 (8), pp. 1259-1265. Cited 54 times.
<http://www.iop.org/EJ/journal/0957-0233>
doi: 10.1088/0957-0233/13/8/313
[View at Publisher](#)
-
- 80 Shin, Y.-K., Choi, D.-M., Kim, Y.-J., Lee, S.-S.
Signal characteristics of differential-pulsed eddy current sensors in the evaluation of plate thickness
(2009) *NDT and E International*, 42 (3), pp. 215-221. Cited 33 times.
doi: 10.1016/j.ndteint.2008.09.006
[View at Publisher](#)

🔍 Tian, G.; School of Automation Engineering, University of Electronic Science and Technology of China, Chengdu, China; email:g.y.tian@uestc.edu.cn

© Copyright 2017 Elsevier B.V., All rights reserved.

[◀ Back to results](#) | [◀ Previous](#) 2 of 2

[^ Top of page](#)

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
[切换到简体中文](#)
[切换到繁體中文](#)
Русский язык

Customer Service

[Help](#)
[Contact us](#)

