

Scopus (/home.uri?zone=header&origin=searchbasic)

Document details

[Back to results \(https://www.scopus.com/results/results.uri?sort=plf-](#)

f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+menthol+and+methyl+salicylate+in+analgesic+application+in+stability+study&linkType=TemplateLinking&year=2017&zone=outwardlinks&origin=recordpage&dig=91a606d54e7edd0fe4c507e670117a8c1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) 1 of 1 Metrics 0 Citations

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More...](#)[Full Text](#) (https://www.scopus.com/redirect/linking.uri?

targetURL=https%3a%2f%2fdoi.org%2f10.1007%2f40005-017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=TemplateLinking&year=2017&zone=outwardlinks&origin=recordpage&dig=91a606d54e7edd0fe4c507e670117a8c1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) at Publisher (https://www.scopus.com/redirect/linking.uri?targetURL=https%3a%2f%2fdoi.org%2f10.1007%2f40005-017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) Cited by 0 documents

Journal of Pharmaceutical Investigation (https://www.scopus.com/sourceid/21100220486?origin=recordpage) Volume 47, Issue 3, 1 May 2017, Pages 275-285

Fast and simple gas chromatographic method for simultaneous estimation of camphor, menthol and methyl salicylate in analgesic ointment: application in stability study (Article)

Adib, N.A.M. (https://www.scopus.com/authid/detail.uri?authorId=57194105687&eid=2-s2.0-85018760062), Mandal, U.K. (https://www.scopus.com/authid/detail.uri?authorId=8947253500&eid=2-s2.0-85018760062), Mohamed, F. (https://www.scopus.com/authid/detail.uri?authorId=57190849648&eid=2-s2.0-85018760062), Chatterjee, B. (https://www.scopus.com/authid/detail.uri?authorId=55106864100&eid=2-s2.0-85018760062) ✉ (mailto:bappa@iiium.edu.my)

Department of Pharmaceutical Technology, Kulliyah of Pharmacy, International Islamic University Malaysia, Kuantan, Malaysia

Abstract

[View references \(24\)](#)

A simple, rapid and sensitive gas chromatographic (GC) method with flame ionization detector (FID) has been developed and validated for simultaneous estimation of camphor, menthol and methyl salicylate (MS). Camphor, menthol and MS were separated at about 2.753, 3.206 and 3.995 min respectively on a capillary column with helium (3.3 ml/min) as carrier gas within 11 min run time. Noninterference of any peak with the peaks of interest confirms the selectivity of method. Derived quantitation limits (QL) were 0.847, 0.684 and 6.507 µg/ml for camphor, menthol and MS respectively. The linear relationship ($R^2 > 0.999$) between analyte concentration vs detector response was established within a range of QL to 150% of label claim concentration for each analyte. Recovery of each analyte at 50, 100 and 150% of label claim concentration levels were obtained within 99.67–101.53% establishing high accuracy of the method. The method showed acceptable precision with low relative standard deviation or RSD (0.24–1.03%) between percent recoveries for each analyte. RSD for intermediate precision (inter day analysis, analyst variation) was less than 1%. The validated method was successfully applied for quantitative determination of camphor, menthol and MS in stability samples of an analgesic ointment produced by IKOP Sdn. Bhd., Malaysia. © 2017, The Korean Society of Pharmaceutical Sciences and Technology.

Author keywords

Camphor GC-FID Menthol Methyl salicylate Validation

ISSN: 20935552

Source Type: Journal

Original language: English

DOI: 10.1007/s40005-017-0305-0

Document Type: Article

Publisher: Springer Netherlands

References (24)

omat > (https://www.scopus.com/search/submit/references.uri?sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+menthol+and+methyl+salicylate+in+analgesic+application+in+stability+study&linkType=TemplateLinking&year=2017&zone=outwardlinks&origin=recordpage&dig=91a606d54e7edd0fe4c507e670117a8c1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) .D65C0DCFAD1AFEC131888DF766A3E.wsnAw8kcdt7IPYLO0V48gA%3a1370&sort=rec&sd=citedreferences&sl=23&s=EID%282-017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) origin=recordpage&citeCnt=1&citingId=2-s2.0-85018760062)

Inform me when this document is cited in Scopus:

[Set citation alert > \(/alert/form/doc](#)[Set citation feed > \(/results/rss/han](#)

Related documents

Evaluation of the full evaporatio technique for quantitative analysis of high boiling compounds with high affinity for apolar matrices (https://www.scopus.com/record/origin=recordpage&zone=related&eid=2-s2.0-84901482303&citeCnt=0&noHi;f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+menthol+and+methyl+salicylate+in+analgesic+application+in+stability+study&linkType=TemplateLinking&year=2017&zone=outwardlinks&origin=recordpage&dig=91a606d54e7edd0fe4c507e670117a8c1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) van Boxtel, N. (https://www.scopus.com/authid/origin=recordpage&authorId=561017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1), Wolfs, K. (https://www.scopus.com/authid/origin=recordpage&authorId=241017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1), van Schepdael, A. (https://www.scopus.com/authid/origin=recordpage&authorId=2:2014) *Journal of Chromatography A*

Determination of menthol in plasma and urine by gas chromatography/mass spectrometry (GC/MS) (https://www.scopus.com/record/origin=recordpage&zone=related&eid=2-s2.0-84965105250&citeCnt=0&noHi;f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+menthol+and+methyl+salicylate+in+analgesic+application+in+stability+study&linkType=TemplateLinking&year=2017&zone=outwardlinks&origin=recordpage&dig=91a606d54e7edd0fe4c507e670117a8c1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1) Peat, J. (https://www.scopus.com/authid/origin=recordpage&authorId=3:1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1), Frazee, C. (https://www.scopus.com/authid/origin=recordpage&authorId=6:1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1), Kearns, G. (https://www.scopus.com/authid/origin=recordpage&authorId=5:1017-0305-0&locationID=1&categoryID=4&eid=2-s2.0-85018760062&iissn=20935552&linkType=ViewAtPublisher&year=2017&origin=recordpage&dig=edf3214f668b28e05f7165541edd2c30&recordRank=1)

All Export Print E-mail Save to PDF Create bibliography

(2016) *Methods in Molecular Biology*

- 1 Braithwaite, A., Smith, J.F.
Gas chromatography
(1999) *Chromatographic methods*, pp. 165-256. Cited 2 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&ref>)
Springer, Nederland
Validation of a method for simultaneous determination of menthol and methyl salicylate in pharmaceuticals by capillary gas chromatography with cool on-column injection
(<https://www.scopus.com/record/origin=recordpage&zone=related>)
s2.0-0347588409&citeCnt=0&noHigf&src=s&st1=Fast+and+simple+ABS-KEY%28Fast+and+simple+gas+chromatography+HMC/GCs-Pdfs/KEY%28Fast+and+simple+gas+Krzek, J.
(<https://www.scopus.com/author/origin=recordpage&authorId=70>), Czekaj, J.S.
(<https://www.scopus.com/author/origin=recordpage&authorId=70>)
- 2 (2014) *In the United States Pharmacopoeia (USP-37)*
Retrieved 25 Nov, 2016, from
<https://hmc.usp.org/sites/default/files/documents/HMC/GCs-Pdfs/c621.pdf> (<https://hmc.usp.org/sites/default/files/documents/HMC/GCs-Pdfs/c621.pdf>)
View all related documents based on references
(<https://www.scopus.com/search/eid=2-s2.0-85018760062&src=s&all=true&f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
ABS-KEY%28Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me
- 3 Fiori, J., Naldi, M., Gotti, R.
HS-SPME-GC-MS for the quantitation and chiral characterization of camphor and menthol in essential oils
(2010) *Chromatographia*, 72 (9-10), pp. 941-947. Cited 8 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&ref>)
doi: 10.1365/s10337-010-1735-2
View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=https%3a%2f%2fdoi.org%2f10.1365/s10337-010-1735-2&locationID=3>)
Rzesutko, W.
(<https://www.scopus.com/author/origin=recordpage&authorId=70>)
(2003) *Acta Pharmaceutica - Drug Research*
View all related documents based on references
(<https://www.scopus.com/search/eid=2-s2.0-85018760062&src=s&all=true&f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
ABS-KEY%28Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me
- 4 Gaudioso, C., Hao, J., Martin-Eauclaire, M.-F., Gabriac, M., Delmas, P.
Menthol pain relief through cumulative inactivation of voltage-gated sodium channels
(2012) *Pain*, 153 (2), pp. 473-484. Cited 53 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&ref>)
doi: 10.1016/j.pain.2011.11.014
View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=https%3a%2f%2fdoi.org%2f10.1016%2fj.pain.2011.11.014&locationID=3>)
Keywords > (<https://www.scopus.com/keywords>)
- 5 González-Peñas, E., López-Alvarez, M., Martínez De Narvajás, F., Ursúa, A.
Simultaneous GC determination of turpentine, camphor, menthol and methyl salicylate in a topical analgesic formulation
(2000) *Chromatographia*, 52 (3-4), pp. 245-248. Cited 5 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&ref>)
View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=http%3a%2f%2fdx.doi.org%2f10.1007%2fBF02490466&locationID=3>)
- 6 Higashi, Y., Kiuchi, T., Furuta, K.
Efficacy and safety profile of a topical methyl salicylate and menthol patch in adult patients with mild to moderate neuropathic pain
(2010) *Clinical therapeutics*, 32 (1), pp. 34-43. Cited 15 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&ref>)
View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=http%3a%2f%2fdx.doi.org%2f10.1016%2fj.clinthera.2010.01.016&locationID=3>)
- 7 Hinshaw, J.V.
The flame ionization detector. Retrieved 25 Nov, 2016
(2005) *from*
<http://www.chromatographyonline.com/flame-ionization-detector> (<http://www.chromatographyonline.com/flame-ionization-detector>)

- 8 (1996) *ICH HARMONISED TRIPARTITE GUIDELINE STABILITY TESTING FOR NEW DOSAGE FORMS Annex to the ICH Harmonised Tripartite*
Retrieved 25 Nov, 2016
http://www.ich.org/fileadmin/Public_Web_Site/ICH_Products/Guidelines/Quality/Q1C/Step4/Q1C_Guideline.pdf (<http://www.ich.org/fileadmin/>
-
- 9 (2005) *Validation of analytical procedures: text and methodology*. Cited 438 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&origin=resultslist&sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
https://doi.org/http://www.ich.org/fileadmin/Public_Web_Site/ICH_Products/Guidelines/Quality/Q2_R1/Step4/Q2_R1_Guideline.pdf (https://doi.org/http://www.ich.org/fileadmin/Public_Web_Site/ICH_Products/Guidelines/Quality/Q2_R1/Step4/Q2_R1_Guideline.pdf)
-
- 10 Johar, P., Grover, V., Topp, R., Behm, D.G.
A comparison of topical menthol to ice on pain, evoked tetanic and voluntary force during delayed onset muscle soreness
(2012) *Int J Sports Phys Ther*, 7 (3), pp. 314-322. Cited 10 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&origin=resultslist&sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
PID: 22666646
-
- 11 Johnston, L.
Muscle and joint pain: topical anti-inflammatories and analgesics: therapeutic
(2013) *Prof Nursing Today*, 17 (1), pp. 4-5.
-
- 12 Krzek, J., Czekaj, J.S., Rzeszutko, W.
Validation of a method for simultaneous determination of menthol and methyl salicylate in pharmaceuticals by capillary gas chromatography
(2003) *Acta Poloniae Pharmaceutica - Drug Research*, 60 (5), pp. 343-349. Cited 4 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-83955162309&origin=resultslist&sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
ABS-KEY%28Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me
-
- 13 *PubChem compound database; CID = 4133*.
Retrieved 18 Jan, 2017 from
<https://pubchem.ncbi.nlm.nih.gov/compound/4133> (<https://pubchem.ncbi.nlm.nih.gov/compound/4133>)
-
- 14 Pauwels, J., D'Autry, W., Van den Bossche, L., Dewever, C., Forier, M., Vandenwaeyenberg, S., Wolfs, K., (...), Adams, E.
Optimization and validation of liquid chromatography and headspace-gas chromatography based methods for the determination of menthol and methyl salicylate in pharmaceuticals
(2012) *Journal of Pharmaceutical and Biomedical Analysis*, 60, pp. 51-58. Cited 8 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-83955162309&origin=resultslist&sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
doi: 10.1016/j.jpba.2011.10.024
View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=https%3a%2f%2fdoi.org%2f10.1016%2fj.jpba.2011.10.024&location=0>)
-
- 15 Schreiner, M.
Quantification of long chain polyunsaturated fatty acids by gas chromatography: Evaluation of factors affecting accuracy and precision
(2005) *Journal of Chromatography A*, 1095 (1-2), pp. 126-130. Cited 27 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&origin=resultslist&sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me>)
doi: 10.1016/j.chroma.2005.07.104
View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=https%3a%2f%2fdoi.org%2f10.1016%2fj.chroma.2005.07.104&location=0>)

- 22 Wang, T.-M., Ding, L.-Q., Jin, H.-J., Shi, R., Wu, J.-S., Zhu, L., Jia, Y.-Q., (...), Ma, Y.-M.
 Simultaneous quantification of multiple volatile active components in rat plasma using a headspace-solid phase dy
 84928901882&origin=reflist&sort=plf-
 f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me
 ABS-KEY%28Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+me
 (2015) *RSC Advances*, 5 (38), pp. 29631-29638. Cited 3 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&refei>
<http://pubs.rsc.org/en/journals/journalissues> (<http://pubs.rsc.org/en/journals/journalissues>)
 doi: 10.1039/c5ra00776c
 View at Publisher (<https://www.scopus.com/redirect/linking.uri?targetURL=https%3a%2f%2fdoi.org%2f10.1039%2fc5ra00776c&locationID=3&c>

- 23 Yan-chao, L.I., Yi-xian, L.I., Ling-wen, Y.A.O., Zhen-guo, L.I.
 GC simultaneous determination of camphor, menthol and synthetic borneol in Tongluo Qutong plaster
 (2012) *Chin J Pharm Anal*, 32 (4), pp. 672-675. Cited 2 times (<https://www.scopus.com/search/submit/citedby.uri?eid=2-s2.0-85018760062&refei>

- 24 Zuccarini, P.
 Camphor: risks and benefits of a widely used natural product
 (2010) *J Appl Sci Environmen Manag*, 13 (2), pp. 77-82.

🔗 Chatterjee, B.; Department of Pharmaceutical Technology, Kulliyah of Pharmacy, International Islamic University
 Malaysia, Kuantan, Malaysia; email:bappa@iium.edu.my (mailto:bappa@iium.edu.my)
 © Copyright 2017 Elsevier B.V., All rights reserved.

< Back to results (<https://www.scopus.com/results/results.uri?sort=plf-f&src=s&st1=Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+menthol+and+methyl+salicylate+in+analgs>
 ABS-KEY%28Fast+and+simple+gas+chromatographic+method+for+simultaneous+estimation+of+camphor%2c+menthol+and+methyl+salicylate+in+analgs
 1 of 1

^ Top of page

About Scopus

What is Scopus (<https://www.elsevier.com/online-tools/scopus>)
 Content coverage (<https://www.elsevier.com/online-tools/scopus/content-overview/>)
 Scopus blog (<https://blog.scopus.com/>)
 Scopus API (<https://dev.elsevier.com/>)
 Privacy matters
 (<https://www.elsevier.com/legal/privacy-approach>)

Language

日本語に切り替える
 (/personalization/switch/Japanese.uri?
 origin=recordpage&zone=footer&locale=ja_JP)
 切换到简体中文
 (/personalization/switch/Chinese.uri?
 origin=recordpage&zone=footer&locale=zh_CN)
 切换到繁體中文
 (/personalization/switch/Chinese.uri?
 origin=recordpage&zone=footer&locale=zh_TW)

Customer Service

Help (/standard/contactUs.uri?pageOrigin=foot
 Contact us (/standard/contactForm.uri?
 pageOrigin=footer)

ELSEVIER

(<https://www.elsevier.com/>)

Terms and conditions (<https://www.elsevier.com/locate/termsandconditions>)
 Privacy policy (<https://www.elsevier.com/locate/privacypolicy>)

Copyright © 2017 Elsevier B.V (<https://www.elsevier.com>). All rights reserved. Scopus® is a
 registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our Cookies page
 (/standard/help.uri?topic=2964).

RELX Group™ (<http://www>