

Document details

< Back to results | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

International Food Research Journal
Volume 24, 2017, Pages 456-451

Anticancer peptides derived from supermeal worm (*Zophobas morio*) larvae (Article)

Yusof, F.^a Chowdhury, S.^b Faruck, M.O.^a Sulaiman, N.^b

^aDepartment of Biotechnology Engineering, Kulliyah of Engineering, International Islamic University Malaysia, P.O. Box 10, Jalan Gombak, Kuala Lumpur, Selangor, Malaysia

^bDepartment of Mechatronics Engineering, Kulliyah of Engineering, International Islamic University Malaysia, P.O. Box 10, Jalan Gombak, Kuala Lumpur, Selangor, Malaysia

Abstract

View references (24)

Cancer still presents enormous challenges in the medical world. Currently, the search for anticancer compounds has garnered a lot of interest, especially in finding them from the natural sources. In this study, by using Sulforhodamine B (SRB) colorimetric assay, compounds, extracted from supermeal worm (*Zophobas morio*) larvae using two types of acidified organic solvent (ethanol and isopropanol), were shown to inhibit the growth of a breast cancer line, MCF-7. A comparative study of the effect was carried out on a normal cell line, Vero. Results showed that, the two types of extracts inhibits growth of MCF-7 cell at varying degrees, on the other hand, have much less effect on Vero cell. Extracts analysed by UV-vis spectroscopy, showed peaks in the range of 260 to 280 nm, inferring the presence of aromatic amino acids, whereas the highest peak of 3.608 AU at 230 nm indicates the presence of peptide bonds. By Raman spectroscopy, peaks are observed at 1349 cm^{-1} , 944 cm^{-1} and 841 cm^{-1} indicating the presence of Tyr, Try and Gly, confirming the UV-vis analyses. All results of analyses implied that the anticancer compounds contain peptides.

© All Rights Reserved.

Author keywords

Anticancer peptides MCF-7 breast cancer cell line Vero cell line *Zophobas morio* fabricius

ISSN: 19854668

Source Type: Journal

Original language: English

Document Type: Article

Publisher: Universiti Putra Malaysia

References (24)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

1 Bhutia, S.K., Maiti, T.K.

Targeting tumors with peptides from natural sources

(2008) *Trends in Biotechnology*, 26 (4), pp. 210-217. Cited 88 times.
doi: 10.1016/j.tibtech.2008.01.002

[View at Publisher](#)

2 Bulet, P., Cocianich, S., Dimarcq, J.-L., Lambert, J., Reichhart, J.-M., Hoffmann, D., Hetru, C., (...), Hoffmann, J.A.

Insect immunity: Isolation from a coleopteran insect of a novel inducible antibacterial peptide and its new members of the insect defensin family

(1991) *Journal of Biological Chemistry*, 266 (36), pp. 24520-24525. Cited 140 times.

[View at Publisher](#)

Metrics

0 Citations in Scopus

0 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

An approach to optimize process parameter for peptides extraction from *Zophobas morio* (fabricius) using antifungal activity as the response

Yusof, F. , Faruck, M.O. , Chowdhury, S. (2017) *International Food Research Journal*

Ferric reducing anti-oxidant power assay in plant extract

Vijayalakshmi, M. , Ruckmani, K. (2016) *Bangladesh Journal of Pharmacology*

Effect of extraction process parameters on antifungal peptides from Supermeal worm, *Zophobas morio* (Fabricius)

Faruck, M.O. , Yusof, F. , *and new members of (2017) International Food Research Journal*

[View all related documents based on references](#)

- 3 Chernysh, S., Kim, S.I., Bekker, G., Pleskach, V.A., Filatova, N.A., Anikin, V.B., Platonov, V.G., (...), Bulet, P. Antiviral and antitumor peptides from insects
(2002) *Proceedings of the National Academy of Sciences of the United States of America*, 99 (20), pp. 12628-12632. Cited 160 times.
doi: 10.1073/pnas.192301899
[View at Publisher](#)
-
- 4 Chowdhury, S., Yusof, F., Salim, W.W.A.W., Sulaiman, N., Faruck, M.O. An overview of drug delivery vehicles for cancer treatment: Nanocarriers and nanoparticles including photovoltaic nanoparticles
(2016) *Journal of Photochemistry and Photobiology B: Biology*, 164, pp. 151-159. Cited 3 times.
www.elsevier.com/locate/jphotobiol
doi: 10.1016/j.jphotobiol.2016.09.013
[View at Publisher](#)
-
- 5 Diamond, G., Beckloff, N., Weinberg, A., Kisich, K.O. The roles of antimicrobial peptides in innate host defense
(2009) *Current Pharmaceutical Design*, 15 (21), pp. 2377-2392. Cited 188 times.
<http://docserver.ingentaconnect.com/deliver/connect/ben/13816128/v15n21/s2.pdf?Expires=1250538266&id=51648054&titleid=3901&accname=Elsevier+Bibliographic+Databases&checksum=A7C583F35D5D9BED5E24FCA53E49C962>
doi: 10.2174/138161209788682325
[View at Publisher](#)
-
- 6 Do, Q.D., Angkawijaya, A.E., Tran-Nguyen, P.L., Huynh, L.H., Soetaredjo, F.E., Ismadji, S., Ju, Y.-H. Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of Limnophila aromatica
(2014) *Journal of Food and Drug Analysis*, 22 (3), pp. 296-302. Cited 108 times.
<http://www.elsevier.com/journals/journal-of-food-and-drug-analysis/1021-9498#>
doi: 10.1016/j.jfda.2013.11.001
[View at Publisher](#)
-
- 7 Esnouf, R.M. An extensively modified version of MolScript that includes greatly enhanced coloring capabilities
(1997) *Journal of Molecular Graphics and Modelling*, 15 (2), pp. 132-134. Cited 1777 times.
www.elsevier.com/inca/publications/store/5/2/5/0/1/2/index.htm
doi: 10.1016/S1093-3263(97)00021-1
[View at Publisher](#)
-
- 8 Faruck, M.O., Yusof, F., Chowdhury, S. An overview of antifungal peptides derived from insect
(2016) *Peptides*, 80, pp. 80-88. Cited 7 times.
www.elsevier.com/locate/peptides
doi: 10.1016/j.peptides.2015.06.001
[View at Publisher](#)
-
- 9 Faruck, M.O., Yusof, F., Chowdhury, S. Process parameter for antifungal peptides extraction from supermeal worm Zophobas morio fabricus
(2016) *Proceedings of International Conference on Biotechnology Engineering*, pp. 162-165.
(ICBioE 2016). Malaysia: IIUM
Find more related documents in Scopus based on:
[Authors >](#) [Keywords >](#)

- 10 Hoskin, D.W., Ramamoorthy, A.
Studies on anticancer activities of antimicrobial peptides
(2008) *Biochimica et Biophysica Acta - Biomembranes*, 1778 (2), pp. 357-375. Cited 573 times.
doi: 10.1016/j.bbamem.2007.11.008
[View at Publisher](#)
-
- 11 Kchaou, W., Abbès, F., Blecker, C., Attia, H., Besbes, S.
Effects of extraction solvents on phenolic contents and antioxidant activities of Tunisian date varieties (*Phoenix dactylifera L.*)
(2013) *Industrial Crops and Products*, 45, pp. 262-269. Cited 34 times.
doi: 10.1016/j.indcrop.2012.12.028
[View at Publisher](#)
-
- 12 Leem, J.Y., Nishimura, C., Kurata, S., Shimada, I., Kobayashi, A., Natori, S.
Purification and characterization of N-β-alanyl-5-S-glutathionyl-3,4-dihydroxyphenylalanine, a novel antibacterial substance of *sarcophaga peregrina* (flesh fly)
(1996) *Journal of Biological Chemistry*, 271 (23), pp. 13573-13577. Cited 63 times.
[View at Publisher](#)
-
- 13 Mohtar, J.A., Yusof, F., Ali, N.M.H.
Screening of novel acidified solvents for maximal antimicrobial peptide extraction from *Zophobas morio* fabricius
(2014) *Advances in Environmental Biology*, 8 (3 SPEC. ISSUE), pp. 803-809. Cited 6 times.
<http://www.aensiweb.com/aeb/2014/803-809.pdf>
-
- 14 Ngo, T.V., Scarlett, C.J., Bowyer, M.C., Ngo, P.D., Vuong, Q.V.
Impact of different extraction solvents on bioactive compounds and antioxidant capacity from the root of *Salacia chinensis* L
(2017) *Journal of Food Quality*, 2017, art. no. 9305047. Cited 4 times.
<https://www.hindawi.com/journals/jfq/>
doi: 10.1155/2017/9305047
[View at Publisher](#)
-
- 15 Overman, S.A., Thomas Jr., G.J.
Amide modes of the α-helix: Raman spectroscopy of filamentous virus fd containing peptide ¹³C and ²H labels in coat protein subunits
(1998) *Biochemistry*, 37 (16), pp. 5654-5665. Cited 85 times.
doi: 10.1021/bi972339c
[View at Publisher](#)
-
- 16 Resnick, S., Crane, R., Bowen, C.
(2008) *Essential windows communication foundation: for*. Cited 18 times.
net framework 3.5. US: Addison-Wesley Professional
-
- 17 Rodrigues, E.G., Dobroff, A.S.S., Cavarsan, C.F., Paschoalin, T., Nimrichter, L., Mortara, R.A., Santos, E.L., (...), Travassos, L.R.
Effective topical treatment of subcutaneous murine B16F10-Nex2 melanoma by the antimicrobial peptide gomesin
(2008) *Neoplasia*, 10 (1), pp. 61-68. Cited 51 times.
<http://www.neoplasia.com/pdf/manuscript/neo07885.pdf>
doi: 10.1593/neo.07885
[View at Publisher](#)

- 18 Rygula, A., Majzner, K., Marzec, K.M., Kaczor, A., Pilarczyk, M., Baranska, M.
Raman spectroscopy of proteins: A review
(2013) *Journal of Raman Spectroscopy*, 44 (8), pp. 1061-1076. Cited 121 times.
doi: 10.1002/jrs.4335
[View at Publisher](#)
-
- 19 Sherman, R.A., Hall, M.J.R., Thomas, S.
Medicinal maggots: An ancient remedy for some contemporary afflictions
(2000) *Annual Review of Entomology*, 45, pp. 55-81. Cited 232 times.
doi: 10.1146/annurev.ento.45.1.55
[View at Publisher](#)
-
- 20 Takeuchi, H.
UV Raman markers for structural analysis of aromatic side chains in proteins
(2011) *Analytical Sciences*, 27 (11), pp. 1077-1086. Cited 19 times.
http://www.jstage.jst.go.jp/article/analsci/27/11/1077/_pdf
doi: 10.2116/analsci.27.1077
[View at Publisher](#)
-
- 21 Vichai, V., Kirtikara, K.
Sulforhodamine B colorimetric assay for cytotoxicity screening
(2006) *Nature Protocols*, 1 (3), pp. 1112-1116. Cited 1273 times.
doi: 10.1038/nprot.2006.179
[View at Publisher](#)
-
- 22 Zhang, J.X., Guo, Q., Liu, N.
Isolation, Purification and Antioxidant Activity Evaluation of Water Soluble Protein from Giant Mealworm Beetle (*Zophobas morio*) Larvae [J]
(2011) *Food Science*, 18, p. 006. Cited 2 times.
-
- 23 Zhang, N., Fan, Y.-H., Zhang, Z., Zuo, J., Zhang, P.-F., Wang, Q., Liu, S.-B., (...), Bi, C.-F.
Syntheses, crystal structures and anticancer activities of three novel transition metal complexes with Schiff base derived from 2-acetylpyridine and l-tryptophan
(2012) *Inorganic Chemistry Communications*, 22, pp. 68-72. Cited 32 times.
doi: 10.1016/j.inoche.2012.05.022
[View at Publisher](#)
-
- 24 Zwick, E., Bange, J., Ullrich, A.
Receptor tyrosine kinase signalling as a target for cancer intervention strategies
(2001) *Endocrine-Related Cancer*, 8 (3), pp. 161-173. Cited 237 times.
doi: 10.1677/erc.0.0080161
[View at Publisher](#)
-

✉ Yusof, F.; Department of Biotechnology Engineering, Kulliyyah of Engineering, International Islamic University Malaysia, P.O. Box 10, Jalan Gombak, Kuala Lumpur, Selangor, Malaysia; email:yfaridah@iium.edu.my
© Copyright 2018 Elsevier B.V., All rights reserved.

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of

Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Group™