

# Document details

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

[Full Text](#) View at Publisher

European Journal of Hospital Pharmacy  
Volume 25, Issue e1, 1 March 2018, Pages E29-E34

## Are physicians and clinical pharmacists aware and knowledgeable enough about inappropriate prescribing for elderly patients? Findings from Malaysia (Article)

Akkawi, M.E., Nik Mohamed, M.H.

Department of Pharmacy Practice, Kulliyah of Pharmacy, International Islamic University Malaysia, Kuantan, Pahang, 25200, Malaysia

### Abstract

View references (26)

**Objectives** To assess the knowledge of physicians and clinical pharmacists about inappropriate prescribing for elderly patients, their confidence in prescribing for elderly patients, and their perceptions of barriers to appropriate prescribing in this population. **Methods** A cross-sectional study using a validated 20-item questionnaire was conducted among physicians (n=78) and clinical pharmacists (n=45) working in the medical wards of two tertiary hospitals in Malaysia. Knowledge was assessed by six clinical vignettes which were developed based on Beers criteria and the STOPP/START criteria. Other domains of the study were investigated using a four-point or five-point Likert scale. **Results** Of the 82 participants who completed the questionnaire, 65% were physicians, 90.2% had never received training in geriatric medicine, and 70.8% estimated that 25% or more of their patients were elderly. Only six participants (7.3%) had ever used STOPP/START or Beers criteria when prescribing for elderly patients, and 60% of the respondents had never heard of either one of those criteria. The mean score (SD) for the knowledge part was 3.65 (1.46) points, and only 27 participants (22.9%) scored more than four out of a possible six points. Overall, 34% of the participants rated themselves as confident in prescribing for elderly patients, and this was significantly associated with their knowledge score (P=0.02). The mean number (SD) of barriers cited per participant was 6.88 (2.84), with polypharmacy being the most cited barrier. **Conclusions** The majority of the participants had inadequate knowledge and low confidence regarding recommending medications for elderly patients. Continuing education on geriatric pharmacotherapy may be of value for the hospital physicians and pharmacists. © 2018 European Association of Hospital Pharmacists.

### SciVal Topic Prominence ⓘ

Topic: Polypharmacy | Inappropriate Prescribing | Medications PIMs

Prominence percentile: 99.087 ⓘ

### Author keywords

clinical pharmacist clinical vignettes elderly patients hospital inappropriate prescribing knowledge perceived barriers physician

### Indexed keywords

EMTREE medical terms:

aged article beer clinical pharmacist continuing education cross-sectional study female geriatrics hospital physician human inappropriate prescribing Likert scale low drug dose major clinical study Malaysia male multicenter study polypharmacy questionnaire tertiary care center vignette

Metrics ⓘ View all metrics >

1 Citation in Scopus

1.00 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

### Cited by 1 document

Awareness of Beers Criteria and knowledge of potentially inappropriate medications among community pharmacists in the Klang Valley, Malaysia

Foong, R.T.K., Sellappan, R., Loo, J.S.E. (2019) *Journal of Evaluation in Clinical Practice*

View details of this citation

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

### Related documents

Influence of hospitalization on potentially inappropriate prescribing among elderly patients in a Malaysian community

Akkawi, M.E., Mohamed, M.H.N. (2018) *Tropical Journal of Pharmaceutical Research*

The impact of hospitalization on potentially inappropriate prescribing in an acute medical geriatric division

Frankenthal, D., Lerman, Y., Lerman, Y.

## Funding details

Funding sponsor	Funding number	Acronym
	NMRR-15-718-25235	
International Islamic University Malaysia	RIGS 15-098-0098	IIUM
International Islamic University Malaysia		IIUM
	NMRR-15-718-25235	

Exploring instruments used to evaluate potentially inappropriate medication use in hospitalised elderly patients in Kosovo

Kerliu, L. , Citaku, D. , Rudhani, I. (2019) *European Journal of Hospital Pharmacy*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

### Funding text #1

The final instrument and the study protocol were approved by the Medical Research and Ethics Committee (MREC), Ministry of Health Malaysia (NMRR-15-718-25235), and by the clinical research centres of the two hospitals involved.

### Funding text #2

Funding This study was funded by the International Islamic University Malaysia (IIUM) Research Initiative Grant Scheme (RIGS 15-098-0098).

### Funding text #3

ethics approval The Medical Research and Ethics Committee (MREC), Ministry of Health Malaysia (NMRR-15-718-25235).

ISSN: 20479956

Source Type: Journal

Original language: English




DOI: 10.1136/ejhpharm-2017-001391

Document Type: Article

Publisher: BMJ Publishing Group

## References (26)

[View in search results format >](#)

☐ All [Export](#)  [Print](#)  [E-mail](#)  [Save to PDF](#) [Create bibliography](#)

- ☐ 1 O'Connor, M.N., Gallagher, P., Omahony, D.  
Inappropriate prescribing: Criteria, detection and prevention

(2012) *Drugs and Aging*, 29 (6), pp. 437-452. Cited 126 times.  
doi: 10.2165/11632610-000000000-00000

[View at Publisher](#)

- ☐ 2 Hamilton, H., Gallagher, P., Ryan, C., Byrne, S., O'Mahony, D.  
Potentially inappropriate medications defined by STOPP criteria and the risk of adverse drug events in older hospitalized patients ([Open Access](#))

(2011) *Archives of Internal Medicine*, 171 (11), pp. 1013-1019. Cited 319 times.  
<http://archinte.ama-assn.org/cgi/reprint/171/11/1013.pdf>  
doi: 10.1001/archinternmed.2011.215

[View at Publisher](#)

- 3 van der Stelt, C.A.K., Vermeulen Windsant-van den Tweel, A.M.A., Egberts, A.C.G., van den Bemt, P.M.L.A., Leendertse, A.J., Hermens, W.A.J.J., van Marum, R.J., (...), Derijks, H.J.  
**The Association Between Potentially Inappropriate Prescribing and Medication-Related Hospital Admissions in Older Patients: A Nested Case Control Study**  
(2016) *Drug Safety*, 39 (1), pp. 79-87. Cited 27 times.  
<http://rd.springer.com/journal/40264>  
doi: 10.1007/s40264-015-0361-1  
[View at Publisher](#)
- 
- 4 Samuel, M.J.  
**American Geriatrics Society 2015 updated beers criteria for potentially inappropriate medication use in older adults**  
(2015) *Journal of the American Geriatrics Society*, 63 (11), pp. 2227-2246. Cited 1205 times.  
<http://www.blackwellpublishing.com/journal.asp?ref=0002-8614&site=1>  
doi: 10.1111/jgs.13702  
[View at Publisher](#)
- 
- 5 O'mahony, D., O'sullivan, D., Byrne, S., O'connor, M.N., Ryan, C., Gallagher, P.  
**STOPP/START criteria for potentially inappropriate prescribing in older people: Version 2** ([Open Access](#))  
(2015) *Age and Ageing*, 44 (2), pp. 213-218. Cited 663 times.  
<http://ageing.oxfordjournals.org/>  
doi: 10.1093/ageing/afu145  
[View at Publisher](#)
- 
- 6 Hill-Taylor, B., Sketris, I., Hayden, J., Byrne, S., O'Sullivan, D., Christie, R.  
**Application of the STOPP/START criteria: A systematic review of the prevalence of potentially inappropriate prescribing in older adults, and evidence of clinical, humanistic and economic impact**  
(2013) *Journal of Clinical Pharmacy and Therapeutics*, 38 (5), pp. 360-372. Cited 169 times.  
doi: 10.1111/jcpt.12059  
[View at Publisher](#)
- 
- 7 Gallagher, P., Lang, P.O., Cherubini, A., Topinková, E., Cruz-Jentoft, A., Montero Errasquín, B., Mádlová, P., (...), O'Mahony, D.  
**Prevalence of potentially inappropriate prescribing in an acutely ill population of older patients admitted to six European hospitals**  
(2011) *European Journal of Clinical Pharmacology*, 67 (11), pp. 1175-1188. Cited 191 times.  
doi: 10.1007/s00228-011-1061-0  
[View at Publisher](#)
- 
- 8 Gutiérrez-Valencia, M., Izquierdo, M., Malafarina, V., Alonso-Renedo, J., González-Glaría, B., Larrayoz-Sola, B., Monforte-Gasque, M.P., (...), Martínez-Velilla, N.  
**Impact of hospitalization in an acute geriatric unit on polypharmacy and potentially inappropriate prescriptions: A retrospective study**  
(2017) *Geriatrics and Gerontology International*, 17 (12), pp. 2354-2360. Cited 11 times.  
[http://onlinelibrary.wiley.com/journal/10.1111/\(ISSN\)1447-0594](http://onlinelibrary.wiley.com/journal/10.1111/(ISSN)1447-0594)  
doi: 10.1111/ggi.13073  
[View at Publisher](#)
-

- ☐ 9 Wickop, B., Härterich, S., Sommer, C., Daubmann, A., Baehr, M., Langebrake, C.  
**Potentially Inappropriate Medication Use in Multimorbid Elderly Inpatients: Differences Between the FORTA, PRISCUS and STOPP Ratings** ([Open Access](#))  
  
(2016) *Drugs - Real World Outcomes*, 3 (3), pp. 317-325. Cited 14 times.  
<http://www.springer.com/adis/journal/40801>  
doi: 10.1007/s40801-016-0085-2  
  
[View at Publisher](#)
- 
- ☐ 10 Bakken, M.S., Ranhoff, A.H., Engeland, A., Ruths, S.  
**Inappropriate prescribing for older people admitted to an intermediate-care nursing home unit and hospital wards** ([Open Access](#))  
  
(2012) *Scandinavian Journal of Primary Health Care*, 30 (3), pp. 169-175. Cited 29 times.  
doi: 10.3109/02813432.2012.704813  
  
[View at Publisher](#)
- 
- ☐ 11 Ramaswamy, R., Maio, V., Diamond, J.J., Talati, A.R., Hartmann, C.W., Arenson, C., Roehl, B.  
**Potentially inappropriate prescribing in elderly: Assessing doctor knowledge, confidence and barriers**  
  
(2011) *Journal of Evaluation in Clinical Practice*, 17 (6), pp. 1153-1159. Cited 28 times.  
doi: 10.1111/j.1365-2753.2010.01494.x  
  
[View at Publisher](#)
- 
- ☐ 12 Maio, V., Jutkowitz, E., Herrera, K., Abouzaid, S., Negri, G., Del Canale, S.  
**Appropriate medication prescribing in elderly patients: How knowledgeable are primary care physicians? A survey study in Parma, Italy**  
  
(2011) *Journal of Clinical Pharmacy and Therapeutics*, 36 (4), pp. 468-480. Cited 18 times.  
doi: 10.1111/j.1365-2710.2010.01195.x  
  
[View at Publisher](#)
- 
- ☐ 13 Polit, D.F., Beck, C.T.  
**The content validity index: Are you sure you know what's being reported? Critique and recommendations**  
  
(2006) *Research in Nursing and Health*, 29 (5), pp. 489-497. Cited 1076 times.  
doi: 10.1002/nur.20147  
  
[View at Publisher](#)
- 
- ☐ 14 Veloski, J., Tai, S., Evans, A.S., Nash, D.B.  
**Clinical vignette-based surveys: A tool for assessing physician practice variation**  
  
(2005) *American Journal of Medical Quality*, 20 (3), pp. 151-157. Cited 189 times.  
doi: 10.1177/1062860605274520  
  
[View at Publisher](#)
- 
- ☐ 15 Peabody, J.W., Luck, J., Glassman, P., Jain, S., Hansen, J., Spell, M., Lee, M.  
**Measuring the quality of physician practice by using clinical vignettes: A prospective validation study**  
  
(2004) *Annals of Internal Medicine*, 141 (10), pp. 771-780+I67. Cited 433 times.  
<http://annals.org/issues.aspx>  
doi: 10.7326/0003-4819-141-10-200411160-00008  
  
[View at Publisher](#)

- 
- ☐ 16 Lynn, M.R.  
**Determination and quantification of content validity**  
  
(1986) *Nursing Research*, 35 (6), pp. 382-386. Cited 2056 times.  
  
[View at Publisher](#)
- 
- ☐ 17 Waltz, C., Strickland, O.L., Lenz, E.  
(2016) *Measurement in Nursing and Health Research*. Cited 731 times.  
5th edn Springer Publishing Company
- 
- ☐ 18 Wahab, M.S.A., Othman, N., Kowalski, S.R., Zulkifly, H.H., Ali, A.A., Ming, L.C., Majeed, A.B.A.  
**Pharmacy students' and pharmacists' perceptions about geriatric pharmacotherapy education**  
  
(2017) *Pharmacy Education*, 17 (1), pp. 100-108.  
<http://pharmacyeducation.fip.org/pharmacyeducation/article/download/468/422>
- 
- ☐ 19 Choudhry, N.K., Fletcher, R.H., Soumerai, S.B.  
**Systematic review: The relationship between clinical experience and quality of health care** ([Open Access](#))  
  
(2005) *Annals of Internal Medicine*, 142 (4), pp. 260-273. Cited 800 times.  
<http://annals.org/issues.aspx>  
doi: 10.7326/0003-4819-142-4-200502150-00008  
  
[View at Publisher](#)
- 
- ☐ 20 (2017) *British National Formulary*. Cited 1495 times.  
Joint Formulary Committee. 73rd edn. London: Joint Formulary Committee
- 
- ☐ 21 White, W.B.  
**Defining the Problem of Treating the Patient with Hypertension and Arthritis Pain**  
  
(2009) *American Journal of Medicine*, 122 (5 SUPPL.), pp. S3-S9. Cited 30 times.  
doi: 10.1016/j.amjmed.2009.03.002  
  
[View at Publisher](#)
- 
- ☐ 22 McAlister, F.A.  
**Angiotensin-converting enzyme inhibitors or angiotensin receptor blockers are beneficial in normotensive atherosclerotic patients: A collaborative meta-analysis of randomized trials** ([Open Access](#))  
  
(2012) *European Heart Journal*, 33 (4), pp. 505-514. Cited 43 times.  
doi: 10.1093/eurheartj/ehr400  
  
[View at Publisher](#)
-

□ 23 James, P.A., Oparil, S., Carter, B.L., Cushman, W.C., Dennison-Himmelfarb, C., Handler, J., Lackland, D.T., (...), Ortiz, E.  
2014 Evidence-based guideline for the management of high blood pressure in adults: Report from the panel members appointed to the Eighth Joint National Committee (JNC 8) (Open Access)  
(2014) *JAMA - Journal of the American Medical Association*, 311 (5), pp. 507-520. Cited 4270 times.  
<http://jama.jamanetwork.com/data/Journals/JAMA/929741/jsc130010.pdf>  
doi: 10.1001/jama.2013.284427  
View at Publisher

□ 24 Liu, C.-L., Peng, L.-N., Chen, Y.-T., Lin, M.-H., Liu, L.-K., Chen, L.-K.  
Potentially inappropriate prescribing (IP) for elderly medical inpatients in Taiwan: A hospital-based study  
(2012) *Archives of Gerontology and Geriatrics*, 55 (1), pp. 148-151. Cited 56 times.  
doi: 10.1016/j.archger.2011.07.001  
View at Publisher

□ 25 Barry, P.J., Gallagher, P., Ryan, C., O'mahony, D.  
START (screening tool to alert doctors to the right treatment) - An evidence-based screening tool to detect prescribing omissions in elderly patients (Open Access)  
(2007) *Age and Ageing*, 36 (6), pp. 632-638. Cited 236 times.  
doi: 10.1093/ageing/afm118  
View at Publisher

□ 26 Maher, R.L., Hanlon, J., Hajjar, E.R.  
Clinical consequences of polypharmacy in elderly  
(2014) *Expert Opinion on Drug Safety*, 13 (1), pp. 57-65. Cited 485 times.  
doi: 10.1517/14740338.2013.827660  
View at Publisher

🔍 Akkawi, M.E.; Department of Pharmacy Practice, Kulliyah of Pharmacy, International Islamic University Malaysia, Kuantan, Pahang, Malaysia; email:mhdeidak@gmail.com  
© Copyright 2019 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

## About Scopus

What is Scopus  
Content coverage  
Scopus blog  
Scopus API  
Privacy matters

## Language

日本語に切り替える  
切换到简体中文  
切换到繁體中文  
Русский язык

## Customer Service

Help  
Contact us

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.