

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#) [View at Publisher](#)

Unmanned Systems

Volume 5, Issue 4, 1 October 2017, Pages 237-246

## Defining Reference Area for Prediction of Aerodynamic Coefficients of a Biologically Inspired Hybrid Buoyant Vehicle (Article)

Haque, A.-U.<sup>a</sup> [✉](#), Asrar, W.<sup>a</sup>, Omar, A.A.<sup>b</sup>, Sulaeman, E.<sup>a</sup><sup>a</sup>Department of Mechanical Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia<sup>b</sup>Department of Aeronautical Engineering, University of Tripoli, P.O. Box 13154, Tripoli, Libyan Arab Jamahiriya

### Abstract

[View references \(36\)](#)

Geometric and volumetric quantities are usually used to define the reference area for the prediction of aerodynamic coefficients of various aquatic mammals, airships and unmanned vehicle. However, reference area does not have a unique definition, especially for a hybrid buoyant aerial vehicle having hybrid lifting hull which resembles a Steller sea lion. The term square cube root of volume is traditionally used as reference area to nondimensionalize the aerodynamic forces for conventional as well as unconventional airships. Published experimental data are usually available for complete configuration at low speed and in nondimensionalized form. So, a generic model of an aircraft's fuselage was first tested in a wind tunnel as a test case to first determine the lift force and then the influence of different choices of reference area on the lift. A hybrid lifting hull was numerically simulated for the prediction of lift as well as drag coefficients and their ratio. It was found that the volumetric term has undefined correlation with aerodynamic forces in both cases. Changes in aerodynamic coefficients are not prominent when using the wetted area as the reference area. Based on the predicted trends of aerodynamic coefficients and a deep literature survey, the projected planform area is proposed as the best option for reference area of a Steller sea lion as well as for hybrid lifting hull of a hybrid buoyant vehicle. © 2017 World Scientific Publishing Company.

### Author keywords

aerodynamics Airship buoyancy hybrid airship marine animals reference area

### Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
06-01-08-SF0189			

### Funding text

The support of the Ministry of Science, Technology and Innovation (MOSTI), Malaysia, under the grant 06-01-08-SF0189 is gratefully acknowledged. Thanks to Professor Steven Vogel for the useful discussions during the course of this review work. Special thanks to Dr Fadhil and Mr. Surya for providing assistance in generating the experimental data of fuselage and its model manufacturing.

ISSN: 23013850

Source Type: Journal

Original language: English

DOI: 10.1142/S230138501750011X

Document Type: Article

Publisher: World Scientific Publishing Co. Pte Ltd

### References (36)

[View in search results format >](#)[All](#) [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

### Metrics [?](#)

0 Citations in Scopus

0 Field-Weighted Citation Impact



### PlumX Metrics [v](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

### Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

### Related documents

Cambered profile of a California sea lion's body

Ul-Haque, A. , Asrar, W. , Omar, A.A. (2015) *Journal of Experimental Biology*

Assessment of engine's power budget for hydrogen powered hybrid buoyant aircraft

U. Haque, A. , Asrar, W. , Omar, A.A. (2016) *Propulsion and Power Research*

Structural design of hybrid buoyant aircraft's model for subsonic Wind Tunnel testing

Anwar-Ul-Haque , Nugraha, F. , Erawan, D.F. (2017) *Proceedings of 2017 14th International Bhurban Conference on Applied Sciences and Technology, IBCAST 2017*

View all related documents based on references

- 1 Alexander, D.E.  
Drag coefficients of swimming animals: effects of using different reference areas

(1990) *Biological Bulletin*, 179 (2), pp. 186-190. Cited 17 times.  
doi: 10.2307/1541768

[View at Publisher](#)

Find more related documents in  
Scopus based on:

[Authors >](#) [Keywords >](#)

- 2 Batchelor, G.K., Young, A.D.  
An introduction to fluid mechanics  
(1968) *J. Appl. Mech.*, 35, p. 624. Cited 2 times.

- 3 Bilo, B.Y.D., Nachtigall, W.  
A simple method to determine the drag coefficient of aquatic animals  
(1980) *Exp. Biol.*, 87, pp. 357-359. Cited 22 times.

- 4 Cheneval, O.  
(2005) *Biomechanics of Turning Manoeuvres in Steller Sea Loins*. Cited 4 times.  
(May). Available at accessed on 15 September 2014  
<https://circle.ubc.ca/bitstream/id/54541/ubc2005-0397.pdf>

- 5 Pinebrook, Wm.E., Dalton, C.  
Drag minimization on a body of revolution through evolution  
  
(1983) *Computer Methods in Applied Mechanics and Engineering*, 39 (2), pp. 179-197. Cited 13 times.  
doi: 10.1016/0045-7825(83)90020-8

[View at Publisher](#)

- 6 Lutz, T., Wagner, S.  
Drag reduction and shape optimization of airship bodies

(1998) *Journal of Aircraft*, 35 (3), pp. 345-351. Cited 49 times.  
<http://arc.aiaa.org/loi/ja>  
doi: 10.2514/2.2313

[View at Publisher](#)

- 7 Vogel, S.  
(1987) *Life in Moving Fluids: The Physical Biology of Flow*. Cited 1952 times.  
Princeton University Press

- 8 Vogel, S.  
Comparative biomechanics: Life's physical world  
  
(2011) *Comparative Biomechanics: Life's Physical World*. Cited 335 times.  
<http://press.princeton.edu/titles/7693.html>  
ISBN: 978-069115566-1

- 9 Haque, A.U., Asrar, W., Omar, A.A., Sulaeman, E., Ali, J.S.M.  
Cambered profile of a California sea lion's body  
(2014) *J. Exp. Biol.*, 1, pp. 2-3.

- 10 Nita, M., Scholz, D.  
From preliminary aircraft cabin design to cabin design to cabin optimisation-part I  
*Sci. Bull.*, 75. Cited 2 times.  
Available at Accessed March 10, 2014  
<http://www.scientificbulletin.upb.ro/revdocsarhiva/fullid22936656.pdf>
- 
- 11 Vos, R., van Dommelen, J.  
A conceptual design and optimization method for blended-wing-body aircraft  
  
(2012) *53rd AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference 2012*. Cited 6 times.  
ISBN: 978-160086937-2
- 
- 12 Abbas, A., De Vicente, J., Valero, E.  
Aerodynamic technologies to improve aircraft performance  
  
(2013) *Aerospace Science and Technology*, 28 (1), pp. 100-132. Cited 55 times.  
doi: 10.1016/j.ast.2012.10.008  
  
View at Publisher
- 
- 13 Bamber, M.J., House, R.O.  
*Wind Tunnel Investigation of Effect of Yaw On Lateral-stability Characteristics. II: Rectangular N.A.C.A. 33012 Wing with a Circular Fuselage and a Fin; 1939)*  
NACA Technical Note 703, National Advisory Committee for Aeronautics. Langley Aeronautical Lab.; Langley Field, VA, United States
- 
- 14 Carichner, G.E., Nicolai, L.M.  
(2013) *Fundamentals of Aircraft and Airship Design, Airship Design*, 2. Cited 127 times.  
(ed. J. A. Schetz ). (American Institute of Aeronautics and Astronautics, AIAA
- 
- 15 Haque, A.U., Asrar, W., Omar, A.A., Sulaeman, E., Ali, M.J.S.  
Conceptual design of a winged hybrid airship  
  
(2014) *21st AIAA Lighter-Than-Air Systems Technology Conference*. Cited 11 times.  
ISBN: 978-162410286-8
- 
- 16 Suzuki, I., Sato, K., Fahlman, A., Naito, Y., Miyazaki, N., Trites, A.W.  
Drag, but not buoyancy, affects swim speed in captive Steller sea lions  
  
(2014) *Biology Open*, 3 (5), pp. 379-386. Cited 9 times.  
<http://bio.biologists.org/content/biolopen/3/5/379.full.pdf>  
doi: 10.1242/bio.20146130  
  
View at Publisher
- 
- 17 Ul Haque, A., Asrar, W., Omar, A.A., Sulaeman, E., Mohamed Ali, J.S.  
Stability and takeoff ground roll issues of hybrid buoyant aircraft  
  
(2014) *Applied Mechanics and Materials*, 660, pp. 503-507. Cited 5 times.  
<http://www.scientific.net/AMM>  
ISBN: 978-303835278-5; 978-303835278-5  
doi: 10.4028/www.scientific.net/AMM.660.503  
  
View at Publisher
- 
- 18 Ilieva, G., Páscoa, J., Dumas, A., Trancossi, M.  
MAAT - Promising innovative design and green propulsive concept for future airship's transport  
  
(2014) *Aerospace Science and Technology*, 35 (1), pp. 1-14. Cited 17 times.  
doi: 10.1016/j.ast.2014.01.014  
  
View at Publisher



- 28 Buerge, B.T.  
(2013) *Scalability of Heaviness Fraction for Large Airships in Aerodynamic Decelerator Systems Technology Conferences*  
AIAA Lighter-ThamAir Systems Technology (LTA) Conference. Reston: AIAA
- 
- 29 Torenbeek, E.  
**Advanced Aircraft Design: Conceptual Design, Analysis and Optimization of Subsonic Civil Airplanes**  
(2013) *Advanced Aircraft Design: Conceptual Design, Analysis and Optimization of Subsonic Civil Airplanes*, pp. 1-410. Cited 74 times.  
<http://onlinelibrary.wiley.com/book/10.1002/9781118568101>  
ISBN: 978-111856811-8  
doi: 10.1002/9781118568101  
  
View at Publisher
- 
- 30 Webb, B.Y.P.W.  
Is the high cost of body/caudal fin undulatory swimming due to increased friction drag or internal recoil  
(1992) *J. Exp. Biol.*, 162, pp. 157-166. Cited 62 times.
- 
- 31 Stelle, L.L., Blake, R.W., Trites, A.W.  
**Hydrodynamic drag in Steller sea lions (*Eumetopias jubatus*)**  
(2000) *Journal of Experimental Biology*, 203 (12), pp. 1915-1923. Cited 34 times.  
  
View at Publisher
- 
- 32 Ward, J.  
**Animal locomotion [2]**  
(1874) *Nature*, 9 (229), pp. 381-382. Cited 2 times.  
  
View at Publisher
- 
- 33 Cooper, L.N., Sedano, N., Johansson, S., May, B., Brown, J.D., Holliday, C.M., Kot, B.W., (...), Fish, F.E.  
**Hydrodynamic performance of the minke whale (*Balaenoptera acutorostrata*) flipper**  
(2008) *Journal of Experimental Biology*, 211 (12), pp. 1859-1867. Cited 23 times.  
doi: 10.1242/jeb.014134  
  
View at Publisher
- 
- 34 Weber, P.W., Howie, L.E., Murray, M.M., Fish, F.E.  
**Lift and drag performance of odontocete cetacean flippers**  
(2009) *Journal of Experimental Biology*, 212 (14), pp. 2149-2158. Cited 20 times.  
<http://jeb.biologists.org/cgi/reprint/212/14/2149>  
doi: 10.1242/jeb.029868  
  
View at Publisher
- 
- 35 Fish, F.  
Imaginative solutions by marine organisms for drag reduction  
(1998) *Proc. Int. Symp. Seawater. Drag. Reduct.*, 1, pp. 443-450. Cited 27 times.
- 
- 36 Levy, D.W., Zickuhr, T., Vassberg, J., Agrawal, S., Wahls, R.A., Pirzadeh, S., Hemsch, M.J.  
**Data summary from the first AIAA computational fluid dynamics drag prediction workshop**  
(2003) *Journal of Aircraft*, 40 (5), pp. 875-882. Cited 81 times.  
<http://arc.aiaa.org/loi/ja>  
doi: 10.2514/2.6877  
  
View at Publisher

## About Scopus

[What is Scopus](#)  
[Content coverage](#)  
[Scopus blog](#)  
[Scopus API](#)  
[Privacy matters](#)

## Language

[日本語に切り替える](#)  
[切换到简体中文](#)  
[切换到繁體中文](#)  
[Русский язык](#)

## Customer Service

[Help](#)  
[Contact us](#)

**ELSEVIER**

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Group™