International Journal of Hydrogen Energy
Volume 42, Issue 43, 26 October 2017, Pages 26771-26786

Validated analytical modelling of supercharging centrifugal compressors with vaneless diffusers for H_2-biodiesel dual-fuel engines with cooled EGR

(Article)

Elmoselhy, S.A.M.[a], Faris, W.F.[b], Rakha, H.A.[c]

[a]Faculty of Engineering, Xiamen University of Technology (XMUT), No. 600 Ligong Road, Jimei, Xiamen, China
[b]Department of Mechanical Engineering, International Islamic University Malaysia, Gombak, Kuala Lumpur, Malaysia
[c]Virginia Tech Transportation Institute, Virginia Polytechnic Institute and State University, 3500 Transportation Research Plaza, Blacksburg, VA, United States

Abstract

View references (46)

The supercharging centrifugal compressor with a vaneless diffuser is a key element in diesel powertrains that has not been comprehensively modelled using explainable mathematical trends. This study thus develops an analytical model for this type of compressors for hybrid H_2-Biodiesel dual-fuel engines with cooled EGR. Specifically, for this proposed type of compression ignition system, the study develops an analytical model of the velocities at the exit of impeller of the supercharging compressor. In addition, a sensitivity analysis is conducted on the developed models of the total power required to drive the compressor and its mechanical efficiency. The developed models have been validated using case studies that are based on field data gathered experimentally. Furthermore, a modified model of the Stanitz's slip factor is presented for radial blades accounting for the Coriolis circulation, boundary layer effect, and blade thickness. The modified Stanitz's slip factor provides better accuracy of matching the experimental results with relative error of 1%. The relative error with respect to the parameters of the velocities at the impeller and the analytical model of the power required to drive the rotor of the compressor is 7%. In addition, the relative error with respect to the model of the mechanical efficiency of the compressor is 10%. These relative errors are of an order of magnitude of deviation that is comparable with that of widely recognized models in the field of vehicle powertrain modelling such as the CMEM and GT-Power. These developed models follow from the principles of physics so that they are widely valid models. Having addressed and corrected flaws in corresponding models presented in key references in this research area, these developed models can help more effectively evaluate the power input to this type of compressors and thus the fuel consumption reducing the environmental foot-print thereof. © 2017 Hydrogen Energy Publications LLC

Author keywords

Analytical modelling Bio-diesel engines Centrifugal compressors EGR Hydrogen fuel

Indexed keywords

Engineering controlled terms: Analytical models Biodiesel Boundary layers Centrifugal compressors Centrifugation Diesel engines Digital storage Efficiency Engines Errors Fuels Hydrogen fuels Impellers Powertrains Sensitivity analysis

Compendex keywords Blade thickness Boundary layer effects Compression ignition Consumption reducing Developed model Mechanical efficiency Vaneless diffuser Vehicle powertrains

Engineering main heading: Dual fuel engines

Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
	International Islamic University Malaysia	IIUM	See opportunities by IIUM
	United Technologies	UTC	See opportunities by UTC
	Faculty of Engineering, Alexandria University		See opportunities
	U.S. Department of Transportation	DOT	See opportunities by DOT
RMGS 09-10			
	Virginia Polytechnic Institute and State University	VT	See opportunities by VT

Funding text

The technical support provided by the Faculty of Engineering at the International Islamic University Malaysia (IIUM) as well as by the Center for Sustainable Mobility at Virginia Polytechnic Institute and State University (Virginia Tech) is thankfully acknowledged. The financial support provided by the IIUM for this research under research grant # RMGS 09-10 is also thankfully acknowledged. The financial support provided by the Center for Sustainable Mobility at Virginia Tech under the research project “TranLIVE UTC – U.S. Department of Transportation” is thankfully acknowledged as well.

ISSN: 03603199
CODEN: IJHED
Source Type: Journal
Original language: English
DOI: 10.1016/j.ijhydene.2017.08.125
Document Type: Article
Publisher: Elsevier Ltd

References (46)

View in search results format >

All | Export | Print | E-mail | Save to PDF | Create bibliography

1 Ibaraki, S., Tomita, I., Ebisu, M., Shiraishi, T.
Development of a wide-range centrifugal compressor for automotive turbochargers
(2012) *Mitsubishi Heavy Ind Tech Rev*, 49 (1), pp. 68-73. Cited 3 times.

2 Obert, E.F.
Internal combustion engines and air pollution
(1973) . Cited 224 times.
Harper & Row Publishers, Inc

3 Sahasrabudhe, A.B., Notani, S.S., Purohit, T.M., Patil, T.U., Joshi, S.V.
Measurement of Carbonyl emissions from exhaust of engines fueled using Biodiesel-Ethanol-Diesel blend and development of a catalytic converter for their mitigation along with CO, HC's and NOx
(2011) *Int J Adv Eng Technol*, 1 (5), pp. 254-266. Cited 2 times.

4 Faris, W.F., Rakha, H.A., Kafafy, R.I., Idres, M., Elmoselhy, S.
Vehicle fuel consumption and emission modelling: An in-depth literature review
(2011) *International Journal of Vehicle Systems Modelling and Testing*, 6 (3-4), pp. 318-395. Cited 17 times.
doi: 10.1504/IJVSMT.2011.044232

View at Publisher

5 Faris, W., Rakha, H., Elmoselhy, S.A.M.
Impact of Intelligent Transportation Systems on Vehicle Fuel Consumption and Emission Modeling: An Overview
(2014) *SAE International Journal of Materials and Manufacturing*, 7 (1), pp. 129-146. Cited 5 times.
doi: 10.4271/2013-01-9094
View at Publisher

6 Faris, W.F., Rakha, H.A., Elmoselhy, S.A.M.
Supercharged diesel powertrain intake manifold analytical model
(2014) *International Journal of Vehicle Systems Modelling and Testing*, 9 (1), pp. 1-35. Cited 3 times.
doi: 10.1504/IJVSMT.2014.059154
View at Publisher

7 Nagalingam, B., Dübel, M., Schmillen, K.
Performance of the supercharged spark ignition hydrogen engine
(1983) . Cited 11 times.
SAE Int SAE paper # 831688

8 Shin, B., Cho, Y., Han, D., Song, S., Chun, K.M.
Hydrogen effects on NOx emissions and brake thermal efficiency in a diesel engine under low-temperature and heavy-EGR conditions
(2011) *International Journal of Hydrogen Energy*, 36 (10), pp. 6281-6291. Cited 49 times.
doi: 10.1016/j.ijhydene.2011.02.059
View at Publisher

9 Karim, G.
Hydrogen as a spark ignition engine fuel
(2003) *Int J Hydrogen Energy*, 56, pp. 256-263. Cited 8 times.

10 Saravanan, N., Nagarajan, G.
An experimental investigation of hydrogen-enriched air induction in a diesel engine system
(2008) *International Journal of Hydrogen Energy*, 33 (6), pp. 1769-1775. Cited 116 times.
doi: 10.1016/j.ijhydene.2007.12.065
View at Publisher

11 Cho, Y., Song, S., Chun, K.M.
H_2 effects on diesel combustion and emissions with an LPL-EGR system
(2013) *International Journal of Hydrogen Energy*, 38 (23), pp. 9897-9906. Cited 12 times.
doi: 10.1016/j.ijhydene.2013.05.143
View at Publisher

12 Ladommatos, N., Balian, R., Horrocks, R., Copper, L.
The effect of exhaust gas recirculation on soot formation in a high-speed direct-injection diesel engine
(1996) . Cited 29 times.
SAE Int SAE Paper # 960841

13 Ladommatos, N., Abdelhalim, S., Zhao, H.
The effects of exhaust gas recirculation on diesel combustion and emissions

(2000) *International Journal of Engine Research*, 1 (1), pp. 107-126. Cited 34 times.
doi: 10.1243/1468087001545290

View at Publisher

14 Boretti, A.
Novel dual fuel diesel-ammonia combustion system in advanced TDI engines

(2017) *International Journal of Hydrogen Energy*, 42 (10), pp. 7071-7076. Cited 6 times.
http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/
doi: 10.1016/j.ijhydene.2016.11.208

View at Publisher

15 Kousoulidou, M., Dimaratos, A., Karvountzis-Kontakiotis, A., Samaras, Z.
Combustion and emissions of a common-rail diesel engine fueled with HWCO

(2014) *Journal of Energy Engineering*, 140 (3), art. no. A4013001. Cited 10 times.
doi: 10.1061/(ASCE)EY.1943-7897.0000154

View at Publisher

16 Boyce, M.P.
Gas turbine engineering handbook
(2002) . Cited 260 times.
2nd ed. Butterworth Heinemann, Elsevier

17 Ibaraki, S., Higashimori, H., Mikogami, T.
Flow investigation of a centrifugal compressor for automotive turbochargers
(1998)
SAE Int SAE Paper # 980771

18 Lawless, P.B.
Experimental evaluation of precursors to centrifugal compressor instability

(2000) *International Journal of Turbo and Jet Engines*, 17 (4), pp. 279-288. Cited 4 times.

19 Moss, S., Smith, C., Foote, W.
Energy transfer between a fluid and rotor
(1942) *ASME Trans*, 64, pp. 567-585.

20 Taylor, C.F.
Internal combustion engine in theory and practice, volume 1: Thermodynamics, fluid flow, performance
(1985) . Cited 534 times.
2nd ed. MIT Press

21 Heywood, J.B.
Internal combustion engine fundamentals
(1988) . Cited 12441 times.
McGraw Hill New York, N.Y.

22 Hussain, J., Palaniradja, K., Alagumurthi, N., Manimaran, R.
Effect of Exhaust Gas Recirculation (EGR) on performance and emission characteristics of a three cylinder direct injection compression ignition engine

(2012) *Alexandria Engineering Journal*, 51 (4), pp. 241-247. Cited 34 times.
doi: 10.1016/j.aej.2012.09.004

View at Publisher

23 Baines, N.C.
Fundamentals of turbocharging
(2005) . Cited 106 times.
Concepts ETI Inc

24 Schleer, M.W.
Flow structure and stability of a turbocharger centrifugal compressor
(2006) . Cited 16 times.
[PhD Dissertation] Swiss Federal Institute of Technology (ETH) Zurich

25 Yasuyuki, K., Shimpei, M.
Dynamical system analysis of unsteady phenomena in centrifugal compressor

(1997) *Journal of Thermal Science*, 6 (1), pp. 14-20. Cited 2 times.

View at Publisher

26 Smits, J.J.M.
Modeling of a fluid flow in an internal combustion engine
(2006) . Cited 7 times.
Eindhoven University of Technology Research Report # WVT 2006.22

27 Watson, N., Janota, M.S.
Turbocharging the internal combustion engine
(1982) . Cited 671 times.
Wiley-Interscience Publications, John Wiley New York

28 Ahmed, S.A.
An experimental investigation of the flow field between two radial plates

(2010) *Canadian Aeronautics and Space Journal*, 56 (1), pp. 9-15.
http://article.pubs.nrc-cnrc.gc.ca/RPAS/rpv?hm=HInit&calyLang=eng&journal=casj&volume=56&afpf=q10-003.pdf

View at Publisher

29 Ganesan, V.
Gas turbine
(2010) . Cited 20 times.
3rd ed. Tata McGraw-Hill Education

30 Stanitz, J.D.
Some theoretical aerodynamic investigations of impellers in radial and mixed flow centrifugal compressor
(1952) *Trans ASME*, 74, pp. 473-497. Cited 70 times.

31 Omran, R., Younes, R., Champoussin, J.
Neural networks for real-time nonlinear control of a variable geometry turbocharged diesel engine
(2007) *Int J Robust Nonlinear Control*

32 Wahlström, J., Eriksson, L.
Modelling diesel engines with a variable-geometry turbocharger and exhaust gas recirculation by optimization of model parameters for capturing non-linear system dynamics
(2011) *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering*, 225 (7), pp. 960-986. Cited 123 times.
doi: 10.1177/0954407011398177
View at Publisher

33 Boyce, M.P.
Principles of operation and performance estimation of centrifugal compressors
(1993) *Proceedings of the 22nd turbomachinery symposium, Dallas, Texas September 14–16*, pp. 161-177. Cited 23 times.

34 Faris, W.F., Rakha, H.A., Elmoselhy, S.A.M.
Analytical model of diesel engines exhaust NOx emission rate
(2014) *International Journal of Vehicle Systems Modelling and Testing*, 9 (3-4), pp. 264-280. Cited 3 times.
http://www.inderscience.com/browse/index.php?journalID=169
View at Publisher

35 Harari, R., Sher, E.
Measurement of engine friction power by using inertia tests
(1995) *SAE Technical Papers*. Cited 3 times.
doi: 10.4271/950028
View at Publisher

36 United States Environmental Protection Agency EPA
Process for conducting probabilistic risk assessment. Appendix a, RAGS volume 3 Part A
(2001)
Environmental protection agency EPA

37 Keller, G.
Statistics for management and economics
(2012) . Cited 20 times.
9th ed. South Western, Cengage Learning

38 Vortech V1S Trim supercharging centrifugal compressor. [Accessed 13 April 2017].
http://legacy.vortechsuperchargers.com/maps/s_vs_t-trim_map.gif

39 Hill, P., Peterson, C.
Mechanics and thermodynamics of propulsion
(1992) . Cited 598 times.
2nd ed. Reading: Addison-Wesley Publishing Company

40 Ji, C., Zou, J., Ruan, X.D., Dario, P., Fu, X.
Analysis of impeller exit condition using a modified Stanitz equation in a centrifugal refrigerant compressor
(2010) *Proc IMechE Part A J Power Energy*, 225, pp. 114-119.

41 Spirig, M., Schmied, J., Jenckel, P., Kanne, U.
Three practical examples of magnetic bearing control design using a modern tool

(2002) *Journal of Engineering for Gas Turbines and Power*, 124 (4), pp. 1025-1031. Cited 17 times.
doi: 10.1115/1.1417483

View at Publisher

42 Botros, K.K., Ganesan, S.T.
Dynamic instabilities in industrial compression systems with centrifugal compressors
(2008) *Proc Thirty Seventh Turbo Mach Symp*, pp. 119-132. Cited 14 times.

43 Rao, J.S., Suresh, S., Ratnakar, R., Narayan, R.
A procedure to predict influence of acceleration and damping of blades passing through critical speeds on fatigue life

(2011) *Advances in Vibration Engineering*, 10 (2), pp. 89-101. Cited 2 times.

44 Rakha, H.A., Ahn, K., Faris, W., Moran, K.S.
Simple vehicle powertrain model for modeling intelligent vehicle applications

(2012) *IEEE Transactions on Intelligent Transportation Systems*, 13 (2), art. no. 6175132, pp. 770-780. Cited 17 times.
doi: 10.1109/TITS.2012.2188517

View at Publisher

45 Talibi, M., Hellier, P., Ladommatos, N.
The effect of varying EGR and intake air boost on hydrogen-diesel co-combustion in CI engines

(2017) *International Journal of Hydrogen Energy*, 42 (9), pp. 6369-6383. Cited 7 times.
http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/
doi: 10.1016/j.ijhydene.2016.11.207

View at Publisher

46 Dempsey, A.B., Ryan Walker, N., Reitz, R.
Effect of piston bowl geometry on dual fuel reactivity controlled compression ignition (RCCI) in a light-duty engine operated with gasoline/diesel and methanol/diesel

(2013) *SAE International Journal of Engines*, 6 (1), pp. 78-100. Cited 39 times.
doi: 10.4271/2013-01-0264

View at Publisher

Faris, W.F.; Department of Mechanical Engineering, International Islamic University Malaysia, Gombak, Kuala Lumpur, Malaysia; email:wfaris@vt.edu