

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#) [View at Publisher](#)IEEE Transactions on Industrial Electronics
Volume 65, Issue 9, September 2018, Pages 7202-7210

Swarm - Intelligence Tuned Current Reduction for Power - Assisted Steering Control in Electric Vehicles (Article)

Hanifah, R.A.^a [✉](#), Toha, S.F.^a [✉](#), Ahmad, S.^b [✉](#), Hassan, M.K.^c [✉](#) [👤](#)^aDepartment of Mechatronics, Faculty of Engineering, International Islamic University Malaysia (IIUM), Kuala Lumpur, Malaysia^bDepartment of Electrical and Computer Engineering, Faculty of Engineering Girls Campus, King Abdulaziz University, Jeddah, Saudi Arabia^cDepartment of Electrical and Electronic Engineering, Universiti Putra Malaysia, Selangor, Malaysia

Abstract

[View references \(25\)](#)

In electric vehicle technology, battery energy conservation is paramount due to the dependency of all system operations on the available battery. The proportional, integral and derivative (PID) controller parameters in the electric power assisted steering system for electric vehicle need to be tuned with the optimal performance setting so that less current is needed for its operation. This proposed two methods under the umbrella of swarm-intelligence technique namely particle swarm optimization (PSO) and ant colony optimization (ACO) in order to reduce current consumption and to improve controller performance. The investigation involves an analysis on the convergence behavior of both techniques in search for accurate controller parameters. A comprehensive assessment on the assist current supplied to the assist motor of the system is also presented. Investigation reveals that the proposed controllers, PID-PSO and PID-ACO are able to reduce the assist current supplied to the assist motor as compared to the conventional PID controller. This study also demonstrate the feasibility of applying both swarm-intelligence tuning method in terms of reduced time taken to tune the PID controller as compared to the conventional tuning method. © 1982-2012 IEEE.

Author keywords

[Ant colony optimization \(ACO\)](#) [electric power steering system](#) [electric vehicle](#) [particle swarm optimization \(PSO\)](#)

Indexed keywords

Engineering
controlled terms:[Ant colony optimization](#) [Artificial intelligence](#) [Automobile steering equipment](#) [Axles](#)
[Controllers](#) [Damping](#) [Electric batteries](#) [Electric control equipment](#)
[Electric machine control](#) [Electric power system control](#) [Electric vehicles](#)
[Mathematical models](#) [Proportional control systems](#) [Secondary batteries](#) [Steering](#)
[Swarm intelligence](#) [Three term control systems](#) [Torque](#) [Traction motors](#) [Tuning](#)
[Vehicles](#)

Compendex keywords

[Ant Colony Optimization \(ACO\)](#) [Comprehensive assessment](#) [Controller performance](#)
[Electric power steering system](#) [Power-assisted steering](#)
[Proportional , integral and derivative controllers](#) [Roads](#) [Swarm intelligence techniques](#)Engineering main
heading:[Particle swarm optimization \(PSO\)](#)

Metrics [?](#)

0 Citations in Scopus
0 Field-Weighted
Citation Impact

PlumX Metrics [▼](#)

Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 0 documents

Inform me when this document
is cited in Scopus:[Set citation alert >](#)[Set citation feed >](#)

Related documents

An improved nonlinear fitting
method and its application in
function approximation based on
particle swarm algorithmFei, X. , Qiang, L. , Bei, J.
(2015) *Proceedings - 7th
International Conference on
Intelligent Computation
Technology and Automation,
ICICTA 2014*Generation of optimal functions
using particle swarm method
over discrete intervalsShamieh, F. , Xu, C.
(2009) *Annual Conference of the
North American Fuzzy
Information Processing Society -
NAFIPS*Power reduction optimization
with swarm based technique in
electric power assist steering
systemAbu Hanifah, R. , Toha, S.F. ,
Hassan, M.K.
(2016) *Energy*

References (25)

View in search results format >

Find more related documents in
Scopus based on:

Authors > Keywords >

All Export Print E-mail Save to PDF Create bibliography

-
- 1 Thomas, C.E.S.
Greenhouse gases by sector
(2017) *Lecture Notes in Energy*, 35, pp. 9-11. Cited 2 times.
www.springer.com/series/8874
doi: 10.1007/978-3-319-31655-0_2
[View at Publisher](#)
-
- 2 Kim, J.-H., Lee, I.-O., Moon, G.-W.
Analysis and Design of a Hybrid-Type Converter for Optimal Conversion Efficiency in Electric Vehicle Chargers
(2017) *IEEE Transactions on Industrial Electronics*, 64 (4), art. no. 7726043, pp. 2789-2800. Cited 6 times.
<http://ieeexplore.ieee.org/xpl/tocresult.jsp?isnumber=5410131>
doi: 10.1109/TIE.2016.2623261
[View at Publisher](#)
-
- 3 Ellingsen, L.A.-W., Singh, B., Strømman, A.H.
The size and range effect: Lifecycle greenhouse gas emissions of electric vehicles
(Open Access)
(2016) *Environmental Research Letters*, 11 (5), art. no. 054010. Cited 18 times.
<http://iopscience.iop.org/article/10.1088/1748-9326/11/5/054010/pdf>
doi: 10.1088/1748-9326/11/5/054010
[View at Publisher](#)
-
- 4 Auger, D.J., Groff, M.F., Mohan, G., Longo, S., Assadian, F.
Impact of battery ageing on an electric vehicle powertrain optimisation
(2014) *Journal of Sustainable Development of Energy, Water and Environment Systems*, 2 (4), pp. 350-361. Cited 6 times.
<http://www.sdewes.org/jsdewes/dp558d9b9e5f5c8706654841b1c91d11425af3e6ea>
doi: 10.13044/j.sdewes.2014.02.0028
[View at Publisher](#)
-
- 5 Cave, H.
Charging ahead? the bid for better batteries
(2017) *Engineering and Technology*, 12 (2), pp. 58-61. Cited 2 times.
<http://www.iee.org/Publish/Journals/MagsNews/Mags/Ir.cfm>
[View at Publisher](#)
-
- 6 Li, Y., Shim, T., Wang, D., Offerle, T.
Investigation of factors affecting steering feel of column assist electric power steering
(2016) *ASME 2016 Dynamic Systems and Control Conference, DSCC 2016*, 2, p. 109DUMMY.
<http://proceedings.asmedigitalcollection.asme.org/volume.aspx?volumeid=18136>
ISBN: 978-079185070-1
doi: 10.1115/DSCC2016-9818
[View at Publisher](#)
-

- 7 Wang, Y., Shen, Y., Yuan, X., Yang, Y.
Operating point optimization of auxiliary power unit based on dynamic combined cost map and particle swarm optimization
(2015) *IEEE Transactions on Power Electronics*, 30 (12), art. no. 6990636, pp. 7038-7050. Cited 6 times.
<http://ieeexplore.ieee.org/xpl/tocresult.jsp?isnumber=4712525>
doi: 10.1109/TPEL.2014.2383443
[View at Publisher](#)
-
- 8 Toklu, N.E., Gambardella, L.M., Montemanni, R.
A multiple ant colony system for a vehicle routing problem with time windows and uncertain travel times
(2014) *J. Traffic Logist. Eng*, 2 (1), pp. 52-58. Cited 15 times.
-
- 9 Sousa, T., Vale, Z., Carvalho, J.P., Pinto, T., Morais, H.
A hybrid simulated annealing approach to handle energy resource management considering an intensive use of electric vehicles
(2014) *Energy*, 67, pp. 81-96. Cited 29 times.
www.elsevier.com/inca/publications/store/4/8/3/
doi: 10.1016/j.energy.2014.02.025
[View at Publisher](#)
-
- 10 Yang, T.
A new control framework of electric power steering system based on admittance control
(2015) *IEEE Transactions on Control Systems Technology*, 23 (2), art. no. 6834824, pp. 762-769. Cited 13 times.
doi: 10.1109/TCST.2014.2325892
[View at Publisher](#)
-
- 11 Liu, H., Chen, G., Zong, C.
Friction Compensation Control Method Research of Electric Power Steering System
(2016) *SAE Technical Papers*
<http://papers.sae.org/>
doi: 10.4271/2016-01-1545
[View at Publisher](#)
-
- 12 Lee, J.H., Moon, H.T., Yoo, J.Y.
Current sensorless drive method for electric power steering
(2012) *International Journal of Automotive Technology*, 13 (7), pp. 1141-1147. Cited 7 times.
doi: 10.1007/s12239-012-0117-1
[View at Publisher](#)
-
- 13 Lee, G.H., Choi, W.C., Kim, S.I., Kwon, S.O., Hong, J.P.
Torque ripple minimization control of permanent magnet synchronous motors for EPS applications
(2011) *International Journal of Automotive Technology*, 12 (2), pp. 291-297. Cited 15 times.
doi: 10.1007/s12239-011-0034-8
[View at Publisher](#)
-

-
- 14 Wang, J., Wang, Q., Jin, L., Song, C.
Independent wheel torque control of 4WD electric vehicle for differential drive assisted steering
(2011) *Mechatronics*, 21 (1), pp. 63-76. Cited 86 times.
doi: 10.1016/j.mechatronics.2010.08.005
[View at Publisher](#)
-
- 15 Christian, B.T., Rohman, A.S., Sasongko, A., Bagaspratomo, L., Agustina, C.
The prototype development of electronic control unit for electric power steering
(2015) *Proceedings - Joint International Conference on Electric Vehicular Technology and Industrial, Mechanical, Electrical and Chemical Engineering, ICEVT 2015 and IMECE 2015*, art. no. 7496683, pp. 247-252.
ISBN: 978-146738504-6
doi: 10.1109/ICEVTIMECE.2015.7496683
[View at Publisher](#)
-
- 16 Marouf, A., Djemai, M., Sentouh, C., Pudlo, P.
A new control strategy of an electric-power-assisted steering system
(2012) *IEEE Transactions on Vehicular Technology*, 61 (8), art. no. 6247520, pp. 3574-3589. Cited 45 times.
doi: 10.1109/TVT.2012.2209689
[View at Publisher](#)
-
- 17 Hassan, M.K.
Implementation of model based design approach for energy efficiency in electric vehicle
(2013) *Local Expert Attachment Program Report, Perusahaan Otomobil Nasional (PROTON), Selangor, Malaysia*
-
- 18 Eberhart, Russell, Kennedy, James
New optimizer using particle swarm theory
(1995) *Proceedings of the International Symposium on Micro Machine and Human Science*, pp. 39-43. Cited 7970 times.
[View at Publisher](#)
-
- 19 Kennedy, James, Eberhart, Russell
Particle swarm optimization
(1995) *IEEE International Conference on Neural Networks - Conference Proceedings*, 4, pp. 1942-1948. Cited 30532 times.
[View at Publisher](#)
-
- 20 Eberhart, R., Simpson, P., Dobbins, R.
(1996) *Computational Intelligence PC ToloS*, 464. Cited 518 times.
New York, NY, USA: Academic
-
- 21 Dorigo, M., Maniezzo, V., Colomi, A.
Positive feedback as a search strategy
(1991) *Politecnico di Milano, Milan, Italy, Tech. Rep. 91-016*. Cited 649 times.
-
- 22 Dorigo, M.
(1992) *Optimization, Learning and Natural Algorithms*. Cited 2063 times.
Ph.D. Dissertation, Dipartimento di Elettronica, Politecnico di Milano, Italy
-

□ 23 Stützle, T., Dorigo, M.
An experimental study of the simple ant colony optimization algorithm
(2001) *Proc. WSES-Press Int. WSES Int. Conf. Evol. Comput*, pp. 253-258. Cited 24 times.

□ 24 Dorigo, M., Maniezzo, V., Colorni, A.
Ant system: Optimization by a colony of cooperating agents
(1996) *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, 26 (1), pp. 29-41. Cited 6696 times.
doi: 10.1109/3477.484436

[View at Publisher](#)

□ 25 Dorigo, M., Stützle, T.
Ant colony optimization: Overview and recent advances
(2010) *Handbook of Metaheuristics*, p. 227. Cited 183 times.
M. Gendreau and J.-Y. Potvin, Eds. New York, NY, USA: Springer

🔍 Toha, S.F.; Department of Mechatronics, Faculty of Engineering, International Islamic University Malaysia (IIUM), Kuala Lumpur, Malaysia; email:tsfauziah@iium.edu.my

© Copyright 2018 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Group™