

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#) [View at Publisher](#)Polymers [Open Access](#)

Volume 10, Issue 9, 2 September 2018, Article number 977

Enhanced flexibility of biodegradable polylactic acid / starch blends using epoxidized palm oil as plasticizer (Article) [\(Open Access\)](#)

Awale, R.J.^a [✉](#), Ali, F.B.^a [✉](#), Azmi, A.S.^a [✉](#), Puad, N.I.M.^a [✉](#), Anuar, H.^b [✉](#), Hassan, A.^c [✉](#) [👤](#)^aDepartment of Biotechnology Engineering, Kulliyah of Engineering, International Islamic University Malaysia (IIUM), Jalan Gombak, Kuala Lumpur, 53100, Malaysia^bDepartment of Manufacturing and Materials Engineering, Kulliyah of Engineering, International Islamic University Malaysia (IIUM), Jalan Gombak, Kuala Lumpur, 53100, Malaysia^cFaculty of Engineering, Universiti Teknologi Malaysia (UTM), Johor Bahru, 81310, Malaysia

Abstract

[View references \(24\)](#)

The brittleness of polylactic acid (PLA) has always limited its usage, although it has good mechanical strength. In this study, flexibility of PLA/starch (PSt) blend was enhanced using epoxidized palm oil (EPO) as the green plasticizer. The PLA/starch/EPO (PSE) blends were prepared while using the solution casting method by fixing the content of starch and varying ratio of EPO. The thermal properties, such as glass transition temperature (T_g), melting temperature (T_m), and crystallization temperature (T_c) were decreased by increasing the amount of EPO into PSt, indicating that EPO increases the chain mobility. Thermogravimetric analysis (TGA) showed that thermal degradation resistance of PSE was higher when compared to PSt. The mechanical testing revealed that EPO at all contents improved the mechanical properties, such as increment of the elongation-at-break and impact strength. Whereas, dynamic mechanical analysis showed that the addition of filler into PLA decreased the storage modulus of PLA. The carbonyl group of the aliphatic ester remained the same in the PSE blends. The morphological study verified the ductility of PSE blends surface when compared to the brittle surface of PSt. As for the soil burial tests, EPO accelerated the degradation of blends. From these results, it can be concluded that EPO improved the flexibility of PLA blends. © 2018 by the authors.

Author keywords

[Biodegradable](#) [Epoxidized palm oil](#) [Green plasticizer](#) [Polylactic acid](#) [Solution casting](#) [Starch](#)

Indexed keywords

Engineering controlled terms:

[Biodegradable polymers](#) [Fracture mechanics](#) [Glass transition](#) [Impact strength](#) [Mechanical properties](#) [Plasticizers](#) [Polyesters](#) [Reinforced plastics](#) [Soil testing](#) [Starch](#) [Thermogravimetric analysis](#)

Engineering uncontrolled terms

[Biodegradable](#) [Crystallization temperature](#) [Degradation resistance](#) [Green plasticizers](#) [Morphological study](#) [Poly lactic acid](#) [Solution casting](#) [Solution-casting method](#)

Engineering main heading:

[Palm oil](#)

Metrics [?](#)

0 Citations in Scopus
0 Field-Weighted Citation Impact

PlumX Metrics [v](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

Related documents

Preparation and characterization of plasticized polylactic acid/starch blend

Ali, F. , Awale, R.J. , Saeed Mirghani, M.E. (2016) *Jurnal Teknologi*

Plasticizing poly(lactic acid) using epoxidized palm oil for environmental friendly packaging material | Peningkatan fleksibiliti poli(laktik asid) menggunakan minyak kelapa sawit terepoksi untuk aplikasi pembungkus mesra alam

Ali, F.B. , Awale, R.J. , Fakhruddin, H. (2016) *Malaysian Journal of Analytical Sciences*

Properties of plasticized polylactic acid films with epoxidized rubber seed oil

Kantee, J. , Kajorncheappunngam, S. (2017) *Chiang Mai Journal of Science*

References (24)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

-
- 1 Jamshidian, M., Tehrany, E.A., Imran, M., Jacquot, M., Desobry, S.
Poly-Lactic Acid: Production, applications, nanocomposites, and release studies
(2010) *Comprehensive Reviews in Food Science and Food Safety*, 9 (5), pp. 552-571. Cited 462 times.
doi: 10.1111/j.1541-4337.2010.00126.x
[View at Publisher](#)
-
- 2 Avérous, L., Pollet, E.
Biodegradable Polymers
(2012) *Green Energy and Technology*, 50, pp. 13-39. Cited 57 times.
ISBN: 978-144714101-3
doi: 10.1007/978-1-4471-4108-2_2
[View at Publisher](#)
-
- 3 Xiao, L., Wang, B., Yang, G., Gauthier, M.
Poly(Lactic Acid)-Based biomaterials: Synthesis, modification and applications
(2012) *Biomedical Science*. Cited 92 times.
Engineering and Technology; InTech: Rijeka, Croatia
-
- 4 Anderson, J.M., Shive, M.S.
Biodegradation and biocompatibility of PLA and PLGA microspheres
(1997) *Advanced Drug Delivery Reviews*, 28 (1), pp. 5-24. Cited 1518 times.
doi: 10.1016/S0169-409X(97)00048-3
[View at Publisher](#)
-
- 5 Lasprilla, A.J.R., Martinez, G.A.R., Lunelli, B.H., Jardini, A.L., Filho, R.M.
Poly-lactic acid synthesis for application in biomedical devices - A review
(2012) *Biotechnology Advances*, 30 (1), pp. 321-328. Cited 345 times.
doi: 10.1016/j.biotechadv.2011.06.019
[View at Publisher](#)
-
- 6 Shukor, F., Hassan, A., Saiful Islam, M., Mokhtar, M., Hasan, M.
Effect of ammonium polyphosphate on flame retardancy, thermal stability and mechanical properties of alkali treated kenaf fiber filled PLA biocomposites
(2014) *Materials and Design*, 54, pp. 425-429. Cited 73 times.
doi: 10.1016/j.matdes.2013.07.095
[View at Publisher](#)
-