

Document details

< Back to results | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

Pertanika Journal of Tropical Agricultural Science
Volume 41, Issue 3, August 2018, Pages 1367-1381

Chemical profile , total phenolic content , DPPH free radical scavenging and α -glucosidase inhibitory activities of cosmos caudatus kunth leaves (Article)

Ahmad, W.N.W.^a✉, Shaari, K.^a✉, Khatib, A.^b, Hamid, A.A.^c, Hamid, M.^d✉

^aLaboratory of Natural Products, Institute of Bioscience, Universiti Putra Malaysia (UPM), Serdang, Selangor, 43400, Malaysia

^bKuliyah of Pharmacy, International Islamic University Malaysia (IIUM), Kuantan, Pahang, 25200, Malaysia

^cFaculty of Food Science and Technology, Universiti Putra Malaysia (UPM), Serdang, Selangor, 43400, Malaysia

[View additional affiliations](#) ▾

Abstract

View references (54)

Herbs and medicinal plants are major sources of traditional or folk medicines for many countries of the world, including Malaysia. This study evaluated the bioactive potential of the leaf ethanolic extract and solvent fractions of *Cosmos caudatus* Kunth, in scavenging free radicals and inhibiting the enzyme α -glucosidase. In addition, their metabolite profiles were also characterized using liquid chromatography-mass spectrometry. The bioactivity was found to be concentrated in the EtOAc and BuOH fractions which largely contained rutin, quercetin 3-O-galactoside, quercetin 3-O-glucoside, quercetin 3-O-xyloside, quercetin 3-O-arabinofuranoside, quercetin 3-O-rhamnoside, and quercetin 3-O-galactoside, as profiled by LC-MS/MS. It was further shown that the flavonoids glycosides contributed to the free radical scavenging and glucose lowering effects of *C. caudatus* leaves. The results indicated that the leaves of *C. caudatus* are a rich source of bioactive compounds and could be prospective materials for development of new anti-diabetic agents. © 2018 Universiti Putra Malaysia Press.

SciVal Topic Prominence ⓘ

Topic: *Oenanthe* | *Quercetin* | *C caudatus*

Prominence percentile: 75.973 ⓘ

Reaxys Database Information

[View Compounds](#)

Author keywords

[Cosmos caudatus](#) [Free radical scavenging activity](#) [LC-MS/ MS](#) [\$\alpha\$ -glucosidase inhibition](#)

Funding details

Funding sponsor	Funding number	Acronym
Arkansas Biosciences Institute		ABI

Universiti Kebangsaan Malaysia

NEW! SciVal Topic Prominence is now available in Scopus.

Metrics ⓘ

0 Citations in Scopus

0 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts

Sultana, B. , Anwar, F. , Ashraf, M. (2009) *Molecules*

Potential medicinal benefits of *Cosmos caudatus* (Ulam Raja): A scoping review

Cheng, S.-H. , Barakatun-Nisak, M.Y. , Anthony, J. (2015) *Journal of Research in Medical Sciences*

Histological changes on testes of mice administered with different concentrations of *cosmos caudatus* ethanolic extract

Booh, M.J. , Hashim, N. , Daud, D. (2015) *Malaysian Applied Biology*

[View all related documents based on references](#) ×

Funding sponsor	Funding number	Acronym	Find more related documents in Scopus based on:
Ministério da Ciência, Tecnologia e Inovação		MCTI	Authors > Keywords >
Universiti Putra Malaysia		UPM	
Kementerian Sains, Teknologi dan Inovasi	637007	MOSTI	
Construction Industry Research Institute of Malaysia		CREAM	
Universidad Politécnica de Madrid		UPM	

Funding text

The authors wish to thank Universiti Putra Malaysia (UPM), Agro Biotechnology Institute (ABI) and Ministry of Science, Technology and Innovation (MOSTI) for the provision of research grant (grant no: 637007). The authors are also grateful to Mr Alefee Ayatollah from Centre Research Institute Malaysia (CRIM), Universiti Kebangsaan Malaysia (UKM), Malaysia, for LC-MS/MS analysis.

ISSN: 15113701

Source Type: Journal

Original language: English

Document Type: Article

Publisher: Universiti Putra Malaysia

References (54)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 1 Abas, F., Shaari, K., Lajis, N.H., Israf, D.A., Kalsom, Y.U.
Antioxidative and Radical Scavenging Properties of the Constituents Isolated from
Cosmos caudatus Kunth

(2003) *Natural Product Sciences*, 9 (4), pp. 245-248. Cited 31 times.

- 2 Abdille, Md.H., Singh, R.P., Jayaprakasha, G.K., Jena, B.S.
Antioxidant activity of the extracts from *Dillenia indica* fruits

(2005) *Food Chemistry*, 90 (4), pp. 891-896. Cited 139 times.
doi: 10.1016/j.foodchem.2004.09.002

[View at Publisher](#)

- 3 Ablat, A., Mohamad, J., Awang, K., Shilpi, J.A., Arya, A.
Evaluation of antidiabetic and antioxidant properties of *Brucea javanica* seed
([Open Access](#))

(2014) *The Scientific World Journal*, 2014, art. no. 786130. Cited 16 times.
doi: 10.1155/2014/786130

[View at Publisher](#)

- 4 Ado, M.A., Abas, F., Ismail, I.S., Ghazali, H.M., Shaari, K. Chemical profile and antiacetylcholinesterase, antityrosinase, antioxidant and α -glucosidase inhibitory activity of *Cynometra cauliflora* L. leaves (2015) *Journal of the Science of Food and Agriculture*, 95 (3), pp. 635-642. Cited 8 times. [http://onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)1097-0010](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1097-0010) doi: 10.1002/jsfa.6832
View at Publisher
-
- 5 Anwar, F., Jamil, A., Iqbal, S., Sheikh, M.A. Antioxidant activity of various plant extracts under ambient and accelerated storage of sunflower oil (Open Access) (2006) *Grasas y Aceites*, 57 (2), pp. 189-197. Cited 51 times. <http://grasasyaceites.revistas.csic.es/index.php/grasasyaceites/issue/archive> doi: 10.3989/gya.2006.v57.i2.36
View at Publisher
-
- 6 Arts, I.C., Hollman, P.C. Polyphenols and disease risk in epidemiologic studies. (2005) *The American journal of clinical nutrition*, 81 (1 Suppl), pp. 317S-325S. Cited 1190 times.
View at Publisher
-
- 7 Bonoli, M., Verardo, V., Marconi, E., Caboni, M.F. Antioxidant phenols in barley (*Hordeum vulgare* L.) flour: Comparative spectrophotometric study among extraction methods of free and bound phenolic compounds (2004) *Journal of Agricultural and Food Chemistry*, 52 (16), pp. 5195-5200. Cited 159 times. doi: 10.1021/jf040075c
View at Publisher
-
- 8 Bunawan, H., Baharum, S.N., Bunawan, S.N., Amin, N.A., Noor, N.M. *Cosmos caudatus* Kunth: A traditional medicinal herb (2014) *Global Journal of Pharmacology*, 8 (3), pp. 420-426. Cited 7 times.
-
- 9 Burkhill, I.H. (1966) *A Dictionary of the Economic Products of the Malay Peninsula*, 1-2. Kuala Lumpur, Malaysia: Ministry of Agriculture Cooperative
-
- 10 Chatha, S.A.S., Anwar, F., Manzoor, M., Bajwa, J.-U.-R. Evaluation of the antioxidant activity of rice bran extracts using different antioxidant assays (2006) *Grasas y Aceites*, 57 (3), pp. 328-335. Cited 49 times.
-
- 11 Collins, R.A., Ng, T.B., Fong, W.P., Wan, C.C., Yeung, H.W. Inhibition of glycohydrolase enzymes by aqueous extracts of chinese medicinal herbs in a microplate format (1997) *Biochemistry and Molecular Biology International*, 42 (6), pp. 1163-1169. Cited 54 times. **NEW! Scival Topic Prominence** is now available in Scopus.
View at Publisher



12 Dai, J., Mumper, R.J.

Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties
([Open Access](#))

(2010) *Molecules*, 15 (10), pp. 7313-7352. Cited 1294 times.

<http://www.mdpi.com/1420-3049/15/10/7313/pdf>

doi: 10.3390/molecules15107313

[View at Publisher](#)

13 Dehghan, H., Sarrafi, Y., Salehi, P.

Antioxidant and antidiabetic activities of 11 herbal plants from Hyrcania region, Iran
([Open Access](#))

(2016) *Journal of Food and Drug Analysis*, 24 (1), pp. 179-188. Cited 20 times.

<http://www.elsevier.com/journals/journal-of-food-and-drug-analysis/1021-9498#>

doi: 10.1016/j.jfda.2015.06.010

[View at Publisher](#)

14 Dehghan-Kooshkghazi, M., Mathers, J.C.

Starch digestion, large-bowel fermentation and intestinal mucosal cell proliferation in rats treated with the α -glucosidase inhibitor acarbose ([Open Access](#))

(2004) *British Journal of Nutrition*, 91 (3), pp. 357-365. Cited 36 times.

doi: 10.1079/BJN20031063

[View at Publisher](#)

15 Deutschländer, M.S., van de Venter, M., Roux, S., Louw, J., Lall, N.

Hypoglycaemic activity of four plant extracts traditionally used in South Africa for diabetes

(2009) *Journal of Ethnopharmacology*, 124 (3), pp. 619-624. Cited 60 times.

doi: 10.1016/j.jep.2009.04.052

[View at Publisher](#)

16 De Melo Júnior, E.J.M., Raposo, M.J., Lisboa Neto, J.A., Diniz, M.F.A., Marcelino Júnior, C.A.C., Sant'Ana, A.E.G.

Medicinal plants in the healing of dry socket in rats: Microbiological and microscopic analysis

(2002) *Phytomedicine*, 9 (2), pp. 109-116. Cited 49 times.

www.urbanfischer.de/journals/phytomed

doi: 10.1078/0944-7113-00087

[View at Publisher](#)

17 De Moraes, S.L., Gregório, L.E., Tomaz, J.C., Lopes, N.P.

Rapid screening and identification of polar constituents from brazilian arnica lychnophora sp. by LC-UV/DAD-ESI-MS and LC-UV/DAD-ESI-MS/MS analysis

(2009) *Chromatographia*, 69 (SUPPL. 2), pp. S157-S165. Cited 10 times.

doi: 10.1365/s10337-009-1036-9

[View at Publisher](#)

18 Domon, B., Costello, C.E.

A systematic nomenclature for carbohydrate fragmentations in FAB-MS/MS spectra of glycoconjugates

(1988) *Glycoconjugate Journal*, 5 (4), pp. 397-409. Cited 1997 times.
doi: 10.1007/BF01049915

[View at Publisher](#)

19 Fatin, R.J., Wahab, R., Daud, J.M., Sudin, M., Rasat, M.S., Sulaiman, O.

Study on methanol extracts of Nauclea subdita (Korth) Steud. heartwood parts for the total phenolic contents and free radical scavenging activities

(2012) *Current Research Journal of Biological Sciences*, 4 (5), pp. 600-607. Cited 4 times.

20 Franco, O.L., Rigden, D.J., Melo, F.R., Grossi-de-Sá, M.F.

Plant α -amylase inhibitors and their interaction with insect α -amylases: Structure, function and potential for crop protection [\(Open Access\)](#)

(2002) *European Journal of Biochemistry*, 269 (2), pp. 397-412. Cited 316 times.
doi: 10.1046/j.0014-2956.2001.02656.x

[View at Publisher](#)

21 Hatipoğlu, G., Sökmen, M., Bektaş, E., Daferera, D., Sökmen, A., Demir, E., Şahin, H.

Automated and standard extraction of antioxidant phenolic compounds of *Hyssopus officinalis* L. ssp. *angustifolius*

(2013) *Industrial Crops and Products*, 43 (1), pp. 427-433. Cited 19 times.
doi: 10.1016/j.indcrop.2012.07.028

[View at Publisher](#)

22 Hanefeld, M., Fischer, S., Julius, U., Schulze, J., Schwanebeck, U., Schmehel, H., Ziegelasch, H.J., (...), Lindner, J.

Risk factors for myocardial infarction and death in newly detected NIDDM: The Diabetes Intervention Study, 11-year follow-up [\(Open Access\)](#)

(1996) *Diabetologia*, 39 (12), pp. 1577-1583. Cited 866 times.
doi: 10.1007/s001250050617

[View at Publisher](#)

23 Hyun, T.K., Kim, H.-C., Kim, J.-S.

Antioxidant and antidiabetic activity of *Thymus quinquecostatus* Celak

(2014) *Industrial Crops and Products*, 52, pp. 611-616. Cited 19 times.
doi: 10.1016/j.indcrop.2013.11.039

[View at Publisher](#)

24 Hyun, T.K., Kim, H.-C., Ko, Y.-J., Kim, J.-S.

Antioxidant, α -glucosidase inhibitory and anti-inflammatory effects of aerial parts extract from Korean crowberry (*Empetrum nigrum* var. *japonicum*) [\(Open Access\)](#)

(2016) *Saudi Journal of Biological Sciences*, 23 (2), pp. 181-188. Cited 11 times.
<http://www.ksu.edu.sa/sites/Colleges/CollegeofSciences/BotanyDepartment/SJBS/Default.aspx>
doi: 10.1016/j.sjbs.2015.02.008

[View at Publisher](#)

NEW! SciVal Topic Prominence is now available in Scopus.

Which Topic is this article related to? [View the Topic](#).



- 25 Kunyanga, C.N., Imungi, J.K., Okoth, M.W., Biesalski, H.K., Vadivel, V.
Total phenolic content, antioxidant and antidiabetic properties of methanolic extract of raw and traditionally processed Kenyan indigenous food ingredients
(2012) *LWT - Food Science and Technology*, 45 (2), pp. 269-276. Cited 74 times.
doi: 10.1016/j.lwt.2011.08.006
[View at Publisher](#)
-
- 26 Kerem, Z., Bilkis, I., Flaishman, M.A., Sivan, L.
Antioxidant activity and inhibition of α -glucosidase by trans-resveratrol, piceid, and a novel trans-stilbene from the roots of Israeli Rumex bucephalophorus L.
(2006) *Journal of Agricultural and Food Chemistry*, 54 (4), pp. 1243-1247. Cited 59 times.
doi: 10.1021/jf052436+
[View at Publisher](#)
-
- 27 Lee, S.Y., Mediani, A., Nur Ashikin, A.H., Azliana, A.B.S., Abas, F.
Antioxidant and α -glucosidase inhibitory activities of the leaf and stem of selected traditional medicinal plants
(2014) *International Food Research Journal*, 21 (1), pp. 165-172. Cited 33 times.
[http://www.ifrj.upm.edu.my/21%20\(01\)%202014/24%20IFRJ%2021%20\(01\)%202014%20Faridah%20359.pdf](http://www.ifrj.upm.edu.my/21%20(01)%202014/24%20IFRJ%2021%20(01)%202014%20Faridah%20359.pdf)
-
- 28 Li, L., Seeram, N.P.
Further investigation into maple syrup yields 3 new Lignans, a new phenylpropanoid, and 26 other phytochemicals
(2011) *Journal of Agricultural and Food Chemistry*, 59 (14), pp. 7708-7716. Cited 62 times.
doi: 10.1021/jf2011613
[View at Publisher](#)
-
- 29 Li, Y., Guo, C., Yang, J., Wei, J., Xu, J., Cheng, S.
Evaluation of antioxidant properties of pomegranate peel extract in comparison with pomegranate pulp extract
(2006) *Food Chemistry*, 96 (2), pp. 254-260. Cited 441 times.
doi: 10.1016/j.foodchem.2005.02.033
[View at Publisher](#)
-
- 30 Loh, S.P., Hadira, O.
In vitro inhibitory potential of selected Malaysian plants against key enzymes involved in hyperglycemia and hypertension
(2011) *Malaysian Journal of Nutrition*, 17 (1), pp. 77-86. Cited 30 times.
[http://nutriweb.org.my/publications/mjn0017_1/LohSP_279\(7\)\(edSP\)\(RV\).pdf](http://nutriweb.org.my/publications/mjn0017_1/LohSP_279(7)(edSP)(RV).pdf)
-
- 31 Mai, T.T., Thu, N.N., Tien, P.G., Van Chuyen, N.
Alpha-glucosidase inhibitory and antioxidant activities of Vietnamese edible plants and their relationships with polyphenol contents ([Open Access](#))
(2007) *Journal of Nutritional Science and Vitaminology*, 53 (3), pp. 267-276. Cited 98 times.
doi: 10.3177/jnsv.53.267
[View at Publisher](#)



- 32 Mediani, A., Abas, F., Ping, T.C., Khatib, A., Lajis, N.H.
Influence of Growth Stage and Season on the Antioxidant Constituents of *Cosmos caudatus*
(2012) *Plant Foods for Human Nutrition*, 67 (4), pp. 344-350. Cited 22 times.
doi: 10.1007/s11130-012-0317-x
[View at Publisher](#)
-
- 33 Mediani, A., Abas, F., Khatib, A., Tan, C.P.
Cosmos Caudatus as a potential source of polyphenolic compounds: Optimisation of oven drying conditions and characterisation of its functional properties ([Open Access](#))
(2013) *Molecules*, 18 (9), pp. 10452-10464. Cited 15 times.
<http://www.mdpi.com/1420-3049/18/9/10452/pdf>
doi: 10.3390/molecules180910452
[View at Publisher](#)
-
- 34 Moein, M.R., Moein, S., Ahmadizadeh, S.
Radical scavenging and reducing power of *salvia mirzayanii* subfractions ([Open Access](#))
(2008) *Molecules*, 13 (11), pp. 2804-2813. Cited 60 times.
<http://www.mdpi.com/1420-3049/13/11/2804/pdf>
doi: 10.3390/molecules13112804
[View at Publisher](#)
-
- 35 Ong, H.C., Norzalina, J.
Malay herbal medicine in Gemencheh, Negri Sembilan, Malaysia
(1999) *Fitoterapia*, 70 (1), pp. 10-14. Cited 66 times.
doi: 10.1016/S0367-326X(98)00023-9
[View at Publisher](#)
-
- 36 Perumal, V., Hamid, A.A., Ismail, A.
Effect of *Cosmos caudatus* Kunth leaves on the lipid profile of a hyperlipidemia induced animal model
(2014) *Journal of Food Chemistry and Nutrition*, 2 (1), pp. 43-51. Cited 8 times.
-
- 37 Peschel, W., Sánchez-Rabaneda, F., Diekmann, W., Plescher, A., Gartzía, I., Jiménez, D., Lamuela-Raventós, R., (...), Codina, C.
An industrial approach in the search of natural antioxidants from vegetable and fruit wastes
(2006) *Food Chemistry*, 97 (1), pp. 137-150. Cited 365 times.
doi: 10.1016/j.foodchem.2005.03.033
[View at Publisher](#)
-
- 38 Qu, J., Liang, Q., Luo, G., Wang, Y.
Screening and Identification of Glycosides in Biological Samples Using Energy-Gradient Neutral Loss Scan and Liquid Chromatography Tandem Mass Spectrometry
(2004) *Analytical Chemistry*, 76 (8), pp. 2239-2247. Cited 45 times.
doi: 10.1021/ac030413t
[View at Publisher](#)

39 Ranilla, L.G., Kwon, Y.-I., Apostolidis, E., Shetty, K.

Phenolic compounds, antioxidant activity and in vitro inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America

(2010) *Bioresource Technology*, 101 (12), pp. 4676-4689. Cited 263 times.
doi: 10.1016/j.biortech.2010.01.093

[View at Publisher](#)

40 Rasdi, N.H.M., Samah, O.A., Sule, A., Ahmed, Q.U.

Antimicrobial studies of *Cosmos caudatus* Kunth. (Compositae)

(2010) *Journal of Medicinal Plants Research*, 4 (8), pp. 669-673. Cited 28 times.
<http://www.academicjournals.org/JMPR/PDF/pdf2010/18Apr/Rasdi%20et%20al.pdf>

41 Zia-ur-Rehman

Citrus peel extract - A natural source of antioxidant

(2006) *Food Chemistry*, 99 (3), pp. 450-454. Cited 114 times.
doi: 10.1016/j.foodchem.2005.07.054

[View at Publisher](#)

42 Roby, M.H.H., Sarhan, M.A., Selim, K.A.H., Khalel, K.I.

Evaluation of antioxidant activity, total phenols and phenolic compounds in thyme (*Thymus vulgaris* L.), sage (*Salvia officinalis* L.), and marjoram (*Origanum majorana* L.) extracts

(2013) *Industrial Crops and Products*, 43 (1), pp. 827-831. Cited 181 times.
doi: 10.1016/j.indcrop.2012.08.029

[View at Publisher](#)

43 Satyanarayana, T., Katayani, B.M., Latha, H.E.

Hypoglycemic and antihyperglycemic effect of alcoholic extract of *Euphorbia leucophylla*
(2006) *Pharmacognosy Magazine*, 2, pp. 244-253. Cited 26 times.

44 Shui, G., Leong, L.P., Shih, P.W.

Rapid screening and characterisation of antioxidants of *Cosmos caudatus* using liquid chromatography coupled with mass spectrometry

(2005) *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 827 (1), pp. 127-138. Cited 55 times.
doi: 10.1016/j.jchromb.2005.07.029

[View at Publisher](#)

45 Siddhuraju, P., Becker, K.

Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa oleifera* Lam.) leaves

(2003) *Journal of Agricultural and Food Chemistry*, 51 (8), pp. 2144-2155. Cited 690 times.
doi: 10.1021/jf020444+

[View at Publisher](#)

46 Subramanian, R., Asmawi, M.Z., Sadikun, A.

In vitro α -glucosidase and α -amylase enzyme inhibitory effects of Andrographis paniculata extract and andrographolide

(2008) *Acta Biochimica Polonica*, 55 (2), pp. 391-398. Cited 162 times.

http://www.actabp.pl/pdf/2_2008/391.pdf

[View at Publisher](#)

47 Stobiecki, M., Malosse, C., Kerhoas, L., Wojlaszek, P., Einhorn, J.

Detection of isoflavonoids and their glycosides by liquid chromatography/electrospray ionization mass spectrometry in root extracts of lupin (*Lupinus albus*)

(1999) *Phytochemical Analysis*, 10 (4), pp. 198-207. Cited 37 times.

doi: 10.1002/(SICI)1099-1565(199907/08)10:4<198::AID-PCA454>3.0.CO;2-C

[View at Publisher](#)

48 Stobiecki, M.

Application of mass spectrometry for identification and structural studies of flavonoid glycosides

(2000) *Phytochemistry*, 54 (3), pp. 237-256. Cited 203 times.

doi: 10.1016/S0031-9422(00)00091-1

[View at Publisher](#)

49 Tahir, N.I., Shaari, K., Abas, F., Parvez, G.K.A., Ishak, Z., Ramli, U.S.

Characterization of apigenin and luteolin derivatives from oil palm (*Elaeis guineensis* Jacq.) Leaf using LC-ESI-MS/MS

(2012) *Journal of Agricultural and Food Chemistry*, 60 (45), pp. 11201-11210. Cited 12 times.

doi: 10.1021/jf303267e

[View at Publisher](#)

50 Yin, Z., Zhang, W., Feng, F., Zhang, Y., Kang, W.

α -Glucosidase inhibitors isolated from medicinal plants

(2014) *Food Science Human Wellness*, 3, pp. 136-174. Cited 82 times.

51 You, Q., Chen, F., Wang, X., Jiang, Y., Lin, S.

Anti-diabetic activities of phenolic compounds in muscadine against alpha-glucosidase and pancreatic lipase

(2012) *LWT - Food Science and Technology*, 46 (1), pp. 164-168. Cited 58 times.

doi: 10.1016/j.lwt.2011.10.011

[View at Publisher](#)

52 Wan, C., Yuan, T., Cirello, A.L., Seeram, N.P.

Antioxidant and α -glucosidase inhibitory phenolics isolated from highbush blueberry flowers

(2012) *Food Chemistry*, 135 (3), pp. 1929-1937. Cited 48 times.

doi: 10.1016/j.foodchem.2012.06.056

[View at Publisher](#)

53 Wu, W., Yan, C., Li, L., Liu, Z., Liu, S.

Studies on the flavones using liquid chromatography-electrospray ionization tandem mass spectrometry

(2004) *Journal of Chromatography A*, 1047 (2), pp. 213-220. Cited 107 times.
doi: 10.1016/j.chroma.2004.06.128

[View at Publisher](#)

54 Zhang, Q., Zhang, J., Shen, J., Silva, A., Dennis, D.A., Barrow, C.J.

A simple 96-well microplate method for estimation of total polyphenol content in seaweeds

(2006) *Journal of Applied Phycology*, 18 (3-5), pp. 445-450. Cited 152 times.
doi: 10.1007/s10811-006-9048-4

[View at Publisher](#)

✉ Shaari, K.; Laboratory of Natural Products, Institute of Bioscience, Universiti Putra Malaysia (UPM), Serdang, Selangor, Malaysia; email:khozirah@upm.edu.my

© Copyright 2018 Elsevier B.V., All rights reserved.

[◀ Back to results](#) | 1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

Customer Service

[Help](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © 2019 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX Group™