

## Document details

&lt; Back to results | 1 of 3 Next &gt;

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

Malaysian Applied Biology  
Volume 47, Issue 5, November 2018, Pages 233-239

## Phytochemical compounds in the methanolic extract of piper betle l.

Leaves (Article)

Azlan, M.M., Mohammad, M. 

Department of Biomedical Science, Kuliyyah of Allied Health Sciences, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang Darul Makmur 25200, Malaysia

## Abstract

 View references (26)

Piper betle L. or known as 'Sireh' in Malaysia has been useful in treating various conditions. This study aimed to investigate the phytochemical compounds present in Piper betle L. methanolic extract using Gas Chromatography-Mass Spectrometry (GCMS) and Liquid Chromatography-Mass Spectrometry (LCMS). Plant leaves were ground into powder and soaked in methanol for 15 days. Extract was filtered and concentrated using a rotary evaporator before analyses. GCMS and LCMS have identified ten and 26 compounds respectively. Phenols was identified as the major component of the extract in both analyses. A new major phytocomponent was discovered in this study and recognized as actinidioinoside when identified by LCMS. This study has discovered the presence of phytocomponents with therapeutic importance, which can further be studied and be used in future treatments. © 2019, Malaysian Society of Applied Biology. All rights reserved.

## Author keywords

[GCMS](#) [LCMS](#) [Leaves](#) [Methanol extract](#) [Phytochemicals](#) [Piper betle l](#)

**ISSN:** 01268643  
**Source Type:** Journal  
**Original language:** English

**Document Type:** Article  
**Publisher:** Malaysian Society of Applied Biology

## References (26)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 1 Agrawal, T., Singh, R., Shukla, A.D., Waris, I., Gujrati, A.  
Comparative analysis of antibacterial activity of four Piper betle L. Varieties  
(2012) *Applied Science Research*, 2, pp. 698-705.

- 2 Akter, K.N., Karmakar, P., Das, A., Anonna, S.N., Shoma, S.A., Sattar, M.M.  
Evaluation of antibacterial and anthelmintic activities with total phenolic contents of Piper betle leaves  
(2014) *Avicenna Journal of Phytomedicine*, 5, pp. 320-329. Cited 9 times.

Metrics 

0 Citations in Scopus

0 Field-Weighted Citation Impact



## PlumX Metrics

Usage, Captures, Mentions,  
Social Media and Citations  
beyond Scopus.

## Cited by 0 documents

Inform me when this document  
is cited in Scopus:[Set citation alert >](#)[Set citation feed >](#)

## Related documents

Antidiabetic effect of aqueous and ethanolic extracts of pan leaves  
(2006) *Indian Journal of Natural Products and Resources*

Phytochemical analysis, identification and quantification of antibacterial active compounds in betel leaves, piper betle methanolic extract

Syahidah, A. , Saad, C.R. , Hassan, M.D.  
(2017) *Pakistan Journal of Biological Sciences*

Officinalioside, a new lignan glucoside from Borago officinalis L.

Samy, M.N. , Hamed, A.N.E.-S. , Sugimoto, S.  
(2016) *Natural Product Research*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

- 3 Al-Adhroey, A.H., Nor, Z.M., Al-Mekhlafi, H.M., Amran, A.A., Mahmud, R.  
Antimalarial activity of methanolic leaf extract of *Piper betle* L. ([Open Access](#))

(2011) *Molecules*, 16 (1), pp. 107-118. Cited 39 times.  
<http://www.mdpi.com/1420-3049/16/1/107/pdf>  
doi: 10.3390/molecules16010107

[View at Publisher](#)

- 
- 4 Arambewela, L.S.R., Arawwawala, L.D.A.M., Ratnasooriya, W.D.  
Antidiabetic activities of aqueous and ethanolic extracts of *Piper betle* leaves in rats

(2005) *Journal of Ethnopharmacology*, 102 (2), pp. 239-245. Cited 91 times.  
doi: 10.1016/j.jep.2005.06.016

[View at Publisher](#)

- 
- 5 Budiman, A., Rusnawan, D.W., Yuliana, A.  
Antibacterial activity of piper betle L. Extract in cream dosage forms against  
*Staphylococcus aureus* and *Propionibacterium acne*

(2018) *Journal of Pharmaceutical Sciences and Research*, 10 (3), pp. 493-496.  
<http://www.jpsr.pharmainfo.in/Documents/Volumes/vol10Issue03/jpsr10031812.pdf>

- 
- 6 Dwivedi, V., Tripathi, S.  
Review study on potential activity of *Piper betle*  
(2014) *J Pharmacognosy & Phytochemistry*, 4, pp. 93-98. Cited 16 times.

- 
- 7 Foo, L.W., Salleh, E., Mamat, S.N.H.  
Extraction and qualitative analysis of *Piper betle* leaves for antimicrobial activities  
(2015) *International Journal of Engineering Technology Science and Research*, 2, pp. 1-8. Cited 7 times.

- 
- 8 Halerao, S.A.B., Deepa, R.V., Rohan, V.G., Nikhil, C.T., Yatin, Y.R., Vinodkumar, S.D., Ashwin, T.  
Phytochemistry, pharmacological profile and therapeutic uses of *Piper betle* L.  
(2013) *Research and Reviews: Journal of Pharmacognosy and Phytochemistry*, 1, pp. 10-19. Cited 13 times.

- 
- 9 Ibrahim, M.I., Husaini, A.A.S.A., Muhamad, N., Roslan, H.A.  
Antimicrobial, total phenolic and total flavonoid properties of leaves and seed of  
*Jatropha curcas*, *Piper nigrum* L. and *Piper betle* methanolic crude extracts

(2016) *Malaysian Journal of Microbiology*, 12 (6), pp. 438-444.  
<http://mjm.usm.my/uploads/issues/819/>

- 
- 10 Ko, Y.-C., Chiang, T.-A., Chang, S.-J., Hsieh, S.-F.  
Prevalence of betel quid chewing habit in Taiwan and related sociodemographic factors

(1992) *Journal of Oral Pathology & Medicine*, 21 (6), pp. 261-264. Cited 283 times.  
doi: 10.1111/j.1600-0714.1992.tb01007.x

[View at Publisher](#)

- 11 Kumar, N.  
Betelvine (*Piper betle* L.) Cultivation: A unique case of plant establishments under anthropogenically regulated microclimatic conditions  
(1999) *Indian Journal of History of Science*, 1, pp. 19-32. Cited 13 times.

- 
- 12 Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., Kong, M., (...), Chen, S.  
An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes ([Open Access](#))  
(2016) *Molecules*, 21 (10), art. no. 1374. Cited 60 times.  
<http://www.mdpi.com/1420-3049/21/10/1374/pdf>  
doi: 10.3390/molecules21101374

[View at Publisher](#)

- 
- 13 Mamdouh, N.S., Sugimoto, S., Matsunami, K., Otsuka, H., Kamel, M.S.  
Taxiphyllin 6'-O-gallate, actinidioionoside 6'-O-gallate and myricetin 2'-O-sulfate from the leaves of *Syzygium samarangense* and their biological activities ([Open Access](#))  
(2014) *Chemical and Pharmaceutical Bulletin*, 62 (10), pp. 1013-1018. Cited 10 times.  
[https://www.jstage.jst.go.jp/article/cpb/62/10/62\\_c14-00352/\\_pdf](https://www.jstage.jst.go.jp/article/cpb/62/10/62_c14-00352/_pdf)  
doi: 10.1248/cpb.c14-00352

[View at Publisher](#)

- 
- 14 Muruganandam, L., Krishna, A., Reddy, J., Nirmala, G.S.  
Optimization studies on extraction of phytocomponents from betel leaves  
(2017) *Resource-Efficient Technologies*, (4), pp. 385-393. Cited 5 times.

- 
- 15 Nalina, T., Rahim, Z.H.A.  
The crude aqueous extract of *Piper betle* L. and its antibacterial effect towards *Streptococcus mutans* ([Open Access](#))  
(2007) *American Journal of Biochemistry and Biotechnology*, 3 (1), pp. 10-15. Cited 87 times.  
<http://www.scipub.org/fulltext/ajbb/ajbb3110-15.pdf>  
doi: 10.3844/ajbbsp.2007.10.15

[View at Publisher](#)

- 
- 16 Patel, K.N., Patel, J.K., Patel, M.P., Rajput, G.C., Patel, H.A.  
Introduction to hyphenated techniques and their applications in pharmacy  
(2010) *Pharmaceutical Methods*, 1, pp. 2-13. Cited 29 times.

- 
- 17 Perez, E.R., Knapp, J.A., Horn, C.K., Stillman, S.L., Evans, J.E., Arfsten, D.P.  
Comparison of LC-MS-MS and GC-MS analysis of benzodiazepine compounds included in the drug demand reduction urinalysis program ([Open Access](#))  
(2016) *Journal of Analytical Toxicology*, 40 (3), art. no. bkv140, pp. 201-207. Cited 13 times.  
<http://jat.oxfordjournals.org/content/by/year/2012>  
doi: 10.1093/jat/bkv140

[View at Publisher](#)

- 18 Pradhan, D., Suri, K.A., Pradhan, D.K., Biswaroy, P. Golden heart of nature: Piper betle L (2013) *Journal of Pharmacognosy and Phytochemistry*, 6, pp. 147-167. Cited 32 times.
- 
- 19 Samy, M.N., Hamed, A.N.E.-S., Sugimoto, S., Otsuka, H., Kamel, M.S., Matsunami, K. Officinalioside, a new lignan glucoside from *Borago officinalis* L. (2016) *Natural Product Research*, 30 (8), pp. 967-972. Cited 3 times.  
[www.tandf.co.uk/journals/titles/14786419.asp](http://www.tandf.co.uk/journals/titles/14786419.asp)  
doi: 10.1080/14786419.2015.1088540
- [View at Publisher](#)
- 
- 20 Samy, M.N., Sugimoto, S., Matsunami, K., Otsuka, H., Kamel, M.S. Bioactive compounds from the leaves of *Eugenia uniflora* (2014) *Journal of Natural Products*, 7, pp. 37-47. Cited 9 times.
- 
- 21 Shah, S.K., Garg, G., Jhade, D., Patel, N. **Piper betle: Phytochemical, pharmacological and nutritional value in health management** (2016) *International Journal of Pharmaceutical Sciences Review and Research*, 38 (2), art. no. 34, pp. 181-189. Cited 4 times.  
<http://globalresearchonline.net/journalcontents/v38-2/34.pdf>
- 
- 22 Sugumaran, M., Pornima, M., Venkatraman, S., Lakshmi, M., Srinivikasan, S. Chemical composition and antimicrobial activity of sirugamani variety of *Piper betle* Linn leaf oil (2011) *Journal of Pharmacy Research*, 4, pp. 3424-3426. Cited 8 times.
- 
- 23 Syahidah, A., Saad, C.R., Hassan, M.D., Rukayadi, Y., Norazian, M.H., Kamarudin, M.S. Phytochemical analysis, identification and quantification of antibacterial active compounds in betel leaves, piper betle methanolic extract (2017) *Pakistan Journal of Biological Sciences*, 20 (2), pp. 70-81. Cited 2 times.  
<http://docsdrive.com/pdfs/ansinet/pjbs/2017/70-81.pdf>  
doi: 10.3923/pjbs.2017.70.81
- [View at Publisher](#)
- 
- 24 Thomas, B.F., Daw, R.C., Grabenauer, M. (2011) *General Principles of Mass Spectrometry: GCMS, LCMS, and LCMS/MS. Encyclopedia of Drug Metabolism and Interactions*, 2, pp. 1-26.
- 
- 25 Sri Widyawati, P., Budianta, T.D.W., Kusuma, F.A., Wijaya, E.L. Difference of solvent polarity to phytochemical content and antioxidant activity of *Pluchea indica* less leaves extracts (2014) *International Journal of Pharmacognosy and Phytochemical Research*, 6 (4), pp. 850-855. Cited 10 times.  
<http://ijppr.com/PDF/6/IJPPR,Vol6,Issue4,Article29.pdf>
-

26 Zahira, A., Thamilmani, K.

Evaluation of bioactive compounds present in Piper betle Linn by elution chromatography coupling technique

(2016) *World Journal of Pharmacy and Pharmaceutical Sciences*, 5, pp. 1405-1413.

---

✉ Mohammad, M.; Department of Biomedical Science, Kuliyyah of Allied Health Sciences, International Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang Darul Makmur, Malaysia;  
email:mmoh@iium.edu.my

© Copyright 2019 Elsevier B.V., All rights reserved.

[Back to results](#) | 1 of 3 [Next](#)

[Top of page](#)

## About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

## Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

## Customer Service

[Help](#)

[Contact us](#)

**ELSEVIER**

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © 2019 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX Group™