

 Look Up Full Text

Full Text from Publisher



Save to EndNote online

Add to Marked List

◀ 1 of 1 ▶

A Novel HGBBDSA-CTI Approach for Subcarrier Allocation in Heterogeneous Network

By: Hasan, MK (Hasan, Mohammad Kamrul)^[1,2]; Ismail, AF (Ismail, Ahmad Fadzil)^[2]; Islam, S (Islam, Shayla)^[3]; Hashim, W (Hashim, Wahidah)^[4]; Ahmed, MM (Ahmed, Musse Mohamad)^[1]; Memon, I (Memon, Imran)^[5]

TELECOMMUNICATION SYSTEMS

Volume: 70 Issue: 2 Pages: 245-262

DOI: 10.1007/s11235-018-0473-x

Published: FEB 2019

Document Type: Article

[View Journal Impact](#)

Abstract

In recent times, Heterogeneous Network (HetNet) achieves the capacity and coverage for indoors through the deployment of small cells i.e. femtocells (HeNodeBs). These HeNodeBs are plug-and-play Customer Premises Equipment's which are associated with the internet protocol backhaul to macrocell (macro-eNodeB). The random placement of HeNodeBs deployed in co-channel along with macro-eNodeB is causing severe system performance degradation. Thereby, these HeNodeBs are suggested as the ultimate and the most significant cause of interference in Orthogonal Frequency-Division Multiple-Access based HetNets due to the restricted co-channel deployment. The CTI in such systems can significantly reduce the throughput, and the outages can rise to the unacceptable limit or extremely high levels. These lead to severe system performance degradation in HetNets. This paper presents a novel HGBBDSA-CTI approach capable of strategically allocate the subcarriers and thereby improves the throughput as well as the outage. The enhanced system performance is able to mitigate CTI issues in HetNets. This paper also analyses the time complexity for the proposed HGBBDSA algorithm and also compares it with the Genetic Algorithm-based Dynamic Subcarrier Allocation (DSA), and Particle Swarm Optimization-based DSA as well. The key target of this study is to allocate the unoccupied subcarriers by sharing among the HeNodeBs. The reason is also to enhance the system performance such as throughput of HeNodeB, the average throughput of HeNodeB Users, and outage. The simulation results show that the proposed HGBBDSA-CTI approach enhances the average throughput (92.05 and 74.44%), throughput (30.50 and 74.34%), and the outage rate reduced to 52.9 and 50.76% compare with the existing approaches. The result also indicates that the proposed HGBBDSA approach has less time complexity than the existing approaches.

Keywords

Author Keywords: OFDMA resource optimization; Computational complexity; Subcarrier allocation; Co-tier interference; Heterogeneous network

KeyWords Plus: BIOGEOGRAPHY-BASED OPTIMIZATION; RESOURCE-ALLOCATION; TIER INTERFERENCE; POWER ALLOCATION; SUBCHANNEL; COMPLEXITY; ALGORITHM; SCALE

Author Information

Reprint Address: Hasan, MK (reprint author)

+ Univ Malaysia Sarawak, Dept Elect & Elect Engn, Kota Samarahan 94300, Sarawak, Malaysia.

Reprint Address: Hasan, MK (reprint author)

+ Int Islamic Univ Malaysia, Dept Elect & Comp Engn, Kuala Lumpur 50728, Malaysia.

Addresses:

+ [1] Univ Malaysia Sarawak, Dept Elect & Elect Engn, Kota Samarahan 94300, Sarawak, Malaysia

+ [2] Int Islamic Univ Malaysia, Dept Elect & Comp Engn, Kuala Lumpur 50728, Malaysia

[3] Green Univ Bangladesh, Dept Comp Sci & Engn, Dhaka, Bangladesh

+ [4] Univ Tenaga Nas, Inst Informat & Comp Energy, Kajang 43000, Malaysia

+ [5] Zhejiang Univ, Coll Comp Sci, Hangzhou, Zhejiang, Peoples R China

E-mail Addresses: hmkamrul@unimas.my

Funding

Citation Network

In Web of Science Core Collection

1

Times Cited

 Create Citation Alert

All Times Cited Counts

1 in All Databases

[See more counts](#)

42

Cited References

[View Related Records](#)

Most recently cited by:

Saeidian, Bahram; Mesgari, Mohammad Saadi; Pradhan, Biswajeet; et al. [Optimized Location-Allocation of Earthquake Relief Centers Using PSO and ACO, Complemented by GIS, Clustering, and TOPSIS.](#) ISPRS INTERNATIONAL JOURNAL OF GEO-INFORMATION (2018)

[View All](#)

Use in Web of Science

Web of Science Usage Count

0

Last 180 Days

0

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection
- Science Citation Index Expanded

Suggest a correction

If you would like to improve the quality of the data in this record, please [suggest a correction](#).

Funding Agency	Grant Number
Ministry of Higher Education (MOHE), Malaysia	
Research Management Centre, International Islamic University Malaysia	SF16-003-0072
Research Management and Innovation Centre, Universiti Malaysia Sarawak	F02/DPD/1639/2018

[View funding text](#)

Publisher

SPRINGER, VAN GODEWIJCKSTRAAT 30, 3311 GZ DORDRECHT, NETHERLANDS

Journal Information

Impact Factor: [Journal Citation Reports](#)

Categories / Classification

Research Areas: Telecommunications

Web of Science Categories: Telecommunications

See more data fields

◀ 1 of 1 ▶

Cited References: 42

Showing 30 of 42 [View All in Cited References page](#)

(from Web of Science Core Collection)

- User equipment (ue) radio transmission and reception** Times Cited: **12**

Group Author(s): Access, E. U. T. R
3gpp std. Ts 36. 101.
- Further advancements for e-utra physical layer aspects** Times Cited: **1**

Group Author(s): Access, E. U. T. R
3gpp ts 36. 814. V9. 0. 0 Published: Mar 1000
- The evolution to 4G cellular systems: LTE-Advanced** Times Cited: **196**

By: Akyildiz, IF; Gutierrez-Estevez, DM; Reyes, EC.
Phys. Commun. Volume: 3 Issue: 4 Pages: 217-244 Published: 2010
- Universal mobile telecommunications system (umts);lte; telecommunication management; self-organizing networks (son); concepts and requirements, release 10** Times Cited: **1**

By: [Anonymous].
3GPPTS32. 500V10. 1. 0 Published: 2011
Publisher: 3GPP-ETSI
- Achieving High Frequency Diversity with Subcarrier Allocation in OFDMA Systems** Times Cited: **5**

By: Bai, Bo; Chen, Wei; Cao, Zhigang; et al.
GLOBECOM 2008 - 2008 IEEE GLOBAL TELECOMMUNICATIONS CONFERENCE Book Series: IEEE Global Telecommunications Conference (Globecom) Published: 2008
- Joint Subcarrier and Power Allocation in OFDMA Systems for Outage Minimization** Times Cited: **3**

By: Basaran, Semiha Tedik; Kurt, Gunes Karabulut
IEEE COMMUNICATIONS LETTERS Volume: 20 Issue: 10 Pages: 2007-2010 Published: OCT 2016
- Throughput enhancement through femto-cell deployment** Times Cited: **26**

By: Bharucha, Zubin; Haas, Harald; Saul, Andreas; et al.
EUROPEAN TRANSACTIONS ON TELECOMMUNICATIONS Volume: 21 Issue: 5 Pages: 469-477 Published: AUG 2010
- Fractional frequency reuse in integrated femtocell/macrocell environments** Times Cited: **5**

By: Bouras, C.; Kokkinos, V.; Papazois, A.; et al.
WWIC, 2013 Pages: 229-240 Published: 2013