

Document details

[< Back to results](#) | 1 of 1[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[Full Text](#) [View at Publisher](#)Physical Review D
Volume 97, Issue 3, 1 February 2018, Article number 032007Search for Higgsino pair production in pp collisions at $s = 13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $H \rightarrow b\bar{b}$ (Article) [\(Open Access\)](#)Sirunyan, A.M.^a, Tumasyan, A.^a, Adam, W.^b, Ambrogio, F.^b, Asilar, E.^b, Bergauer, T.^b, Brandstetter, J.^b, Brondolin, E.^b, Dragicevic, M.^b, Erö, J.^b, Flechl, M.^b, Friedl, M.^b, Frühwirth, R.^b, Ghete, V.M.^b, Grossmann, J.^b, Hrubec, J.^b, Jeitler, M.^b, König, A.^b, Krammer, N.^b, Krätschmer, I.^b, Liko, D.^b[View additional authors](#) [v](#)^aYerevan Physics Institute, Yerevan, Armenia^bInstitut für Hochenergiephysik, Wien, Austria^cInstitute for Nuclear Problems, Minsk, Belarus[View additional affiliations](#) [v](#)

Abstract

[v View references \(97\)](#)

Results are reported from a search for new physics in 13 TeV proton-proton collisions in the final state with large missing transverse momentum and two Higgs bosons decaying via $H \rightarrow b\bar{b}$. The search uses a data sample accumulated by the CMS experiment at the LHC in 2016, corresponding to an integrated luminosity of 35.9 fb⁻¹. The search is motivated by models based on gauge-mediated supersymmetry breaking, which predict the electroweak production of a pair of Higgsinos, each of which can decay via a cascade process to a Higgs boson and an undetected lightest supersymmetric particle. The observed event yields in the signal regions are consistent with the standard model background expectation obtained from control regions in data. Higgsinos in the mass range 230-770 GeV are excluded at 95% confidence level in the context of a simplified model for the production and decay of approximately degenerate Higgsinos. © 2018 authors.

SciVal Topic Prominence [i](#)

Topic: jets | production | parton shower

Prominence percentile: 99.875 [i](#)

ISSN: 24700010

Source Type: Journal

Original language: English

DOI: 10.1103/PhysRevD.97.032007

Document Type: Article

Publisher: American Physical Society

References (97)

[View in search results format >](#) All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)[View all 97 references](#)Metrics [?](#) [View all metrics >](#)

4 Citations in Scopus

2.91 Field-Weighted
Citation ImpactPlumX Metrics [v](#)Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 4 documents

Constraining resonant dark
matter with combined LHC
electroweakino searchesPozzo, G. , Zhang, Y.
(2019) *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics*Search for pair production of
Higgsinos in final states with at
least three b -tagged jets in $s = 13$
TeV pp collisions using the ATLAS
detectorAaboud, M. , Aad, G. , Abbott, B.
(2018) *Physical Review D*Charged fermions below 100 GeV
Egana-Ugrinovic, D. , Low, M. ,
Ruderman, J.T.
(2018) *Journal of High Energy
Physics*[View all 4 citing documents](#)Inform me when this document
is cited in Scopus:[Set citation alert >](#)[Set citation feed >](#)Related research data [?](#)Search for Higgsino pair
production in pp collisions at
 $\sqrt{s} = 13$ TeV in final states
with large missing transverse

- 1 Aad, G., Abajyan, T., Abbott, B., Abdallah, J., Abdel Khalek, S., Abdelalim, A.A., Abdinov, O., (...), Zwalinski, L.
Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC (Open Access)

(2012) *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics*, 716 (1), pp. 1-29. Cited 4793 times.

<http://www.sciencedirect.com/science/journal/03702693>

doi: 10.1016/j.physletb.2012.08.020

[View at Publisher](#)

- 2 Chatrchyan, S., Khachatryan, V., Sirunyan, A.M., Tumasyan, A., Adam, W., Aguilo, E., Bergauer, T., (...), Wenman, D.

Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC (Open Access)

(2012) *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics*, 716 (1), pp. 30-61. Cited 4866 times.

<http://www.sciencedirect.com/science/journal/03702693>

doi: 10.1016/j.physletb.2012.08.021

[View at Publisher](#)

- 3 Chatrchyan, S., Khachatryan, V., Sirunyan, A.M., Tumasyan, A., Adam, W., Bergauer, T., Dragicevic, M., (...), Swanson, J.

Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV (Open Access)

(2013) *Journal of High Energy Physics*, 2013 (6), art. no. 081. Cited 287 times.

doi: 10.1007/JHEP06(2013)081

[View at Publisher](#)

- 4 Khachatryan, V., Sirunyan, A.M., Tumasyan, A., Adam, W., Bergauer, T., Dragicevic, M., Erö, J., (...), The CMS Collaboration

Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV (Open Access)

(2015) *European Physical Journal C*, 75 (5), art. no. 212. Cited 314 times.

<http://link.springer-ny.com/link/service/journals/10052/index.htm>

doi: 10.1140/epjc/s10052-015-3351-7

[View at Publisher](#)

- 5 Aad, G., Abbott, B., Abdallah, J., Abdel Khalek, S., Abdinov, O., Aben, R., Abi, B., (...), Zwalinski, L.

Measurement of the Higgs boson mass from the $H \rightarrow \gamma\gamma$ and $H \rightarrow ZZ^*$ - 4l channels in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector (Open Access)

(2014) *Physical Review D - Particles, Fields, Gravitation and Cosmology*, 90 (5), art. no. 052004. Cited 153 times.

<http://arxiv.org/abs/1403.7006>

doi: 10.1103/PhysRevD.90.052004

[View at Publisher](#)

momentum and two Higgs bosons decaying via $H \rightarrow b \bar{b}$

Ovcharova, Ana , et al
RWTH Aachen University

Data linking provided by

Related documents

Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV

Sirunyan, A.M. , Tumasyan, A. , Adam, W.

(2017) *Physical Review D*

Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV

Sirunyan, A.M. , Tumasyan, A. , Adam, W.

(2018) *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics*

Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s}=13$ TeV

Sirunyan, A.M. , Tumasyan, A. , Adam, W.

(2018) *Journal of High Energy Physics*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#)