

Free Full Text from Publisher

Full Text from Publisher



Save to Other File Formats ▼

Add to Marked List

◀ 1 of 1 ▶

Application of Taguchi Signal to Noise Ratio Design Method to ZnO Thin Film CMOS SAW Resonators

By: [Ralib, AAM](#) (Ralib, Aliza Aini Md)^[1]; [Nordin, AN](#) (Nordin, Anis Nurashikin)^[1]

IEEE ACCESS

Volume: 7 Pages: 27993-28000

DOI: 10.1109/ACCESS.2019.2900590

Published: 2019

Document Type: Article

[View Journal Impact](#)

Abstract

A systematic approach using Taguchi method is proposed for optimization of complementary metal oxide semiconductor microelectromechanical system surface acoustic wave (SAW) resonators. The aim of the present method is to enhance the performance of SAW devices in terms of electromechanical coupling coefficient while reducing the design and development cost. Controllable factors such as a number of transducers, N-t, the distance between input and output transducers, L-c, and the thickness of the piezoelectric materials, T-c have been optimized. L-27(3¹³) orthogonal array was chosen to conduct 27 simulations with three level parameters. Time and cost efficient 2D finite element simulations were done using COMSOL Multiphysics (TM) for two-step analysis Eigen frequency and frequency domain analysis. The orthogonal array, signal to noise ratio, and analysis of variance (ANOVA) were calculated to determine the best settings of the design parameters. The maximum electromechanical coupling coefficient is achieved at the optimal condition of N-t = 6; L-c = 1.6 μ m; T-c = 2.5 μ m with increased performance by 4.68% for k(2) and 9.62% for G(12)(f) compared to the initial conditions. The interaction between pairs of factors has also been investigated. The Taguchi method reveals that both N(t) and L-c, and the interaction of N-t x L-c plays crucial roles in optimizing the electroacoustic conversion of the SAW devices. Hence, the experiment shows that the performance of the SAW device has been successfully optimized.

Keywords

Author Keywords: [Electromechanical coupling coefficient](#); [piezoelectric thin film](#); [surface acoustic wave resonator](#); [Taguchi signal to noise ratio](#); [ZnO](#)

KeyWords Plus: [ACOUSTIC-WAVE RESONATORS](#); [SENSOR](#)

Author Information

Reprint Address: Nordin, AN (reprint author)

Int Islamic Univ Malaysia, Dept Elect & Comp Engr, Kulliyah Engr, Kuala Lumpur 53100, Malaysia.

Addresses:

[1] Int Islamic Univ Malaysia, Dept Elect & Comp Engr, Kulliyah Engr, Kuala Lumpur 53100, Malaysia

E-mail Addresses: anisnn@iiu.edu.my

Funding

Funding Agency	Grant Number
Research Initiative Grant Scheme from the International Islamic University Malaysia	RIGS 16-083-0247
Ministry of Higher Education Malaysia	FRGS17-032-0598

[View funding text](#)

Publisher

IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC, 445 HOES LANE, PISCATAWAY, NJ 08855-4141 USA

Categories / Classification

Research Areas: Computer Science; Engineering; Telecommunications

Web of Science Categories: Computer Science, Information Systems; Engineering, Electrical & Electronic; Telecommunications

Citation Network

In Web of Science Core Collection

0

Times Cited

[Create Citation Alert](#)

25

Cited References

[View Related Records](#)

Use in Web of Science

Web of Science Usage Count

0

Last 180 Days

0

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection

- Science Citation Index Expanded

Suggest a correction

If you would like to improve the quality of the data in this record, please [suggest a correction](#).

Cited References: 25

Showing 25 of 25 [View All in Cited References page](#)

(from Web of Science Core Collection)

1. **[Investigations of AlN Thin Film Crystalline Properties in a Wide Temperature Range by In Situ X-Ray Diffraction Measurements: Correlation With AlN/Sapphire-Based SAW Structure Performance](#)** **Times Cited: 5**
By: Aissa, Keltouma Ait; Elmazria, Omar; Boulet, Pascal; et al.
IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 62 Issue: 7 Pages: 1397-1402 Published: JUL 2015

2. **[Piezoelectric MEMS: Materials and devices](#)** **Times Cited: 2**
By: BassiriGharb , N.
Piezoelectric and Acoustic Materials for Transducer Applications Pages: 413-430 Published: 2008
Publisher: Springer, Boston, MA, USA

3. **[Combined polarity/capacity weighting of IDTs with constant length of electrodes for broadband SAW filters](#)** **Times Cited: 1**
By: Bausk, E; Taziev, R; Lee, V; et al.
2001 IEEE ULTRASONICS SYMPOSIUM PROCEEDINGS, VOLS 1 AND 2 Book Series: ULTRASONICS SYMPOSIUM Pages: 49-52 Published: 2001

4. **[Experimental Investigation of Surface Acoustic Wave Acoustoelectric Effect Using a Graphene Film on Lithium Niobate](#)** **Times Cited: 2**
By: Carmichael, Christopher P.; Smith, M. Scott; Weeks, Arthur R.; et al.
IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 65 Issue: 11 Pages: 2205-2207 Published: NOV 2018

5. **[Theoretical and Experimental Investigation on the Use of a Surface Acoustic Wave Sensor for SU-8 Thin-Film Adhesion Characterization](#)** **Times Cited: 1**
By: El Gowini, Mohamed M.; Moussa, Walied A.
IEEE SENSORS JOURNAL Volume: 15 Issue: 8 Pages: 4667-4676 Published: AUG 2015

6. **[AlN/ZnO/LiNbO3 Packageless Structure as a Low-Profile Sensor for Potential On-Body Applications](#)** **Times Cited: 1**
By: Floer, Cecile; Hage-Ali, Sami; Zhgoon, Sergei; et al.
IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 65 Issue: 10 Pages: 1925-1932 Published: OCT 2018

7. **[Dual Transduction Surface Acoustic Wave Gas Sensor for VOC Discrimination](#)** **Times Cited: 1**
By: Gao, Feng; Boussaid, Farid; Xuan, Weipeng; et al.
IEEE ELECTRON DEVICE LETTERS Volume: 39 Issue: 12 Pages: 1920-1923 Published: DEC 2018

8. **[SAW Sensor's Frequency Shift Characterization for Odor Recognition and Concentration Estimation](#)** **Times Cited: 3**
By: Hotel, Olivier; Poli, Jean-Philippe; Mer-Calfati, Christine; et al.
IEEE SENSORS JOURNAL Volume: 17 Issue: 21 Pages: 7011-7018 Published: NOV 1 2017

9. **[Implementation of CMOS 436 oscillator for CMOS SAW resonator](#)** **Times Cited: 1**
By: Karim , J.; Nordin, A. N.
P S DES TEST INT PAC Pages: 1-5 Published: May/Jun. 2016

10. **[Coupling-of-Modes Analysis and Modeling of Polymer-Coated Surface Acoustic Wave Resonators for Chemical Sensors](#)** **Times Cited: 4**
By: Kshetrimayum, Roshan
IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 59 Issue: 8 Pages: 1812-1819 Published: AUG 2012

11. **[Achieving Lower Insertion Loss and Higher Sensitivity in a SAW Biosensor via Optimization of Waveguide and Microcavity Structures](#)** **Times Cited: 8**
By: Li, Shuangming; Sankaranarayanan, Subramanian K. R. S.; Fan, Chunhai; et al.
IEEE SENSORS JOURNAL Volume: 17 Issue: 6 Pages: 1608-1616 Published: MAR 15 2017

12. **A Wideband Bandpass Filter With Frequency Selectivity Controlled by SAW Resonators** Times Cited: 1
 By: Lu, Xiaoming; Mouthaan, Koen; Yeo, Tat Soon
 IEEE TRANSACTIONS ON COMPONENTS PACKAGING AND MANUFACTURING TECHNOLOGY Volume: 6 Issue: 6 Pages: 897-905 Published: JUN 2016
13. **Band Pass Filters Based on GaN/Si Lumped-Element SAW Resonators Operating at Frequencies Above 5 GHz** Times Cited: 1
 By: Neculoiu, Dan; Bunea, Alina-Cristina; Dinescu, Adrian M.; et al.
 IEEE ACCESS Volume: 6 Pages: 47587-47599 Published: 2018
14. **Equivalent Circuit Modeling of Two-port Al-doped Zinc Oxide CMOS SAW Resonator using MATLAB (TM)** Times Cited: 2
 By: Ralib, Aliza Aini Md; Nordin, Anis Nurashikin; Hashim, Uda
 2013 IEEE INTERNATIONAL CONFERENCE ON CIRCUITS AND SYSTEMS (ICCAS 2013) Pages: 140-145 Published: 2013
15. **Enhanced piezoelectric properties of aluminium doped zinc oxide thin film for surface acoustic wave resonators on a CMOS platform** Times Cited: 1
 By: Ralib, Aliza Aini Md; Mortada, Ossama; Orlianges, Jean Christophe; et al.
 JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS Volume: 28 Issue: 12 Pages: 9132-9138 Published: JUN 2017
16. **Robust optimum design of SAW filters with the Taguchi method and a memetic algorithm** Times Cited: 4
 By: Tagawa, K; Masuoka, M; Tsukamoto, M
 2005 IEEE CONGRESS ON EVOLUTIONARY COMPUTATION, VOLS 1-3, PROCEEDINGS Book Series: IEEE Congress on Evolutionary Computation Pages: 2146-2153 Published: 2005
17. **Performance Prediction and Sensitivity Analysis of SAW Gas Sensors** Times Cited: 4
 By: Tsai, Jinn-Tsong; Chiu, Kai-Yu; Chou, Jyh-Horng
 IEEE ACCESS Volume: 3 Pages: 1614-1619 Published: 2015
18. **Optimized surface acoustic wave-based pressure sensor using equivalent circuit model** Times Cited: 1
 By: Wang, Wen; Lee, Keekeun; Yang, Sangsik; et al.
 2006 1ST IEEE INTERNATIONAL CONFERENCE ON NANO/MICRO ENGINEERED AND MOLECULAR SYSTEMS, VOLS 1-3 Pages: 1092-+ Published: 2006
19. **Optimization of a BSP3-Coated Surface Acoustic Wave Chemical Sensor** Times Cited: 2
 By: Wang, Wen; Hu, Haoliang; Chen, Gui; et al.
 IEEE SENSORS JOURNAL Volume: 15 Issue: 11 Pages: 6730-6737 Published: NOV 2015
20. **Optimal Design of CPW Slot Antennas Using Taguchi's Method** Times Cited: 22
 By: Weng, Wei-Chung; Choi, Charles T. M.
 IEEE TRANSACTIONS ON MAGNETICS Volume: 45 Issue: 3 Pages: 1542-1545 Published: MAR 2009
21. **Application of Taguchi robust design method to SAW mass sensing device** Times Cited: 9
 By: Wu, DH; Chen, HH
 IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 52 Issue: 12 Pages: 2403-2410 Published: DEC 2005
22. **SAW Temperature Sensor on Quartz** Times Cited: 5
 By: Zhgoon, Sergei; Shvetsov, Alexander; Ancev, Ivan; et al.
 IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 62 Issue: 6 Pages: 1066-1075 Published: JUN 2015
23. **High-Temperature SAW Resonator Sensors: Electrode Design Specifics** Times Cited: 1
 By: Zhgoon, Sergei A.; Shvetsov, Alexander S.; Sakharov, Sergei A.; et al.
 IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 65 Issue: 4 Pages: 657-664 Published: APR 2018
24. **Transparent Surface Acoustic Wave Devices on ZnO/Glass Using Al-Doped ZnO as the Electrode** Times Cited: 20
 By: Zhou, Jian; He, Xing Li; Wang, Wen Bo; et al.
 IEEE ELECTRON DEVICE LETTERS Volume: 34 Issue: 10 Pages: 1319-1321 Published: OCT 2013
25. **High-Temperature Piezoelectric Crystals for Acoustic Wave Sensor Applications** Times Cited: 16
 By: Zu, Hongfei; Wu, Huiyan; Wang, Qing-Ming
 IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL Volume: 63 Issue: 3 Pages: 486-505 Published: MAR 2016

Clarivate

Accelerating innovation

© 2019 Clarivate

[Copyright notice](#)

[Terms of use](#)

[Privacy statement](#)

[Cookie policy](#)

[Sign up for the Web of Science newsletter](#)

[Follow us](#)

