

International Medical Journal Malaysia Open Access
Volume 18, Issue 1, 1 March 2019, Pages 81-88

Derivation of a new bioscore for predicting mortality in sepsis (Article)

Shukeri, W.F.W.M.^{a,b}, Md-Ralib, A.^a, Mat-Nor, M.B.^a

^aDepartment of Anaesthesiology and Intensive Care, Kulliyyah of Medicine, International Islamic University Malaysia, Kuantan, Pahang, 25200, Malaysia

^bDepartment of Anaesthesiology and Intensive Care, School of Medical Sciences, Universiti Sains Malaysia, Kubang Kerian, Kelantan, 16150, Malaysia

Abstract

View references (12)

Introduction: Currently, there is a lack of clinically feasible and reliable method for discriminating outcome in sepsis. We aimed to derive a new bioscore for predicting mortality in critically ill patients with sepsis using a combination of biomarkers and clinical indexes. Materials and Methods: This was a secondary analysis from a prospective study involving 159 patients with sepsis admitted to an intensive care unit (ICU). Data for key variables considered for possible inclusion in the score were collected, which included: age, sex, source of admission, comorbidities, microorganism, bacteraemia, site of infection, septic shock status, baseline Simplified Acute Physiological Score II, Sequential Organ Failure Assessment (SOFA) score (total and organ sub-scores), C-reactive protein, procalcitonin and interleukin-6 (IL-6). Approximate quintiles of each variable were given points as per the strength of their association with 30-day mortality. Results: In accordance with the statistical significance in the logistic regression analysis, the final score utilised candidate variables of age, central nervous system and liver SOFA sub-scores and IL-6. The bioscore predicted 30-day mortality with a very good performance [area under the receiver operating characteristic curve 0.814 (95% confidence interval 0.745-0.871, $p < 0.0001$)] in our sepsis cohort. A bioscore greater than 4 predicted 30-day mortality with 80.4% sensitivity, 69.9% specificity, 2.67 positive likelihood ratio and 0.28 negative likelihood ratio. As the score increased, so did mortality rate. Conclusion: A new bioscore combining age, central nervous system and liver SOFA sub-scores and IL-6 measured on ICU admission potentially improves prediction of mortality in sepsis. Further study is warranted to prospectively validate the clinical utility of this bioscore in risk-stratifying patients with suspected sepsis. © 2019 Default.


SciVal Topic Prominence

Topic: Sepsis | C-Reactive Protein | Serum procalcitonin

Prominence percentile: 97.229

Chemistry database information

Substances



Author keywords

Biomarkers Critical care Mortality Sepsis

Metrics

0 Citations in Scopus
0 Field-Weighted Citation Impact

PlumX Metrics
Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >
Set citation feed >

Related documents

Sepsis mortality score for the prediction of mortality in septic patients

Shukeri, W.F.W.M., Ralib, A.M., Abdulah, N.Z. (2018) Journal of Critical Care

Tempering sepsis-induced hyperbilirubinemia: Implications for short- and long-term outcomes

Patel, J., Taneja, A. (2016) American Journal of Respiratory and Critical Care Medicine

Elevated serum total bilirubin level is associated with poor outcomes in pediatric patients with sepsis-associated liver injury

Cui, Y., Shan, Y., Chen, R. (2018) Canadian Journal of Infectious Diseases and Medical Microbiology

View all related documents based on references

Funding details

Funding sponsor	Funding number	Acronym
International Islamic University Malaysia	RIGS 16-113-0277	

Find more related documents in
Scopus based on:

Authors > Keywords >

Funding text

This work was supported by the International Islamic University Malaysia Research Initiative Grant RIGS 16-113-0277

ISSN: 18234631
Source Type: Journal
Original language: English

Document Type: Article
Publisher: International Islamic University Malaysia

References (12)

[View in search results format >](#)

- ☐

1 Sweeney, T.E., Wong, H.R.
Risk Stratification and Prognosis in Sepsis: What Have We Learned from Microarrays?

(2016) Clinics in Chest Medicine, 37 (2), pp. 209-218. Cited 13 times.
<http://www.elsevier.com/inca/publications/store/6/2/3/3/5/6/index.htm>
doi: 10.1016/j.ccm.2016.01.003

[View at Publisher](#)

- ☐

2 Reinhart, K., Bauer, M., Riedemann, N.C., Hartog, C.S.
New approaches to sepsis: Molecular diagnostics and biomarkers ([Open Access](#))

(2012) Clinical Microbiology Reviews, 25 (4), pp. 609-634. Cited 223 times.
<http://cmr.asm.org/content/25/4/609.full.pdf+html>
doi: 10.1128/CMR.00016-12

[View at Publisher](#)

- ☐

3 Shapiro, N.I., Trzeciak, S., Hollander, J.E., Birkhahn, R., Otero, R., Osborn, T.M., Moretti, E., (...), Rivers, E.P.
A prospective, multicenter derivation of a biomarker panel to assess risk of organ dysfunction, shock, and death in emergency department patients with suspected sepsis

(2009) Critical Care Medicine, 37 (1), pp. 96-104. Cited 143 times.
<http://journals.lww.com/ccmjournal/pages/default.aspx>
doi: 10.1097/CCM.0b013e318192fd9d

[View at Publisher](#)

- ☐

4 Kim, H., Hur, M., Moon, H.-W., Yun, Y.-M., Di Somma, S.
Multi-marker approach using procalcitonin, presepsin, galectin-3, and soluble suppression of tumorigenicity 2 for the prediction of mortality in sepsis ([Open Access](#))

(2017) Annals of Intensive Care, 7 (1), art. no. 27. Cited 21 times.
<http://www.annalsofintensivecare.com/>
doi: 10.1186/s13613-017-0252-y

[View at Publisher](#)

- ☐

5 Dieplinger, B., Egger, M., Leitner, I., Firlinger, F.N., Kandelman, S., Mantz, J., Chrétien, F., (...), Sharshar, T.
Sepsis-induced brain dysfunction, Expert Review of Anti-Infective Therapy, 11, pp. 211-221.

- ☐ 6 Sonnevile, R., Verdonk, F., Rauturier, C., Klein, I.F., Wolff, M., Annane, D., Chretien, F., (...), Sharshar, T.

Understanding brain dysfunction in sepsis ([Open Access](#))

(2013) Annals of Intensive Care, 3 (1), pp. 1-11. Cited 102 times.
doi: 10.1186/2110-5820-3-15

[View at Publisher](#)

- ☐ 7 Patel, J.J., Taneja, A., Niccum, D., Kumar, G., Jacobs, E., Nanchal, R.

The association of serum bilirubin levels on the outcomes of severe sepsis

(2015) Journal of Intensive Care Medicine, 30 (1), pp. 23-29. Cited 19 times.
doi: 10.1177/0885066613488739

[View at Publisher](#)

- ☐ 8 Zhai, R., Sheu, C.C., Su, L., Gong, M.N., Tejera, P., Chen, F., Wang, Z., (...), Christiani, D.C.

Serum bilirubin levels on ICU admission are associated with ARDS development and mortality in sepsis ([Open Access](#))

(2009) Thorax, 64 (9), pp. 784-790. Cited 37 times.
<http://thorax.bmj.com/cgi/reprint/64/9/784>
doi: 10.1136/thx.2009.113464

[View at Publisher](#)

- ☐ 9 Martin, G.S., Mannino, D.M., Moss, M.

The effect of age on the development and outcome of adult sepsis

(2006) Critical Care Medicine, 34 (1), pp. 15-21. Cited 433 times.
<http://journals.lww.com/ccmjournal/pages/default.aspx>
doi: 10.1097/01.CCM.0000194535.82812.BA

[View at Publisher](#)

- ☐ 10 Fraunberger, P., Wang, Y., Holler, E., Parhofer, K.G., Nagel, D., Walli, A.K., Seidel, D.

Prognostic value of interleukin 6, procalcitonin, and C-reactive protein levels in intensive care unit patients during first increase of fever

(2006) Shock, 26 (1), pp. 10-12. Cited 53 times.
doi: 10.1097/01.shk.0000215319.06866.bd

[View at Publisher](#)

- ☐ 11 Jekarl, D.W., Lee, S.-Y., Lee, J., Park, Y.-J., Kim, Y., Park, J.H., Wee, J.H., (...), Choi, S.P.

Procalcitonin as a diagnostic marker and IL-6 as a prognostic marker for sepsis

(2013) Diagnostic Microbiology and Infectious Disease, 75 (4), pp. 342-347. Cited 70 times.
doi: 10.1016/j.diagmicrobio.2012.12.011

[View at Publisher](#)

- ☐ 12 Rabello, L.S.C.F., Rosolem, M.M., Leal, J.V., Soares, M., Lisboa, T., Salluh, J.I.F.

Understanding the PIRO concept: From theory to clinical practice-Part. 1
(2009) Rev Bras Ter intensiva, 21 (4), pp. 425-431. Cited 5 times.

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語に切り替える

切换到简体中文

切换到繁體中文

Русский язык

Customer Service

Help

Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

