

[< Back to results](#) | 1 of 1
[Export](#)
[Download](#)
[Print](#)
[E-mail](#)
[Save to PDF](#)
[Add to List](#)
[More... >](#)
[Full Text](#)
[View at Publisher](#)

 IIUM Engineering Journal [Open Access](#)
 Volume 20, Issue 1, 2019, Pages 90-99

Finite element simulation of mems piezoelectric energy scavenger based on PZT thin film (Article) [\(Open Access\)](#)

 Ralib, A.A.M.^a [✉](#), Zulfakher, N.W.A.^a, Rahim, R.A.^b, Za'Bah, N.F.^b, Hanif, N.H.H.M.^b [👤](#)
^aDepartment of Electrical and Computer Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, 50728, Malaysia

^bDepartment of Mechatronics Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, 50728, Malaysia

Abstract

[View references \(12\)](#)

Vibration energy harvesting has been progressively developed in the advancement of technology and widely used by a lot of researchers around the world. There is a very high demand for energy scavenging around the world due to it being cheaper in price, possibly miniaturized within a system, long lasting, and environmentally friendly. The conventional battery is hazardous to the environment and has a shorter operating lifespan. Therefore, ambient vibration energy serves as an alternative that can replace the battery because it can be integrated and compatible to micro-electromechanical systems. This paper presents the design and analysis of a MEMS piezoelectric energy harvester, which is a vibration energy harvesting type. The energy harvester was formed using Lead Zirconate Titanate (PZT -5A) as the piezoelectric thin film, silicon as the substrate layer and structural steel as the electrode layer. The resonance frequency will provide the maximum output power, maximum output voltage and maximum displacement of vibration. The operating mode also plays an important role to generate larger output voltage with less displacement of cantilever. Some designs also have been studied by varying height and length of piezoelectric materials. Hence, this project will demonstrate the simulation of a MEMS piezoelectric device for a low power electronic performance. Simulation results show PZT -5A piezoelectric energy with a length of 31 mm and height of 0.16 mm generates maximum output voltage of 7.435 V and maximum output power of 2.30 mW at the resonance frequency of 40 Hz. © 2019, International Islamic University Malaysia-IIUM.

SciVal Topic Prominence [📄](#)

Topic: Energy harvesting | Harvesters | Harvested power

 Prominence percentile: 99.842 [📄](#)

Author keywords

MEMS

Piezoelectric energy harvester

PZT thin film

ISSN: 1511788X

Source Type: Journal

Original language: English

DOI: 10.31436/iiumej.v20i1.991

Document Type: Article

Publisher: International Islamic University Malaysia-IIUM

References (12)

[View in search results format >](#)
 All

[Export](#)
[Print](#)
[E-mail](#)
[Save to PDF](#)
[Create bibliography](#)

Metrics [📄](#)



PlumX Metrics [▼](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)
[Set citation feed >](#)

Related documents

Performance Dependence on Initial Free-End Levitation of a Magnetically Levitated Piezoelectric Vibration Energy Harvester with a Composite Cantilever Beam

 Zhang, Z. , Kan, J. , Wang, S. (2017) *IEEE Access*

Impact of Rough Surface Morphology of Diluted Poly-DiMethyl-Siloxane (PDMS) Polymer Film on Triboelectric Energy Harvester Performance

 Sharma, A. , Agarwal, P. (2019) *2018 International Conference on Sustainable Energy, Electronics and Computing System, SEEMS 2018*

Nonlinear hybrid piezoelectric and electromagnetic energy harvesting driven by colored excitation

 Zhou, X. , Gao, S. , Liu, H. (2018) *Energies*
[View all related documents based on references](#)
[Find more related documents in Scopus based on:](#)
[Authors >](#) [Keywords >](#)

1 Zielinski, M., Mieveville, F., Navarro, D., Bareille, O.
A low power wireless sensor node with vibration sensing and energy harvesting capability (Open Access)
(2014) *2014 Federated Conference on Computer Science and Information Systems, FedCSIS 2014*, art. no. 6933135, pp. 1065-1071. Cited 8 times.
ISBN: 978-836081058-3
doi: 10.15439/2014F246
View at Publisher

2 Wei, C., Jing, X.
A comprehensive review on vibration energy harvesting: Modelling and realization
(2017) *Renewable and Sustainable Energy Reviews*, 74, pp. 1-18. Cited 138 times.
doi: 10.1016/j.rser.2017.01.073
View at Publisher

3 Khan, F.U., Qadir, M.U.
State-of-the-art in vibration-based electrostatic energy harvesting
(2016) *Journal of Micromechanics and Microengineering*, 26 (10), art. no. 103001. Cited 26 times.
<http://iopscience.iop.org/article/10.1088/0960-1317/26/10/103001/pdf>
doi: 10.1088/0960-1317/26/10/103001
View at Publisher

4 Li, P., Gao, S., Cai, H.
Modeling and analysis of hybrid piezoelectric and electromagnetic energy harvesting from random vibrations
(2013) *Microsystem Technologies*, 21 (2), pp. 401-414. Cited 38 times.
<http://www.springerlink.com/content/0946-7076>
doi: 10.1007/s00542-013-2030-6
View at Publisher

5 Siddique, A.R.M., Mahmud, S., Heyst, B.V.
A comprehensive review on vibration based micro power generators using electromagnetic and piezoelectric transducer mechanisms
(2015) *Energy Conversion and Management*, 106, pp. 728-747. Cited 84 times.
doi: 10.1016/j.enconman.2015.09.071
View at Publisher

6 Priya, S., Song, H.C., Zhou, Y., Varghese, R., Chopra, A., Kim, S.G., Polcawich, R.G.
A review on piezoelectric energy harvesting: materials, methods, and circuits
(2017) *Energy Harvesting and Systems*, 4 (1), pp. 3-39. Cited 58 times.

7 Shung, K.K., Cannata, J.M., Zhou, Q.F.
Piezoelectric materials for high frequency medical imaging applications: A review
(2007) *Journal of Electroceramics*, 19 (1), pp. 139-145. Cited 100 times.
doi: 10.1007/s10832-007-9044-3
View at Publisher

8 Anton, S.R., Sodano, H.A.
A review of power harvesting using piezoelectric materials (2003-2006)
(2007) *Smart Materials and Structures*, 16 (3), art. no. R01, pp. R1-R21. Cited 1818 times.
doi: 10.1088/0964-1726/16/3/R01
View at Publisher

- 9 Ralib, A.A.M., Nordin, A.N., Salleh, H.
A comparative study on MEMS piezoelectric microgenerators

(2010) *Microsystem Technologies*, 16 (10), pp. 1673-1681. Cited 17 times.
doi: 10.1007/s00542-010-1086-9

[View at Publisher](#)

- 10 Ramadan, K.S., Sameoto, D., Evoy, S.
A review of piezoelectric polymers as functional materials for electromechanical transducers

(2014) *Smart Materials and Structures*, 23 (3), art. no. 033001. Cited 280 times.
http://iopscience.iop.org/0964-1726/23/3/033001/pdf/0964-1726_23_3_033001.pdf
doi: 10.1088/0964-1726/23/3/033001

[View at Publisher](#)

- 11 Kim, H.-U., Lee, W.-H., Dias, H.V.R., Priya, S.
Piezoelectric microgenerators - Current status and challenges

(2009) *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 56 (8), art. no. 5183582, pp. 1555-1568. Cited 46 times.
doi: 10.1109/TUFFC.2009.1220

[View at Publisher](#)

- 12 Kim, H.S., Kim, J.-H., Kim, J.
A review of piezoelectric energy harvesting based on vibration

(2011) *International Journal of Precision Engineering and Manufacturing*, 12 (6), pp. 1129-1141. Cited 437 times.
<http://www.springerlink.com/content/5330205mk8jrr2kl/fulltext.pdf>
doi: 10.1007/s12541-011-0151-3

[View at Publisher](#)

🔍 Ralib, A.A.M.; Department of Electrical and Computer Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, Malaysia; email:alizaaini@iiu.edu.my
© Copyright 2019 Elsevier B.V., All rights reserved.

[< Back to results](#) | 1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

RELX