

Close

Print



Record 1 of 1

Title: Thermal properties, triglycerides and crystal morphology of bambangan (*Mangifera pajang*) kernel fat and palm stearin blends as cocoa butter alternatives

Author(s): Jahurul, MHA (Jahurul, M. H. A.); Ping, LL (Ping, L. L.); Sharifudin, MS (Sharifudin, M. S.); Hasmadi, M (Hasmadi, M.); Mansoor, AH (Mansoor, A. H.); Lee, JS (Lee, J. S.); Noorakmar, BW (Noorakmar, B. W.); Amir, HMS (Amir, H. M. S.); Jinap, S (Jinap, S.); Omar, AKM (Omar, A. K. Mohd); Zaidul, ISM (Zaidul, I. S. M.)

Source: LWT-FOOD SCIENCE AND TECHNOLOGY **Volume:** 107 **Pages:** 64-71 **DOI:** 10.1016/j.lwt.2019.02.053 **Published:** JUN 2019

Times Cited in Web of Science Core Collection: 0

Total Times Cited: 0

Usage Count (Last 180 days): 4

Usage Count (Since 2013): 4

Cited Reference Count: 37

Abstract: The aim of this study was to investigate the thermal properties of bambangan kernel fat (BKF) and palm stearin (PS) blends and their possibility as cocoa butter alternatives. The triglycerides, thermal behaviors, and crystal morphology of the BKF and PS blends were determined using high performance liquid chromatography (HPLC), differential scanning calorimetry (DSC), and polarized light microscope (PLM). All the blends had three main triglycerides; namely, 1,3-dipalmitoyl-2-oleoyl-glycerol, 1-palmitoyl-2-oleoyl-3-stearoyl-glycerol, and 1,3-distearoyl-2-oleoyl-glycerol. The melting onset temperatures decreased for both non-stabilized (-8.81 to -16.80 degrees C) and stabilized fat blends (-14.04 to -22.16 degrees C), whereas the melting offset temperatures shifted toward high temperatures for both non-stabilized (35.94-50.21 degrees C) and stabilized fat blends (48.35-53.16 degrees C) with PS. The crystallization onset temperatures increased for both non-stabilized (14.66-23.78 degrees C) and stabilized fat blends (15.46-26.89 degrees C), whereas the offset temperatures decreased with the addition of PS for non-stabilized (-15.68 to -22.02 degrees C) and stabilized fat blends (-15.73 to -22.38 degrees C). The stabilized fat blends showed higher melting and crystallization peak temperatures than non-stabilized fat blends. In the study of crystal morphology, the fat blends showed small spherulites with the diameter of 10-100 μ m.

Accession Number: WOS:000466453500009

Language: English

Document Type: Article

Author Keywords: Differential scanning calorimetry; Melting; Crystallization; Enthalpy; HPLC; Crystallinity

KeyWords Plus: DIFFERENTIAL SCANNING CALORIMETRY; MANGO SEED FAT; PHYSICOCHEMICAL PROPERTIES; CRYSTALLIZATION BEHAVIOR; CHEMICAL INTERESTERIFICATION; DARK CHOCOLATE; MID-FRACTION; OIL; MICROSTRUCTURE; EQUIVALENTS

Addresses: [Jahurul, M. H. A.; Ping, L. L.; Sharifudin, M. S.; Hasmadi, M.; Mansoor, A. H.; Lee, J. S.; Noorakmar, B. W.; Amir, H. M. S.] Univ Malaysia Sabah, Fac Food Sci & Nutr, Kota Kinabalu 884000, Sabah, Malaysia.

[Jinap, S.] Univ Putra Malaysia, Fac Food Sci & Technol, Dept Food Sci, Serdang 43400, Selangor, Malaysia.

[Jinap, S.] Univ Putra Malaysia, Inst Trop Agr & Food Secur, Food Safety & Food Integr FOSFI, Serdang 43400, Selangor, Malaysia.

[Omar, A. K. Mohd] Univ Sains Malaysia, Sch Ind Technol, Minden 11800, Penang, Malaysia.

[Zaidul, I. S. M.] Int Islamic Univ Malaysia, Fac Pharm, Kuantan Campus, Pahang 25200, Malaysia.

Reprint Address: Jahurul, MHA (reprint author), Univ Malaysia Sabah, Fac Food Sci & Nutr, Kota Kinabalu 884000, Sabah, Malaysia.

E-mail Addresses: jahurul@ums.edu.my

Author Identifiers:

Author	Web of Science ResearcherID	ORCID Number
Akanda, Jahurul	A-6296-2015	0000-0001-7432-1542

Publisher: ELSEVIER SCIENCE BV

Publisher Address: PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS

Web of Science Categories: Food Science & Technology

Research Areas: Food Science & Technology

IDS Number: HW10Z

ISSN: 0023-6438

eISSN: 1096-1127

29-char Source Abbrev.: LWT-FOOD SCI TECHNOL

ISO Source Abbrev.: LWT-Food Sci. Technol.

Source Item Page Count: 8

Funding:

Funding Agency	Grant Number
Centre for Research and Innovation, Universiti Malaysia Sabah	SBK0413-2018

This research was supported by the Centre for Research and Innovation, Universiti Malaysia Sabah (SBK0413-2018).

Output Date: 2019-08-01

Close



Print

