Document details

AEU - International Journal of Electronics and Communications
Volume 108, August 2019, Pages 118-126

Design and validation of an adaptive CubeSat transmitter system (Article)

Jaswar, F.[a], Al-Samman, A.M.[a], Abdul Rahman, T.[a], Ahmad, Y.A.[b]

[a]Wireless Communication Centre, Universiti Teknologi Malaysia, Johor Bahru, Johor 81310, Malaysia
[b]Kulliyah of Engineering, International Islamic University, Jalan Gombak, Kuala Lumpur, Selangor 53100, Malaysia

Abstract

View references (29)

CubeSat in low earth orbit (LEO) primarily uses an amateur radio-band transmitter with a fixed specification. Nevertheless, the LEO satellite does not have an orbital velocity that equates to one sidereal day. Therefore, the ground station antenna views the satellite at different elevation angles which result in varied propagation path lengths. In this paper, an adaptive transmitter is designed to optimise the LEO satellite communication link and overcome the variability of the propagation path length issue due to different ground station elevation angles. A satellite communication link and operation analyses are performed to identify the relationship between the variation of the elevation angle so as to determine the optimum signal-to-noise ratio (SNR), improve data rate and increase the power efficiency of an adaptive link. Based on the results, a model is developed to control the adaptive configuration. The SNR and power consumption performance of the developed transmitter is compared with commercial transmitters. The results indicate that the transmitter output power is adjustable from 0.5 W to 1 W, and the data rate is selectable between 9600 bps and 19,200 bps. Compared to other CubeSat transmitters, the developed adaptive transmitter demonstrates more than 20% improvement in terms of SNR optimisation, additional throughput and power reduction. © 2019 Elsevier GmbH

SciVal Topic Prominence

Topic: Optical links | Optical communication | Communication terminal

Prominence percentile: 86.034

Indexed keywords

Engineering controlled terms: Antennas, Orbits, Radio transmission, Satellite communication systems, Satellite ground stations, Satellites, Transmitters

Engineering uncontrolled terms: Adaptive transmitters, LEO satellite communications, Low earth orbit(LEO), Operation analysis, Orbital velocities, Power reductions, Propagation paths, Satellite communication links

Engineering main heading: Signal to noise ratio

ISSN: 14348411
Source Type: Journal
Original language: English
DOI: 10.1016/j.aeue.2019.05.019
Document Type: Article
Publisher: Elsevier GmbH

References (29)

1 NASA. Small spacecraft technology state of the art. 2014;(February):1–197.

2 CubeSat, N., Initiative, L.
CubeSat 101: Basic concepts and processes for first-time CubeSat developers. 2017;(October).

3 The Cubesat Program. 6U CubeSat Design Specification Rev. PROVISIONAL. Calif. Polytech. State Univ. 2016;Rev. Provisional:26.

4 Klofas, B., Klofas, B.
Cubesat radios: from kilobits to megabits
(2014) Gr Syst Archit Work, p. 19. Cited 2 times.

5 Wertz, J.R., Larson, W.J.
Space mission analysis and design
(1991) . Cited 1992 times.
Kluwer Academic

6 Evans, B.G.
Satellite communication systems
(1999) . Cited 70 times.
Institution of Electrical Engineers

7 Flatley, T.P.
(2013)
Overview of NASA GSFC CubeSat activities;.

8 Klofas, B., Anderson, J.
A survey of CubeSat communication systems
(2013) Micro, (September 2012), pp. 1-25.

9 Kuo, Y.-W., Lu, C.C., Shen, G.-Y.
Adaptive resource allocation for downlink grouped MC-CDMA systems with power and BER constraints

(2014) AEU - International Journal of Electronics and Communications, 68 (1), pp. 25-32. Cited 4 times.
doi: 10.1016/j.aeue.2013.07.006

View at Publisher

10 Zeeshan, M., Khan, S.A.
A novel algorithm for link adaptation using fuzzy rule based system for wideband networking waveform of SDR

(2015) AEU - International Journal of Electronics and Communications, 69 (9), pp. 1366-1373. Cited 5 times.
http://www.elsevier.com/aeue
doi: 10.1016/j.aeue.2015.06.001

View at Publisher

11 Popescu, O., Harris, J.S., Popescu, D.C.
(2016)
Designing the communication sub-system for nanosatellite CubeSat missions: Operational and implementation perspectives. In: Conf. Proc. - IEEE SOUTHEASTCON, vol. 2016–July;.

12 Maheshwarappa, M.R., Bridges, C.P.
Software defined radios for small satellites

(2014) Proceedings of the 2014 NASA/ESA Conference on Adaptive Hardware and Systems, AHS 2014, art. no. 6880174, pp. 172-179. Cited 23 times.
ISBN: 978-147995356-1
doi: 10.1109/AHS.2014.6880174

View at Publisher

13 Maheshwarappa, M.R., Bowyer, M.D.J., Bridges, C.P.
Improvements in CPU & FPGA Performance for Small Satellite SDR Applications

(2017) IEEE Transactions on Aerospace and Electronic Systems, 53 (1), art. no. 7811224, pp. 310-322. Cited 10 times.
doi: 10.1109/TAES.2017.2650320

View at Publisher

14 Alminde, L., Kaas, K., Bisgaard, M., Christiansen, J., Gerhardt, D.
(2014)
GOMX-1 flight experience and air traffic monitoring results. In: AIAA/USU conf small satell tech sess XII no. 1, p. SSC14-XII-7.

15 Grayver, E., Chin, A., Hsu, J., Kun, D., Parower, A.
Software defined radio for small satellites
(2015) , pp. 1-9.
IEEE no. 978–1–4799–5380–6/15

16 Spangelo, S., Cutler, J.
(2010) , pp. 1-21.
Small satellite operations model to assess data and energy flows. In: AIAA/AAS astrodyn spec conf proc no. August

17 Ahmad Sabirin Arshad D, Hani Abdul Hai Asma, Rushdan Md Rosdi Mohd. RazakSAT®: System, Design & Development.

18 Jaswar, F.D., Rahman, T.A., Hindia, M.N., Ahmad, Y.A.
Design of an adaptive CubeSat transmitter for achieving optimum signal-to-noise ratio (SNR) (Open Access)

(2017) IOP Conference Series: Materials Science and Engineering, 270 (1), art. no. 012016.
http://www.iop.org/EJ/journal/mse
doi: 10.1088/1757-899X/270/1/012016

View at Publisher

19 Puig-Suari, J., Turner, C., Ahlgren, W.
, 1.
Development of the standard CubeSat deployer and a CubeSat class PicoSatellite. In: 2001 IEEE aerospace conference proceedings (Cat. No.01TH8542), p. 1/347–1/353.

20 Alvarez, J.L., Rice, M., Samson, J.R., Koets, M.A.
(2016) , pp. 1-10.
Increasing the capability of CubeSat-based software-defined radio applications. In: 2016 IEEE aerospace conference

21 Jacobsen Eric. Understanding and relating Eb/No, SNR, and other power efficiency metrics - Eric Jacobsen. [Online]. Available: <>.
https://www.dsprelated.com/showarticle/168.php

22 Kumar, S., Soni, S.K., Jain, P.
Performance of MRC receiver over Hoyt/lognormal composite fading channel

(2018) International Journal of Electronics, 105 (9), pp. 1433-1450. Cited 4 times.
www.tandf.co.uk/journals/titles/00207217.asp
doi: 10.1080/00207217.2018.1460870

View at Publisher

23 Susan Holmes. RMS error. [Online]. Available: <>.
http://statweb.stanford.edu/~susan/courses/s60/split/node60.html

24 Kumar, S., Soni, S.K., Jain, P.
Micro-diversity analysis of error probability and channel capacity over Hoyt-Gamma fading (Open Access)

(2017) Radioengineering, 26 (4), pp. 1096-1103. Cited 7 times.
https://www.radioeng.cz/fulltexts/2017/17_04_1096_1103.pdf
doi: 10.13164/re.2017.1096

View at Publisher

25 Satellite, S.
P. Ltd. TeLEOS-1 - Satellite missions - eoPortal directory. [Online]. Available: <>.
https://directory.eoportal.org/web/eoportal/satellite-missions/t/teleos-1

26 Satellite, S.
P. Ltd. TeLEOS-1 TeLEOS-1. 2015;no. December:1–2.

27 Choi, T., Stevenson, T., Lightsey, E.G.
(2017) , pp. 1-8.
Reference ground station design for university satellite missions with varying communication requirements. In: 55th AIAA aerosp sci meet

28 Documentation, S.
, pp. 1-44.
“NanoCom AX100 Manual,”

29 Venturini, C.C.
Improving mission success of CubeSats
(2017) U.S. Sp Programs Mission Assur Improv Work. Cited 2 times.

Jaswar, F.; Wireless Communication Centre, Universiti Teknologi Malaysia, Johor Bahru, Johor, Malaysia;
email:fitridewi268@gmail.com