

1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

 CFD Letters [Open Access](#)
 Volume 11, Issue 6, 2019, Pages 63-71

On numerical investigation of semi-empirical relation representing development length for a fluid flow in a closed conduit (Article)

 Umair, S.M.^a [✉](#), Ansari, E.^b, Khan, S.A.^c, Alrobaian, A.^d [👤](#)
^aDepartment of Mechanical Engineering, Mukesh Patel School of Technology and Management, NMIMS University, Mumbai, India

^bDepartment of Mechanical Engineering, Mohammed Haji Saboo Siddik College of Engineering, Mumbai, India

^cDepartment of Mechanical Engineering, International Islamic University of Malaysia, Kuala Lumpur, Malaysia

[View additional affiliations](#) [v](#)

Abstract

[v View references \(28\)](#)

The development of the velocity gradient at the opening of a closed conduit plays an essential role in monitoring the heat transfer behavior. Hence it is indispensable to examine the minimum critical length at which the velocity gradient is fully developed. Ultimately the flow is fully developed. The developing length determination is very useful for many industrial problems. This can be concluded from the literature survey. The role played by the wall shear in creating the profile is of strong consideration against the Reynold number of flowing fluid. Therefore, the development length for laminar and turbulent flow are defined separately. The determination of average Reynold number through the conduit is mandatory to be known in terms of developing length. In the latter part of the article, semi-empirical relations are defined for developing length separately for laminar and turbulent flow. In order to minimize the effort on experimentation, simulations are carried out in the present studies in ANSYS CFX 18. The developing length carries $1/6^{\text{th}}$ power to the Reynold number. For determination of developing length in terms of Reynold number, SST turbulence model was used. © 2019 PENERBIT AKADEMIKA BARU-All rights reserved.

Author keywords

[Critical length](#) [Velocity gradient](#) [Wall shear](#)

 ISSN: 21801363
 Source Type: Journal
 Original language: English

 Document Type: Article
 Publisher: Penerbit Akademia Baru

References (28)

[View in search results format >](#)

- 1 Durst, F., Ray, S., Ünsal, B., Bayoumi, O.A.
 The development lengths of laminar pipe and channel flows
 (2005) Journal of Fluids Engineering, Transactions of the ASME, 127 (6), pp. 1154-1160. Cited 164 times.
 doi: 10.1115/1.2063088
[View at Publisher](#)
- 2 Poole, R.J., Ridley, B.S.
 Development-length requirements for fully developed laminar pipe flow of inelastic

Metrics [?](#)



PlumX Metrics [v](#)

 Usage, Captures, Mentions,
 Social Media and Citations
 beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)
[Set citation feed >](#)

Related documents

Developing region solution for high reynolds number laminar flows of pseudoplastic and dilatant fluids in circular ducts

Capobianchi, M. , McGah, P. (2017) Journal of Fluids Engineering, Transactions of the ASME

The development lengths of laminar pipe and channel flows

Durst, F. , Ray, S. , Ünsal, B. (2005) Journal of Fluids Engineering, Transactions of the ASME

Unified entry length for newtonian and power-law fluids in laminar pipe flow

Mehrotra, A.K. , Patience, G.S. (1990) The Canadian Journal of Chemical Engineering

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

(2007) Journal of Fluids Engineering, Transactions of the ASME, 129 (10), pp. 1281-1287. Cited 66 times.
doi: 10.1115/1.2776969

[View at Publisher](#)

- 3 Fargie, D., Martin, B.W.
Developing laminar flow in a pipe of circular cross-section
(1971) Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences, 321 (1547), pp. 461-476. Cited 75 times.

- 4 Dombrowski, N., Foumeny, E.A., Ookawara, S., Riza, A.
The influence of reynolds number on the entry length and pressure drop for laminar pipe flow

(1993) The Canadian Journal of Chemical Engineering, 71 (3), pp. 472-476. Cited 47 times.
doi: 10.1002/cjce.5450710320

[View at Publisher](#)

- 5 Poole, R.J., Chhabra, R.P.
Development length requirements for fully developed laminar pipe flow of yield stress fluids

(2010) Journal of Fluids Engineering, Transactions of the ASME, 132 (3), pp. 0345011-0345014. Cited 28 times.

<http://scitation.aip.org/getpdf/servlet/GetPDFServlet?filetype=pdf&id=JFEGA4000132000003034501000001&idtype=cvips&prog=normal>
doi: 10.1115/1.4001079

[View at Publisher](#)

- 6 Mehrotra, A.K., Patience, G.S.
Unified entry length for newtonian and power-law fluids in laminar pipe flow

(1990) The Canadian Journal of Chemical Engineering, 68 (4), pp. 529-533. Cited 16 times.
doi: 10.1002/cjce.5450680401

[View at Publisher](#)

- 7 Nishi, M., Ünsal, B., Durst, F., Biswas, G.
Laminar-to-turbulent transition of pipe flows through puffs and slugs

(2008) Journal of Fluid Mechanics, 614, pp. 425-446. Cited 75 times.
doi: 10.1017/S0022112008003315

[View at Publisher](#)

- 8 Swartz, J.E., Kessler, D.P.
Single drop breakup in developing turbulent pipe flow

(1970) AIChE Journal, 16 (2), pp. 254-260. Cited 18 times.
doi: 10.1002/aic.690160218

[View at Publisher](#)

- 9 Aihara, T., Yamamoto, K., Narusawa, K., Haraguchi, T., Ukaku, M., Lasek, A., Feuillebois, F.
Experimental study on heat transfer of thermally developing and developed, turbulent, horizontal pipe flow of dilute air-solids suspensions

(1997) Heat and Mass Transfer/Waerme- und Stoffuebertragung, 33 (1-2), pp. 109-120. Cited 7 times.

[View at Publisher](#)

- 10 Salami, L.A.
An investigation of turbulent developing flow at the entrance to a smooth pipe

(1986) International Journal of Heat and Fluid Flow, 7 (4), pp. 247-257. Cited 11 times.
doi: 10.1016/0142-727X(86)90002-0

[View at Publisher](#)

- 11 Reichert, J.K., Azad, R.S.
NONASYMPTOTIC BEHAVIOR OF DEVELOPING TURBULENT PIPE FLOW.

(1976) Canadian Journal of Physics, 54 (3), pp. 268-278. Cited 15 times.
doi: 10.1139/p76-032

[View at Publisher](#)

- 12 Wang, Y.Q., Derksen, R.W.
Prediction of Developing Turbulent Pipe Flow by a Modified $k-\epsilon-\gamma$ Model

(1999) AIAA Journal, 37 (2), pp. 268-270. Cited 4 times.

[View at Publisher](#)

- 13 Lin, C.-H., Chang, L.-F.W.
Evaluation of $k-\epsilon$ turbulence models in predicting developing turbulent flow in the inlet region of a pipe

(1996) Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an, 19 (1), pp. 131-144. Cited 2 times.
doi: 10.1080/02533839.1996.9677772

[View at Publisher](#)

- 14 Klein, A.
Turbulent developing pipe flow

(1981) Journal of Fluids Engineering, Transactions of the ASME, 103 (2), pp. 243-249. Cited 37 times.
doi: 10.1115/1.3241726

[View at Publisher](#)

- 15 Langhaar, H.L.
Steady flow in the transition length of a straight tube
(1942) J. Appl. Mech., 9. Cited 285 times.

- 16 Spabrow, E.M., Lin, S.H., Lundgren, T.S.
Flow development in the hydrodynamic entrance region of tubes and ducts

(1964) Physics of Fluids, 7 (3), pp. 338-347. Cited 195 times.

[View at Publisher](#)

- 17 Lew, H.S., Fung, Y.C.
Entry flow into blood vessels at arbitrary Reynolds number

(1970) Journal of Biomechanics, 3 (1), pp. 23-38. Cited 54 times.

[View at Publisher](#)

- 18 Christiansen, E.B., Lemmon, H.E.

Entrance region flow

(1965) AIChE Journal, 11 (6), pp. 995-999. Cited 45 times.
doi: 10.1002/aic.690110610

[View at Publisher](#)

- 19 Vrentas, J.S., Duda, J.L., Barger, K.G.

Effect of axial diffusion of vorticity on flow development in circular conduits: Part I. Numerical solutions

(1966) AIChE Journal, 12 (5), pp. 837-844. Cited 74 times.
doi: 10.1002/aic.690120504

[View at Publisher](#)

- 20 Nikuradse, J.

(1950) Applied Hydro and Aerodynamics, p. 27. Cited 535 times.

- 21 Bergman, T.L., Incropera, F.P., Dewitt, D.P., Lavine, A.S.

(2011) Fundamentals of Heat and Mass Transfer. Cited 15078 times.
John Wiley & Sons

- 22 Cengel, Y.A., Cimbala, J.M.

(2006) Fluid mechanics—fundamentals and Applications, pp. 561-605. Cited 663 times.

- 23 Umair, S.M., Khan, S.A., Alrobaian, A., Ansari, E.

Numerical study of heat transfer augmentation using pulse jet impinging on pin fin heat sink

(2019) CFD Letters, 11 (3), pp. 84-91. Cited 4 times.
<http://www.akademiabaru.com/cfdl.html>

- 24 Umair, S.M., Alrobaian, A., Khan, S.A., Kashinath, M.G., Rajesh, P.

Numerical investigation of critical range for the occurrence of secondary peaks in the nusselt distribution curve

(2018) CFD Letters, 10 (2), pp. 1-17.
http://www.akademiabaru.com/doc/CFDLV10_N2_P1_17.pdf

- 25 Pathan, K.A., Dabeer, P.S., Khan, S.A.

Investigation of base pressure variations in internal and external suddenly expanded flows using CFD analysis

(2019) CFD Letters, 11 (4), pp. 32-40. Cited 2 times.
<http://www.akademiabaru.com/cfdl.html>

- 26 Beng, S.W., Aziz Japar, W.M.A.

Numerical analysis of heat and fluid flow in microchannel heat sink with triangular cavities

-
- 27 Wahab, A., Raad, M.
A numerical investigation of turbulent magnetic nanofluid flow inside square straight channel
(2014) J. Adv. Res. Fluid Mech. Therm. Sci, 1 (1), pp. 34-42. Cited 21 times.

-
- 28 Wong, M.K., Sheng, L.C., Nor Azwadi, C.S., Hashim, G.A.
Numerical study of turbulent flow in pipe with sudden expansion
(2015) Journal of Advanced Research in Fluid Mechanics and Thermal Sciences, 6 (1), pp. 34-48. Cited 12 times.

🔍 Umair, S.M.; Department of Mechanical Engineering, Mukesh Patel School of Technology and Management, NMIMS University, Mumbai, India; email:umair.siddique@nmims.edu
© Copyright 2019 Elsevier B.V., All rights reserved.

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX