

International Medical Journal Malaysia Open Access
Volume 18, Issue 2, 2019, Pages 107-112

Soil transmitted helminth infection among children admitted to Hospital Tengku Ampuan Afzan, Kuantan, Pahang (Article)

Asadya, Ismail, S., Jalil, M.A., Oothuman

Department of Basic Medical Sciences, Kulliyah of Medicine, International Islamic University Malaysia (IIUM), Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang Darul Makmur, 25200, Malaysia
Department of Microbiology and Parasitology, Kabul University of Medical Sciences (KUMS), Karte Sakhi, Kabul, Afghanistan
Department of Pathology, Hospital Tengku Ampuan Afzan Pahang, Jalan Tanah Putih, Kuantan, Pahang, 25100, Malaysia

Abstract

View references (16)

Introduction: Soil-transmitted helminth (STH) infections by *Ascaris lumbricoides*, *Trichuris trichiura* and hookworms still persist in rural and urban areas of developing communities. Recent studies in Malaysia focused on Orang Asli communities and none in the hospital settings. This study aimed to investigate the prevalence and associated risk factors for STH among children admitted to Paediatric ward of the Hospital Tengku Ampuan Afzan (HTAA). Materials and Methods: This study was conducted among 135 (78 males, 57 females) patients in HTAA from December 2017 to May 2018. Faecal samples were examined using wet smear, Kato-Katz, Harada-Mori and sedimentation techniques. Demographic data and hygiene practice information were collected using a pre-tested questionnaire. Results: The overall prevalence of STH was 5.9% (*A.lumbricoides* 5.2%, *T.trichiura* 0.7%, and hookworms 0.7%). Prevalence among males was 3.8% and females 8.8%. Majority (95.6%) were Malays. Chi square analysis showed that factors significantly associated with STH infections are household monthly income ($p < 0.05$), education level of mother ($p < 0.05$) and father ($p < 0.05$), the source of drinking water ($p < 0.05$), the method of garbage disposal ($p < 0.05$). Logistic regression analysis confirmed garbage disposal via burning as a risk factor of STH infections ($p = 0.021$, $OR = 23.8$, $95\% CI = 1.6-350.06$). Conclusion: This study shows that the prevalence of STH infections is low in children probably due to the effective implementation of control programs and good hygiene practice. Differences in individual lifestyles and the humid weather condition are probable reasons for sporadic infection to still exist. © 2019 Default.

SciVal Topic Prominence

Topic: Schistosomiasis | Helminths | Preventive chemotherapy
Prominence percentile: 98.522

Author keywords

Ascaris Hookworms HTAA Paediatrics Trichuris

ISSN: 18234631
Source Type: Journal
Original language: English

Document Type: Article
Publisher: International Islamic University Malaysia

Metrics View all metrics

PlumX Metrics Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >
Set citation feed >

Related documents

- Soil-transmitted helminthiasis among indigenous communities in Malaysia: Is this the endless malady with no solution?
Mohd-Shaharuddin, N. , Lim, Y.A.L. , Hassan, N.-A. (2018) *Tropical Biomedicine*
Prevalence, intensity and associated risk factors of soil transmitted helminth infections: A comparison between Negritos (indigenous) in inland jungle and those in resettlement at town peripheries
Muslim, A. , Sofian, S.M. , Shaari, S.A. (2019) *PLoS Neglected Tropical Diseases*

Molecular characterization of *Trichuris* species isolated from humans, dogs and cats in rural community Peninsular Malaysia
Mohd-Shaharuddin, N. , Lim, Y.A.L. , Hassan, N.-A. (2019) *Acta Tropica*

View all related documents based on references

Find more related documents in Scopus based on:

-
- ☐ 1 Zaman, S., Afshan, K., Firasat, S., Jahan, S., Qayyum, M.
Measurement of ascaris lumbricoides igg antibody, associated risk factors and identification of serum biochemical parameters as biomarkers of pathogenicity: Among patients with gastrointestinal complains in Pakistan

(2018) *Tropical Biomedicine*, 35 (1), pp. 10-25.
<http://msptm.org/files/Vol35No1/10-25-Afshan-K.pdf>
-
- ☐ 2 Pullan, R.L., Smith, J.L., Jasrasaria, R., Brooker, S.J.
Global numbers of infection and disease burden of soil transmitted helminth infections in 2010 ([Open Access](#))

(2014) *Parasites and Vectors*, 7 (1), art. no. 37. Cited 528 times.
doi: 10.1186/1756-3305-7-37

[View at Publisher](#)
-
- ☐ 3 Mohd-Shaharuddin, N., Lim, Y.A.L., Hassan, N.-A., Nathan, S., Ngui, R.
Soil-transmitted helminthiasis among indigenous communities in Malaysia: Is this the endless malady with no solution?

(2018) *Tropical Biomedicine*, 35 (1), pp. 168-180. Cited 4 times.
<http://msptm.org/files/Vol35No1/168-180-Ngui-R.pdf>
-
- ☐ 4 Jex, A.R., Lim, Y.A.L., M. Bethony, J., Hotez, P.J., Young, N.D., Gasser, R.B.
Soil-transmitted helminths of humans in Southeast Asia-towards integrated control

(2011) *Advances in Parasitology*, 74 (C), pp. 231-265. Cited 42 times.
doi: 10.1016/B978-0-12-385897-9.00004-5

[View at Publisher](#)
-
- ☐ 5 Ngui, R., Ishak, S., Chuen, C.S., Mahmud, R., Lim, Y.A.L.
Prevalence and risk factors of intestinal parasitism in rural and remote West Malaysia ([Open Access](#))

(2011) *PLoS Neglected Tropical Diseases*, 5 (3), art. no. e974. Cited 73 times.
doi: 10.1371/journal.pntd.0000974

[View at Publisher](#)
-
- ☐ 6 Sinniah, B., Hassan, A.K.R., Sabaridah, I., Soe, M.M., Ibrahim, Z., Ali, O.
Prevalence of intestinal parasitic infections among communities living in different habitats and its comparison with one hundred and one studies conducted over the past 42 years (1970 to 2013) in Malaysia

(2014) *Tropical Biomedicine*, 31 (2), pp. 190-206. Cited 20 times.
<http://www.msptm.org/files/190 - 206 Sinniah B.pdf>
-
- ☐ 7 (1991) *Basic Laboratory Methods in Medical Parasitology*. Cited 478 times.
WHO
-
- ☐ 8 Lynne, S.G.
(2006) *Diagnostic Medical Parasitology*. Cited 797 times.
American Society for Microbiology Press

- ☐ 9 Bendel, R.B., Afifi, A.A.
Comparison of stopping rules in forward “stepwise” regression
(1977) *Journal of the American Statistical Association*, 72 (357), pp. 46-53. Cited 463 times.
doi: 10.1080/01621459.1977.10479905
[View at Publisher](#)
-
- ☐ 10 Jamaiah, I., Rohela, M.
Prevalence of intestinal parasites among members of the public in Kuala Lumpur, Malaysia
(2005) *Southeast Asian Journal of Tropical Medicine and Public Health*, 36 (1), pp. 68-71. Cited 27 times.
-
- ☐ 11 Bethony, J., Brooker, S., Albonico, M., Geiger, S.M., Loukas, A., Diemert, D., Hotez, P.J.
Soil-transmitted helminth infections: ascariasis, trichuriasis, and hookworm
(2006) *Lancet*, 367 (9521), pp. 1521-1532. Cited 1203 times.
doi: 10.1016/S0140-6736(06)68653-4
[View at Publisher](#)
-
- ☐ 12 Ngui, R., Aziz, S., Chua, K.H., Aidil, R.M., Lee, S.C., Tan, T.K., Sani, M.M., (...), Lim, Y.A.L.
Patterns and risk factors of soil-transmitted helminthiasis among orang asli subgroups in peninsular Malaysia ([Open Access](#))
(2015) *American Journal of Tropical Medicine and Hygiene*, 93 (2), pp. 361-370. Cited 11 times.
<http://www.ajtmh.org/content/93/2/361.full.pdf+html>
doi: 10.4269/ajtmh.13-0677
[View at Publisher](#)
-
- ☐ 13 Rajoo, Y., Ambu, S., Lim, Y.A.L., Rajoo, K., Tey, S.C., Lu, C.W., Ngui, R.
Neglected intestinal parasites, malnutrition and associated key factors: A population based cross-sectional study among indigenous communities in sarawak, Malaysia ([Open Access](#))
(2017) *PLoS ONE*, 12 (1), art. no. e0170174. Cited 9 times.
<http://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0170174&type=printable>
doi: 10.1371/journal.pone.0170174
[View at Publisher](#)
-
- ☐ 14 Lee, S.C., Ngui, R., Tan, T.K., Aidil, R.M., Lim, Y.A.L.
Neglected tropical diseases among two indigenous subtribes in Peninsular Malaysia: Highlighting differences and co-infection of helminthiasis and sarcocystosis ([Open Access](#))
(2014) *PLoS ONE*, 9 (9), art. no. e107980. Cited 14 times.
<http://www.plosone.org/article/fetchObject.action?uri=info%3Adoi%2F10.1371%2Fjournal.pone.0107980&representation=PDF>
doi: 10.1371/journal.pone.0107980
[View at Publisher](#)
-

- 15 Anuar, T.S., Salleh, F.M., Moktar, N.
Soil-Transmitted helminth infections and associated risk factors in three orang asli tribes in peninsular Malaysia (Open Access)

(2014) *Scientific Reports*, 4, art. no. 4101. Cited 33 times.
doi: 10.1038/srep04101

[View at Publisher](#)

- 16 Elyana, F.N., Al-Mekhlafi, H.M., Ithoi, I., Abdulsalam, A.M., Dawaki, S., Nasr, N.A., Atroosh, W.M., (...), Surin, J.
A tale of two communities: Intestinal polyparasitism among Orang Asli and Malay communities in rural Terengganu, Malaysia (Open Access)

(2016) *Parasites and Vectors*, 9 (1), art. no. 398. Cited 12 times.
<http://www.parasitesandvectors.com/>
doi: 10.1186/s13071-016-1678-z

[View at Publisher](#)

✎ Ismail, S.; Department of Basic Medical Sciences, Kuliyah of Medicine, International Islamic University Malaysia (IIUM), Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang Darul Makmur, Malaysia;
email:dr_soraya@iium.edu.my

© Copyright 2019 Elsevier B.V., All rights reserved.

1 of 1

[^ Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

RELX