

Harm Reduction and Animal Welfare in the Use of Pet Facilitated Therapy (PFT) from one Health Perspective

Cho Cho Zaw @ Raheema^{1*}, Dr. Norfadzilah Binti Ahmad², Myat Min @ Mohd Omar³¹Kulliyah of Nursing, IIUM Kuantan Campus Pahang, Malaysia²Kulliyah of Nursing, IIUM Kuantan Campus Pahang, Malaysia³Kulliyah of Allied Health Sciences, IIUM Kuantan Campus Pahang, MalaysiaDOI: [10.36347/sjams.2019.v07i12.023](https://doi.org/10.36347/sjams.2019.v07i12.023)

| Received: 30.11.2019 | Accepted: 07.12.2019 | Published: 16.12.2019

*Corresponding author: Cho Cho Zaw @ Raheema

Abstract

Original Research Article

“One Health” approach includes policies and programmes which aims to improve public health and consider the overall welfare of animal, human and environment. Pet facilitated therapy (PFT) comprises the use of animals as part of complementary and alternative therapy. Thus, the concept of “One Health” should be reflected in PFT in order to achieve the wellbeing of humans, animals, and environment. While the use of animals for human wellbeing, the risks involved from the animal and their welfare should be considered. Thus, this paper aims to explore the harm reductions, and animal welfare in the use of PFT from one health approach. Analytical literature review was used as a methodology for this study and the findings are categorized into four themes such as (i) the types of animal used in PFT, (ii) the potential benefits of PFT for human wellbeing (iii) environmental concern and harm reduction, and (iv) animal welfare in PFT. It is observed that dogs are used as the majority pet in PFT, and other different species such as cat, dolphin, horse, donkey, farm animals, bird, exotic and aquatic animals are also used. The potential benefits of PFT have been highlighted in people with disabilities, physical, mental and neurological disorders, elderly with dementia and Alzheimer, and children with special needs, and juvenile adolescents. Under environmental concern and risk reduction in PFT, the possible zoonoses are identified and presented. Animal welfare is considered to have mutual benefits for both parties involved in PFT. This paper serves as a source of public awareness on PFT and recommended to use it in the area of pediatric, palliative, juvenile and geriatric care in addition to conventional treatment after carefully removing or reducing its limitations.

Keywords: One Health approach, Pet Facilitated Therapy, Complementary and alternative Medicine, Harm reduction, Animal welfare.

Copyright © 2019: This is an open-access article distributed under the terms of the Creative Commons Attribution license which permits unrestricted use, distribution, and reproduction in any medium for non-commercial use (NonCommercial, or CC-BY-NC) provided the original author and source are credited.

INTRODUCTION

Along the history beginning from Stone Age to modern age, animals were kept by people for a variety of purposes. The habit of keeping animals as companion has been maintaining among people in rural area. Moreover, possessing animals had been developed from the companion to the pet animals and they are trained to be involved in the form of pet facilitated therapy (PFT). Many studies have been conducted in the last few years regards to PFT, but the overall usage of it, the limitations, and consideration for potential risks involved need to be highlighted for more effective usage of the therapy. Thus, this study intends to seek the usage of PFT as an alternative and complementary medicine, its benefits, and the possible strategies for harm reduction and animal welfare.

In addition to this, the concept of One Health rooted in nineteenth century comparative medicine to advance human medicine [1] was reflected in this study. One Medicine is considered as ‘the close systematic interaction of humans and animals for nutrition, livelihood and health’ and later it evolved into One Health, integrating human medicine, veterinary medicine, and environmental sciences. Thus, the “One Health” approach gives a value of interdisciplinary collaboration for reducing threats in human-animal-environment interface among the veterinary and medical profession, wildlife specialists and environmentalists [2].

As per “One Health” concept, the human-animal bond is a mutually beneficial and dynamic relationship between people and animals that is essential to the health and wellbeing of both [2]. The

unique dynamic interaction between the humans, animals, and pathogens shares the same environment, [3] Thus, the control of zoonoses and animal welfare in PFT should be considered under the category of the “One Health” approach since it is recommended as part of the complementary and alternative therapy to promote health and well-being of people in the society.

However, the potential risks and benefits of PFT must be thoroughly examined to reduce the harm involved from utilizing animals and promote the maximum effectiveness of it. Recent and on-going threats have shown a critical need for the health workers to manage and reduce diseases that cross human, animal, and environmental health sectors [5]. Thus, this paper identifies and discusses the potential harmful diseases that can be involved from the use of animals in PFT and strategies to control and reduce these risks.

In this article, the terminologies such as animal assisted therapy (AAT), animal assisted activity (AAA), animal assisted intervention (AAI), and animal assisted counseling (AAC), and animal assisted program (AAP), animal assisted psychotherapy (AAPT) are referred to as synonymous term with PFT. Moreover, the term PFT is generally applied for the use of pet animals regardless of the different species involved such as dog or canine assisted therapy (DAT or CAT), cat or feline assisted therapy (CAT or FAT), horse or equine assisted therapy (HAT or EAT), dolphin assisted therapy (DAT). In addition, other animal species such as mini-donkey, birds, aquatic and farm animals are also used as PFT.

METHODOLOGY

This study uses analytical literature review as a methodology and attempts to explore the previous studies conducted in the area of PFT. Sources of data include Google Scholars, Scopus through EBSCO, Research Gate available from IIUM online database and these are managed in Mendeley. The key word such as pet facilitated therapy, the potential benefits of PFT, zoonosis from pet animals, One Health Medicine are typed and searched. After identifying the related literature sources from articles, journals, thesis report and guidelines, 112 openly accessible articles published between 2005 to 2019 are chosen and studied.

FINDINGS AND DISCUSSIONS

From the analysis of the chosen articles, the four themes are identified namely; the types of animal used in PFT, the potential benefits of PFT for human wellbeing, environmental concern and risk reduction, and animal welfare in PFT are developed and presented as follows.

TYPES OF ANIMALS USED IN PFT

It is noted that majority animal used in PFT @ AAT @ AAI are dogs and other different species such as cat, dolphin, horse, donkey, farm animals, bird, exotic and aquatic animals are also used. The following table (1) illustrated the type of animal species used and the numbers of articles based on the years of publications from (2005-2009; 2010-2014; 2015-2019).

Table-1: Animal species used in PFT and the numbers of articles based on year of publication

Specie in PFT	No. of Studies	Numbers of PFT Studies [with Ref:] 2000-2019		
		2005-2009	2010-2014	2015-2019
Dog/Canine	23	5 [6-10],	11[11-19]	7[20-26]
Dolphin/Aquatic	4	1 [27]	3 [28-30]	-
Horse/Equine	7	-	4 [31-34]	3 [35-37]
Farm Animal	2	1 [38]	1 [39]	-
Feline (Cat)	1	-	-	1 [40]
Other species	3	1 [41] Aquariums	1 [42] cage-birds	1 [43] Donkey
Unspecified/ mixed species	64	14 [44-57]	23 [58-80]	27 [81-107]
Total No. of studies	104	22	43	39

Potential benefits of pft for human wellbeing

Human wellbeing includes achieving maximum health in physical, mental, social and spiritual aspects; thus, holistic nursing care includes consideration for all these perspectives. Therefore, there is a need for theoretically based, empirically supported nursing interventions to create a therapeutic and healing environment that decrease stress and improve patients’ experiences. There are the instances showing that after a pet therapy intervention, patients had significant decreases in pain, respiratory rate and negative mood state and a significant increase in perceived energy level compared to the baseline data [53].

It is also noted that Pet therapy is a low-tech, low-cost therapy and was meaningful to hospitalized patients [56]. Thus, these quantitative and qualitative findings provided that PFT support not only physical but also for decreased tension/anxiety and fatigue/inertia and improved overall mood and wellbeing.

The studies have been conducted to highlight the possible benefits and potential contributions of PFT in; people with disabilities [105], mental and/or psychological disorders [106], elderly people with dementia and Alzheimer [104], children with autism spectrum disorders [103], juvenile adolescents with

drug abuse, substance misuse and over stress [107], and teaching and education of children [102].

Many studies recommended PFT as part of complementary and alternative therapies and the potential positive effects of PFT are identified and presented as follows.

Neurological Disorders: Alzheimer’s disease [19, 41, 87, 90]; dementia [8, 24, 33, 41, 46, 69, 88, 95]; cerebral palsy [21]; children movement disorder [44], autism spectrum disorder [11, 12, 13, 22, 23, 30, 36, 103].

Mental Disorders/ Psychiatric Problems: Mental disorder [106], Mood disorder [64]; emotional and behavioral disorder [18]; traumatic stress disorder [16, 26]; depression [10, 37, 39, 50, 79, 90]; loneliness [75, 80]; anxiety [10, 37]; psychological health [35, 85].

Physical Disabilities and behavior abnormalities: Disabilities and rehabilitation [18, 21, 35, 105]; substance misuse [20], movement disorder [44], chronic fatigue syndrome [57]; substance misuse [20].

Other Conditions: Physiological & psychosocial oncological patients [97], pain relief [17,

55], chronic condition [68, 81, 84], pediatric care [83, 97], Juvenile and adolescent care [34, 73, 92, 93, 107], palliative care [86, 94], for elderly patients [48, 78, 85, 89, 104], PFT for educational purpose [72, 102].

Environmental concern and harm reduction

The environmental wellbeing is one of the focus under One Health approach and thus, the social and environmental concern of PFT should also be considered [1]. The presence of animals in the educational environment may provide enjoyment and hands-on educational experiences, enhanced psychological wellbeing, and increased empathy and socio-emotional development of the participants [100]. However, the immediate concern of PFT is the possibility of zoonoses which can be transmitted from the animals to human [108] because the various pathogens such as viruses, bacteria, parasites, and fungi could be spread from the common domestic pets, dogs and cats. Thus, the required guidelines for maintaining animal and human health are to be followed when using PFT in order to remove the harms involved. The following table (2) based on the identification from some studies [3, 108, 109] and listed the different types of zoonotic diseases which can be infected either by biting, scratching, direct or indirect contact, airway spread, or ingestions of the infected material from the dogs and cats.

Table-2: Zoonoses which could be infected from Dogs and Cats

No	Disease	Organism	Cat	Dog	Mode of Transmission
1	Arthropods Acariasis (scabies/mange)	<i>Sarcoptes scabiei</i> var. <i>canis</i>	Yes	Yes	Direct contact
2	Bartonellosis (e.g., cat-scratch disease)	<i>Bartonella henselae</i>	Yes	No	Cat scratch
3	Echinococcosis (Parasitic Zoonoses)	<i>Echinococcus multilocularis</i>	Yes	Yes	Ingestion of infected wild rodents
4	Enteric diseases	<i>Campylobacter</i> spp. <i>Escherichia coli</i> <i>Salmonella</i> spp.	Yes	Yes	Ingestion after contact with infected feces
5	Fleas (Arthropods)	<i>Ctenocephalides canis</i>	Yes	Yes	Direct exposure to environment shared by cats, dogs and people
6	Giardiasis	<i>Giardia</i> spp.	Yes	Yes	Ingestion after contact with infected feces
7	Helminths	A variety of worms (round, tape, hook and heart worms)	Yes	Yes	Ingestion
8	Influenza	Influenza A virus	Yes	Yes	Direct contact with aerosols from infected animals
9	Kennel Cough	<i>Bordetella bronchiseptica</i>	Yes	Yes	By airways of immunocompromised patients
10	Leptospirosis	<i>Leptospira</i> spp.	No	Yes	Direct contact with infected urine
11	Methicillin resistant <i>Staphylococcus aureus</i> (MRSA)	<i>Staphylococcus</i> spp.	Yes	Yes	Direct contact with infected wounds
12	Ocular and visceral larva migrans	<i>Toxocara</i> spp.	Yes	Yes	Ingestion after contact with infected feces
13	Vector-Borne Plague	<i>Yersinia pestis</i> (by fleas)	Yes	No	Direct contact with secretions or flea transmitted
14	Rabies	Rabies virus	Yes	Yes	Bite
15	Rocky mountain spotted fever	<i>Rhipicephalus sanguineus</i>	No	Yes	Direct contact or tick transmitted
16	Ringworm	Dermatophytes	Yes	Yes	Direct contact with cutaneous lesions
17	Sporotrichosis (Fungal Zoonoses)	<i>Sporothrix schenckii</i>	Yes	Yes	Direct contact with cutaneous, lymphocutaneous, and pulmonary lesions
18	Toxoplasmosis	<i>Toxoplasma gondii</i>	Yes	No	Ingestion after contact with infected feces
19	Tularemia	<i>Francisella tularensis</i>	Yes	No	Direct contact with secretions or arthropod transmitted
20	Tuberculosis	<i>Mycobacterium</i> spp.	Yes	Yes	Ingestion

Animal welfare in pft

The use of PFT in people with various disabilities, physical and mental disorder, elderly and children with special needs, and the rehabilitation process of juveniles has been highlighted in the above. According to a One Health framework, PFT was proposed to demonstrate under which circumstances there is no tradeoff of human benefits against animal health and wellbeing and under which circumstances animals could benefit from such interactions with humans [101]. Therefore, health and welfare of the animals should never be neglected while using them as part of therapy for improving human wellbeing.

Moreover, World Organization for Animal Health (OIE) (2018) highlighted “animal welfare that achieving physical and mental needs of animals, their welfare on disease prevention, disease prevention and appropriate veterinary care, shelter, management and nutrition, a stimulating and safe environment, humane handling and humane slaughter or killing” and against any form of animal cruelty” [111].

Moreover, the need for close observation of possible animal abuse by juvenile adolescents is highlighted since the important warning signs of the crimes and cruelty to animals by them are linked with their later abuse to humans [107]. In addition, another paper pointed out the requirement of animal welfare for human well-being both scientific and Islamic perspectives [112].

There are ethical and legal obligations of humans and animal keepers towards the animals they keep and use [110]. Thus, the animals should be handled well, and prevented from any form of abuse, and provided interventions for their best health. It tends to reason that healthy and happy animals could provide more therapeutic effect to human participants of PFT. The welfare of animals should be considered for the mutual benefits of both animal and human involved in PFT.

CONCLUSIONS AND RECOMMENDATIONS

According to One Health approach, three areas of concern; animal, human and environment are to be aware of in using PFT as an alternative and complementary therapy. From the discussions above, it is noted that PFT has the potential benefits in humans with special needs, various disabilities and requirement. However, the use of animal such as species, size, and choice should be catered based on the individual needs and preferences. Moreover, any type of zoonosis and risks involved from animals should be prevented at all possible ways by ensuring vaccination and regular check-up. The animals involved should be well-trained and handled by the expert handlers. The animal welfare is one of the concerns, and they should receive adequate hydration and nutrition, proper handling, and prevent from any form of misuse and abuse since their welfare

is also one of the concerns in PFT. In conclusion, this paper able to highlight the potential benefits of PFT, prevention of zoonoses and harm reduction, and animal welfare. However, this paper is based on the literature review and observe the theoretical and empirical evidence of the previous studies only with no control trial methods and more studies with different research approaches are recommended to conduct.

ACKNOWLEDGEMENT

Cho Cho Zaw thankfully acknowledge to International Islamic University, Malaysia regarding this manuscript since this study is supported by Research Medical Center, Kuantan, IIUM (RIGS 16-276-0440).

REFERENCES

1. Chalmers D and Dell CA. Applying One Health to the Study of Animal-Assisted Interventions. *EcoHealth*. 2015; 12(2011), 560–562. <https://doi.org/10.1007/s10393-015-1042-3>
2. Shrestha K, Acharya KP and Shrestha S. One health : The interface between veterinary and human health. *International Journal of One Health*. 2018; 4(2), 8–14. <https://doi.org/10.14202/IJOH.2018.8-14>
3. Cantas L and Suer K. Review : the important bacterial zoonoses in "One Health" concept. 2014. *Frontiers in Public Health*, 2(October), 1–8. <https://doi.org/10.3389/fpubh.2014.00144>
4. Min M, and Zaw CC. Animal care: an Islamic perspective with particular reference to unwanted pets- stray dogs and cats. *International Journal of Business, Economics and Law*.2016; 9(5), 153–165. Retrieved from <http://irep.iiu.edu.my/51192/>
5. USAID One Health Workforce Project. *One Health Across the Globe*.2014, 2. Retrieved from https://www.usaid.gov/sites/default/files/document/s/1864/OHW_Overview_Handout_2016-ct-508-1.pdf
6. Athy AL and Ray D. *Effects of a Trained Therapy Dog in Child-Centered Play Therapy on Children's Biobehavioral Measures of Anxiety. Therapy*. 2005. Retrieved from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&D=psyc5&AN=2006-99001-113>
7. Banks MR, Willoughby LM, Banks WA. Animal-assisted therapy and loneliness in nursing homes: use of robotic versus living dogs. *Journal of the American Medical Directors Association*. 2008 Mar 1;9(3):173-7.
8. Perkins J, Bartlett H, Travers C and Rand J. Dog-assisted therapy for older people with dementia: A review. *Australasian Journal on Ageing*. 2008; 27(4), 177–182. <https://doi.org/10.1111/j.1741-6612.2008.00317.x>
9. Williams E and Jenkins R. Dog visitation therapy in dementia care: a literature review. *Nursing Older*

- People. 2008; 20(8), 31–35. <https://doi.org/10.7748/nop2008.10.20.8.31.c6808>
10. Le Roux MC and Kemp R. Effect of a companion dog on depression and anxiety levels of elderly residents in a long-term care facility. *Psychogeriatrics*. 2009; 9(1), 23–26. <https://doi.org/10.1111/j.1479-8301.2009.00268.x>
 11. Alison CE. *Using dogs in a home-based intervention with children with autism spectrum disorders*. Graduate Studies of Texas A&M University; 2010. Retrieved from <http://repository.tamu.edu/handle/1969.1/ETD-TAMU-2010-08-8378>
 12. Solomon O. What a dog can do: Children with autism and therapy dogs in social interaction. *Ethos*. 2010; 38(1), 143–166. <https://doi.org/10.1111/j.1548-1352.2010.01085.x>
 13. Berry A, Borgi M, Francia N, Alleva E and Cirulli F. Use of Assistance and Therapy Dogs for Children with Autism Spectrum Disorders: A Critical Review of the Current Evidence. *The Journal of Alternative and Complementary Medicine*. 2013; 19(2), 73–80. <https://doi.org/10.1089/acm.2011.0835>
 14. Cipriani J, Cooper M, DiGiovanni NM, Litchkofski A, Nichols AL and Ramsey A. Dog-Assisted Therapy for Residents of Long-Term Care Facilities: An Evidence-Based Review with Implications for Occupational Therapy. *Physical & Occupational Therapy in Geriatrics*. 2013; 31(3), 214–240. <https://doi.org/10.3109/02703181.2013.816404>
 15. Wehofer L, Goodson N and Shurtleff TL. Equine Assisted Activities and Therapies: A Case Study of an Older Adult. *Physical & Occupational Therapy In Geriatrics*. 2013; 31(1), 71–87. <https://doi.org/10.3109/02703181.2013.766916>
 16. Gillett J and Weldrick R. *Effectiveness of Psychiatric Service Dogs in the Treatment of Post-Traumatic Stress Disorder among Veterans*. McMaster University; 2014.
 17. Lima M, Silva K, Amaral I, Magalhães A and de Sousa L. Can you help when it hurts? Dogs as potential pain relief stimuli for children with profound intellectual and multiple disabilities. *Pain Medicine (United States)*. 2014; 15(11), 1983–1986. <https://doi.org/10.1111/pme.12551>
 18. Nordgren L and Engström G. Effects of dog-assisted intervention on behavioural and psychological symptoms of dementia. *Nursing Older People*. 2014; 26(3), 31–38. <https://doi.org/10.7748/nop2014.03.26.3.31.e517>
 19. Swall A, Fagerberg I, Ebbeskog B and Hagelin CL. A therapy dog's impact on daytime activity and night-time sleep for older persons with Alzheimer's disease - A case study. *Clinical Nursing Studies*. 2014; 2(4). <https://doi.org/10.5430/cns.v2n4p80>
 20. Dell CA. Questioning “Fluffy”: A Dog's Eye View of Animal-Assisted Interventions (AAI) in the Treatment of Substance Misuse. *Substance Use & Misuse*. 2015; 50(8–9), 1148–1152. <https://doi.org/10.3109/10826084.2015.1007668>
 21. Elmacı DT and Cevizci S. Dog-assisted therapies and activities in rehabilitation of children with cerebral palsy and physical and mental disabilities. *International Journal of Environmental Research and Public Health*. 2015; 12(5), 5046–5060. <https://doi.org/10.3390/ijerph120505046>
 22. Wright HF, Hall S, Hames A, Hardiman J, Mills R, PAWS Team and Mills DS. Acquiring a Pet Dog Significantly Reduces Stress of Primary Carers for Children with Autism Spectrum Disorder: A Prospective Case Control Study. *Journal of Autism and Developmental Disorders*, 2015; 45(8), 2531–2540. <https://doi.org/10.1007/s10803-015-2418-5>
 23. Hall SS, Wright HF and Mills DS. What factors are associated with positive effects of dog ownership in families with children with autism spectrum disorder? the development of the lincoln autism pet dog impact scale. *PLoS ONE*. 2016; 11(2), 1–20. <https://doi.org/10.1371/journal.pone.0149736>
 24. Swall A, Ebbeskog B, Lundh Hagelin C and Fagerberg I. “Bringing respite in the burden of illness” - dog handlers' experience of visiting older persons with dementia together with a therapy dog. *Journal of Clinical Nursing*. 2016; 25(15–16), 2223–2231. <https://doi.org/10.1111/jocn.13261>
 25. Thodberg K, Sørensen LU, Christensen JW, Poulsen PH, Houbak B, Damgaard V, Videbech PB. Therapeutic effects of dog visits in nursing homes for the elderly. *Psychogeriatrics*. 2016; 16(5), 289–297. <https://doi.org/10.1111/psyg.12159>
 26. Glinthorg C and Hansen TGB. How are service dogs for adults with post traumatic stress disorder integrated with rehabilitation in denmark? A case study. *Animals*. 2017; 7(5). <https://doi.org/10.3390/ani7050033>
 27. Shelley D. Hutchins. *Communing With Dolphins. In the Limelight*. 2005; 22–23.
 28. Rollins JA. Swimming with the dolphins. *Pediatric Nursing*. 2011; 37(3), 105–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21739740>
 29. Salgueiro E, Nunes L, Barros A, Maroco J, Salgueiro A and dos Santos ME. Effects of a dolphin interaction program on children with autism spectrum disorders— an exploratory research. *BMC Research Notes*. 2012; 5(1), 199. <https://doi.org/10.1186/1756-0500-5-199>
 30. Terrasi RM. *Dolphin-assisted therapy as a verbal operant condition for children with autism* (Order No. 3524502). Available from ProQuest Dissertations & Theses Global. 2007;(1036586139). Retrieved from <http://210.48.222.80/proxy.pac/docview/1036586139?accountid=44024>.
 31. Mahaffey PJ. Horses for courses. *Bmj*. 2011; 342(apr18 1), d2409–d2409. <https://doi.org/10.1136/bmj.d2409>
 32. Wehofer L, Goodson N and Shurtleff TL. Equine

- Assisted Activities and Therapies: A Case Study of an Older Adult. *Physical & Occupational Therapy In Geriatrics*.2013; 31(1), 71–87. <https://doi.org/10.3109/02703181.2013.766916>
33. Dabelko-Schoeny H, Phillips G, Darrough E, DeAnna S, Jarden M, Johnson D and Lorch G. Equine-assisted intervention for people with dementia. *Anthrozoos*.2014; 27(1), 141–155. <https://doi.org/10.2752/175303714X13837396326611>
 34. Johansen SG, Arfwedson Wang CE, Binder PE and Malt UF. Equine-facilitated body and emotion-oriented psychotherapy designed for adolescents and adults not responding to mainstream treatment: A structured program. *Journal of Psychotherapy Integration*, 2014; 24(4), 323–335. <https://doi.org/10.1037/a0038139>
 35. Nurenberg JR, Schleifer SJ, Shaffer TM, Yellin M, Desai PJ, Amin R, Montalvo C. (2015). Animal-Assisted Therapy With Chronic Psychiatric Inpatients: Equine-Assisted Psychotherapy and Aggressive Behavior. *Psychiatric Services*.2015; 66(1), 80–86. <https://doi.org/10.1176/appi.ps.201300524>
 36. Ozyurt, Gonca & Dinsever, Çağla & Akpınar, Selcuk & Özcan, Kürşat & Şal, Yücel & Öztürk, Yusuf. The effect of therapeutic horseback riding for children diagnosed with autism spectrum disorder on autistic symptoms and the quality of life. *Anatolian Journal of Psychiatry*. 2017; 18. 1. 10.5455/apd.249916.
 37. Wilson K, Buultjens M, Monfries M and Karimi L. Equine-Assisted Psychotherapy for adolescents experiencing depression and/or anxiety: A therapist's perspective. *Clinical Child Psychology and Psychiatry*. 2017; 22(1), 16–33. <https://doi.org/10.1177/1359104515572379>
 38. Berget B, Ekeberg O and Braastad BO. Attitudes to animal-assisted therapy with farm animals. *Mental Health Nursing*, 2008; 15(1989), 576–581.
 39. Pedersen I, Ihlebæk C and Kirkevold M. Important elements in farm animal-assisted interventions for persons with clinical depression: a qualitative interview study. *Disability and Rehabilitation*. 2012; 34(18), 1526–1534. <https://doi.org/10.3109/09638288.2011.650309>
 40. Tomaszewska K, Bomert I and Wilkiewicz-wawro E. Feline-assisted therapy : Integrating contact with cats into treatment plans. *Polish Annals of Medicine (Science Direct)*. 2017; 24(24), 283–286. <https://doi.org/10.1016/j.poamed.2016.11.011>
 41. Edwards NE, Beck AM and Lim E. Influence of Aquariums on Resident Behavior and Staff Satisfaction in Dementia Units. *Western Journal of Nursing Research*.2014; 36(10), 1309–1322. <https://doi.org/10.1177/0193945914526647>
 42. Every D, Smith K, Smith B, Trigg J and Thompson K. How can a donkey fly on the plane? The benefits and limits of animal therapy with refugees. *Clinical Psychologist*.2017; 21(1), 44–53. <https://doi.org/10.1111/cp.12071>
 43. Falk H and Wijk H. Natural activity: an explorative study of the interplay between cage-birds and older people in a Swedish hospital setting. *Int J Older People Nurs*. 2008; 3(1), 22–28. <https://doi.org/10.1111/j.1748-3743.2007.00090.x>
 44. Kim HY. the Effects of Animal Assisted Therapy on Arm Reaching Movements of Children Diagnosed With a Movement Disorder. *Umi*. 2005; 106.
 45. Velde BP, Cipriani J and Fisher G. Resident and therapist views of animal-assisted therapy: Implications for occupational therapy practice. *Australian Occupational Therapy Journal*, 2005; 52(1), 43–50. <https://doi.org/10.1111/j.1440-1630.2004.00442.x>
 46. Filan SL and Llewellyn-Jones RH. Animal-assisted therapy for dementia: a review of the literature. *International Psychogeriatrics*, 2006; 18(04), 597. <https://doi.org/10.1017/S1041610206003322>
 47. Macauley BL. Animal-assisted therapy for persons with aphasia: A pilot study. *Jrrd*, 2006; 43(3), 357–366. <https://doi.org/10.1682/JRRD.2005.01.0027>
 48. Kawamura N, Niiyama M and Niiyama H. Long-term evaluation of animal-assisted therapy for institutionalized elderly people: A preliminary result. *Psychogeriatrics*, 2007; 7(1), 8–13. <https://doi.org/10.1111/j.1479-8301.2006.00156.x>
 49. Nimer J and Lundahl B. Animal-assisted therapy: A meta-analysis. *Anthrozoos*.2007; 20(3), 225–238. <https://doi.org/10.2752/089279307X224773>
 50. Souter MA and Miller MD. Do animal-assisted activities effectively treat depression? a meta-analysis. *Anthrozoos*, 2007; 20(2), 167–180. <https://doi.org/10.2752/175303707X207954>
 51. Halm MA. The healing power of the human-animal connection. *American Journal of Critical Care*. 2008; 17(4), 373–376.
 52. Mullett S. A helping paw. *Rn*, 2008; 71(7), 39–44. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/18720910>
 53. Coakley AB, and Mahoney EK. Creating a Therapeutic and Healing Environment with a Pet Therapy program. *Complementary Therapies in Clinical Practice*. 2009; 15(3), 141–146. <https://doi.org/10.1016/j.ctcp.2009.05.004>.
 54. Friesen L. Exploring animal-assisted programs with children in school and therapeutic contexts. *Early Childhood Education Journal*. 2009; 37(4), 261–267. <https://doi.org/10.1007/s10643-009-0349-5>
 55. Braun C, Stangler T, Narveson J and Pettingell S. Animal-assisted therapy as a pain relief intervention for children. *Complementary Therapies in Clinical Practice*.2009; 15(2), 105–109. <https://doi.org/10.1016/j.ctcp.2009.02.008>
 56. Unger, H., & B.A. (2009). *Animal-Assisted Therapy and Children with Social Deficits: A Grant Proposal Project*. Loyola Marymount University.

57. Wells, D. L. (2009). Associations between pet ownership and self-reported fatigue syndrome. *The Journal of Alternative and Complementary Medicine*, 15(4), 407–413. <https://doi.org/10.1089/acm.2008.0496>
58. Coletta, C. N. (2010). *Animal-Assisted Therapy: a Group Therapy Treatment Manual for Children Exposed To Trauma*. University of Hartford.
59. Heathcote, J. (2010). Paws for thought: involving animals in care. *Nursing & Residential Care*, 12(3), 145–148.
60. Horowitz, S. (2010). Animal-Assisted Therapy for Inpatients: Tapping the Unique Healing Power of the Human–Animal Bond. *Alternative and Complementary Therapies*. 16(6), 339–343. <https://doi.org/10.1089/act.2010.16603>
61. Matuszek, S. (2010). Animal-facilitated therapy in various patient populations: systematic literature review. *Holistic Nursing Practice*. 24(4), 187–203 17. <https://doi.org/10.1097/HNP.0b013e3181e90197>
62. Zilcha-Mano, S., Mikulincer, M., & Shaver, P. R. (2011). Pet in the therapy room: An attachment perspective on Animal-Assisted Therapy. *Attachment and Human Development*, 13(6), 541–561. <https://doi.org/10.1080/14616734.2011.608987>
63. Zugaj MC and Benson JL. Animal Assisted Therapy At Lutheran Home: A Pawsitive Experience. *Communique*, 2011(4), 9–12. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=rzh&AN=104556132&site=ehost-live>
64. Aoki J, Iwahashi K, Ishigooka J, Fukamauchi F, Numajiri M, Ohtani N, Ohta M. Evaluation of cerebral activity in the prefrontal cortex in mood [affective] disorders during animal-assisted therapy (AAT) by near-infrared spectroscopy (NIRS): A pilot study. *International journal of psychiatry in clinical practice*. 2012 Sep 1;16(3):205-13.
65. Dietz TJ, Davis D, Pennings J. Evaluating animal-assisted therapy in group treatment for child sexual abuse. *Journal of child sexual abuse*. 2012 Nov 1;21(6):665-83.
66. Jackson J. *Animal-Assisted Therapy: the Human-Animal Bond in Relation To Human Health and Wellness*. Winona State University; 2012.
67. Perry D, Rubinstein D and Austin J. Animal-Assisted Group Therapy in Mental Health Settings: An Initial Model. *Alternative and Complementary Therapies*. 2012;18(4), 181–185. <https://doi.org/10.1089/act.2012.18403>
68. Reed R, Ferrer L and Villegas N. Natural healers: a review of animal assisted therapy and activities as complementary treatment for chronic conditions. *Revista Latino-Americana de Enfermagem*. 2012; 20(3), 612–618. <https://doi.org/10.1590/S0104-11692012000300025>
69. Bernabei V, De Ronchi D, La Ferla T, Moretti F, Tonelli L, Ferrari B, ... Atti AR. Animal-assisted interventions for elderly patients affected by dementia or psychiatric disorders: A review. *Journal of Psychiatric Research*. 2013; 47(6), 762–773. <https://doi.org/10.1016/j.jpsychires.2012.12.014>
70. Downes MJ, Dean R and Bath-Hextall FJ. Animal-assisted therapy for people with serious mental illness. *Cochrane Database of Systematic Reviews*. 2013(12). <https://doi.org/10.1002/14651858.CD010818>
71. Engelman SR. Palliative Care and Use of Animal-Assisted Therapy. *OMEGA - Journal of Death and Dying*. 2013; 67(1–2), 63–67. <https://doi.org/10.2190/OM.67.1-2.g>
72. Fernando Arc, J U-L A. *Pet Assisted Therapy (Pat) Learning With Them. Lifelong Learning Programme*. 2013.
73. González-Ramírez MT, Ortiz-Jiménez XA and Landero-Hernández R. Cognitive–Behavioral Therapy and Animal-Assisted Therapy: Stress Management for Adults. *Alternative and Complementary Therapies*.2013; 19(5), 270–275. <https://doi.org/10.1089/act.2013.19505>
74. Risley-Curtiss C, Rogge ME and Kawam E. Factors affecting social workers’ inclusion of animals in practice. *Social Work (United States)*.2013; 58(2), 153–161. <https://doi.org/10.1093/sw/swt009>
75. Vrbanc Z, Zecević I, Ljubić M, Belić M, Stanin D, Bottegato NB, Zubčić D. Animal assisted therapy and perception of loneliness in geriatric nursing home residents. *Collegium Antropologicum*.2013; 37(August 2015), 973–976. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/24308245>
76. Boyer E V and Mundschenk AN. Using animal-assisted therapy to facilitate social communication: A pilot study. *Canadian Journal of Speech-Language Pathology & Audiology*.2018; 38(1), 26–38. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=2012604393&site=ehost-live>
77. Brown K, Swanson L and Schiro-Geist C. Demonstrating the Efficacy of Animal-Assisted Therapy. *American International Journal of Social Science*.2014; 3(5), 1–6.
78. Cherniack EP and Cherniack AR. Review Article The Benefit of Pets and Animal-Assisted Therapy to the Health of Older Individuals. *Current Gerontology and Geriatrics Research*. 2014, 9. <https://doi.org/10.1155/2014/623203>
79. Shima D, Masoud FK, Kian N, M AH. *The Effect of Pet Therapy on Depression of Elderly Resident in Nursing Homes*. University of Rehabilitation Sciences, Koodakya, 2014.
80. Stanley IH, Conwell Y, Bowen C and Orden KA, Van. Pet Ownership may Attenuate Loneliness Among Older Adult Primary Care Patients Who Live Alone. *Aging Ment Health*.2014; 18(3), 394–399.

- <https://doi.org/10.1080/13607863.2013.837147>.
81. Nurenberg JR, Schleifer SJ, Shaffer TM, Yellin M, Desai PJ, Amin R, Montalvo C. Animal-Assisted Therapy With Chronic Psychiatric Inpatients: Equine-Assisted Psychotherapy and Aggressive Behavior. *Psychiatric Services*.2015; 66(1), 80–86. <https://doi.org/10.1176/appi.ps.201300524>
 82. Paws for People. *The Benefits of Pets & Pet Therapy*. 2015; www.PAWSforPeople.org. Retrieved from: <https://www.pawsforpeople.org/wp-content/uploads/2011/07/Benefits-of-Pet-Therapy-5.11.15.pdf>.
 83. Tielsch Goddard A and Gilmer, MJ. The Role and Impact of Animals with Pediatric Patients. *Pediatric Nursing*.2015; 41(2), 65–71. <https://doi.org/10.2214/AJR.12.9291>
 84. Douglas AM. *Does Animal Assisted Activity have an Effect on Anxiety Levels among Children with Chronic Illness?* The Chicago School of Professional Psychology.2016.
 85. Ko H, Youn C, Kim S and Kim S. Effect of Pet Insects on the Psychological Health of Community-Dwelling Elderly People: A Single-Blinded, Randomized, Controlled Trial. *Gerontology*.2016; 62, 200–209. <https://doi.org/10.1159/000439129>
 86. Macdonald JM and Barrett D. Companion animals and well-being in palliative care nursing: A literature review. *Journal of Clinical Nursing*. 2016; 25(3–4), 300–310. <https://doi.org/10.1111/jocn.13022>
 87. Menna LF, Santaniello A, Gerardi F, Di Maggio A ad Milan G. Evaluation of the efficacy of animal-assisted therapy based on the reality orientation therapy protocol in Alzheimer’s disease patients: a pilot study. *Psychogeriatrics*. 2016; 16(4), 240–246. <https://doi.org/10.1111/psyg.12145>
 88. Olsen C, Pedersen I, Bergland A, Enders-Slegers M.-J, & Ihlebaek C. Engagement in elderly persons with dementia attending animal-assisted group activity. *Dementia*.2016; (September). <https://doi.org/10.1177/1471301216667320>
 89. Pope WS, Hunt C and Ellison K. Animal assisted therapy for elderly residents of a skilled nursing facility. *Journal of Nursing Education and Practice*. 2016; 6(9). <https://doi.org/10.5430/jnep.v6n9p56>
 90. Trembath F. Animal-Assisted Intervention for People with Depression; 2016. Retrieved:https://habricentral.org/resources/55606/download/hc_brief_depression20160127access.pdf.
 91. Bachi K and Parish-Plass N. Animal-assisted psychotherapy: A unique relational therapy for children and adolescents. *Clinical Child Psychology and Psychiatry*. 2017; 22(1), 3–8. <https://doi.org/10.1177/1359104516672549>
 92. Hoagwood KE, Acri M, Morrissey M and Robin PP. Animal-assisted therapies for youth with or at risk for mental health problems: A systematic review. *Applied Developmental Science*.2017; 21(1), 1–13. <https://doi.org/http://dx.doi.org/10.1080/10888691.2015.1134267>
 93. Phung A, Joyce C, Ambutas S, Browning M, Fogg L, Christopher BA and Flood S. Animal-assisted therapy for inpatient adults. *Nursing*. 2017; 47(1), 63–66. <https://doi.org/10.1097/01.NURSE.0000504675.26722.d8>
 94. Schmitz A, Beermann M, MacKenzie CR, Fetz K and Schulz-Quach C. Animal-assisted therapy at a University Centre for Palliative Medicine - A qualitative content analysis of patient records. *BMC Palliative Care*. 2017; 16(1), 1–14. <https://doi.org/10.1186/s12904-017-0230-z>
 95. Tournier I, Marie-Frédérique Vives and Postal V. Animal-Assisted intervention in dementia: Effects on neuropsychiatric symptoms and on caregivers’ distress perceptions. *Swiss Journal of Psychology*.2017; 76(2), 51–58. <https://doi.org/10.1024/1421-0185/a000191>
 96. Kjellstrand E, Quinn H and Smelser K. Practitioner Perspectives on Animal- Assisted Counseling. *Journal of Mental Health Counseling Perspectives on Animal-Assisted Counseling*.2018; 40401(110), 43–5704. <https://doi.org/10.17744/mehc.40.1.04>
 97. Silva NB and Osório FL. Impact of an animal-assisted therapy programme on physiological and psychosocial variables of paediatric oncology patients. *Plos One*.2018; 13(4), e0194731. <https://doi.org/10.1371/journal.pone.0194731>
 98. Hediger K, Meisser A and Zinsstag J. A One Health Research Framework for Animal-Assisted Interventions. *International Journal of Environmental Research and Public Health*. 2019; 16(640), 2–7. <https://doi.org/10.3390/ijerph16040640>
 99. Michael J Day. Human-Animal Health Interactions: The Role of One Health. *American Academy of Family Physicians*. 2016; 93(5), 344–346. Retrieved from <https://www.aafp.org/afp/2016/0301/p344.html>
 100. IAHAIO. One Health in AAI: Current trends and future collaborations in research and practice. In *Symposium: International Association of Human-Animal Interaction Organizations* 2018; 1–32). Retrieved from <http://iahaio.org/wp/wp-content/uploads/2018/10/symposium-amsterdam18-final.pdf>
 101. Hediger K, Meisser A and Zinsstag J. A One Health Research Framework for Animal-Assisted Interventions. *International Journal of Environmental Research and Public Health*. 2019; 16(640), 2–7. <https://doi.org/10.3390/ijerph16040640>
 102. Myat Min and Cho Cho Zaw. A review on animal-assisted therapy and activities for healthcare and teaching of children. *Journal of Education and Social Sciences*.2016; 5(3), 40–46.
 103. Cho, Norfadzilah and M. Potential Benefits of Pet-

- Facilitated-Therapy (PFT) In Children with Autism Spectrum Disorder (ASD). *Scholars Journal of Applied Medical Sciences (SJAMS)*.2017; 5(4(B)), 1319–1325. <https://doi.org/10.21276/sjams>
- 104.Zaw CC, Ahmad NB and Mohd MM. The Effect and Benefits of Pet Facilitated Therapy (PFT) in the Elderly. *Scholars Journal of Applied Medical Sciences (SJAMS)* .2017; 5(12(C), 4954–4960. <https://doi.org/10.21276/sjams.2017.5.12.33>
- 105.Cho, Norfadzilah and M. Potential Benefits of Pet-Facilitated Therapy (PFT) in People with Disabilities. *Scholars Journal of Applied Medical Sciences*. 2019; 7(11), 3626–3633. <https://doi.org/10.36347/SJAMS.2019.v07i11.028>
- 106.Cho C, Raheema Z, Ahmad NB, Min M and Omar M. Review Paper: A Study on Pet Facilitated Therapy (PFT) In Mental Health Disorders. *Scholars Journal of Applied Medical Sciences*.2019; 6691, 386–389. <https://doi.org/10.21276/sjams.2019.7.1.70>
- 107.Cho C, Raheema Z, Min M and Omar M. The Potential Benefits of Pet-Facilitated Therapy (Pft) in the Juvenile. *Scholars Journal of Applied Medical Sciences*, 2019; 7(10), 3404–3409. <https://doi.org/10.36347/SJAMS.2019.v07i10.035>
- 108.Chomel BB. Emerging and Re-Emerging Zoonoses of Dogs and Cats.2014; 434–445.
- 109.Brodie Sarah J, Biley Francis C and Shewring M. An exploration of the potential risks associated with using pet therapy in healthcare settings. *Journal of Clinical Nursing*. 2002; 11, 444–456.
- 110.Furber M. *Rights and Duties Pertaining to Kept Animals: A Case Study in Islamic Law and Ethics*. Tabah Foundation (Papers Series).2015.
- 111.Keeling, Linda & Tunon, Håkan & Olmos Antillon, Gabriela & Berg, Charlotte & Jones, Mike & Stuardo, Leopoldo & Swanson, Janice & Wallenbeck, Anna & Winckler, Christoph & Blokhuis, Harry. Animal Welfare and the United Nations Sustainable Development Goals. *Frontiers in Veterinary Science*. 2019; 6. 336..
- 112.Cho Z, Myat M. The impact of food animal welfare on human wellbeing; scientific and islamic perspectives. *International Journal of Modern Trend in In Social Sciences*. 2019; 2(8), 12–22.