



# Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

[Full Text](#) [View at Publisher](#)

Electrochimica Acta  
Volume 293, 10 January 2019, Pages 184-190

## Solid molybdenum nitride microdisc electrodes : Fabrication , characterisation, and application to the reduction of peroxodisulfate (Article)

Shafiee, S.A.B., Hector, A.L., Denuault, G.

Chemistry, University of Southampton, Southampton, SO17 1BJ, United Kingdom

### Abstract

[View references \(37\)](#)

A new methodology was developed to fabricate solid molybdenum nitride microdisc electrodes for the first time. The MoN microrods were produced by heating Mo microwires in dry NH<sub>3</sub> atmosphere for several hours. They were characterised by scanning electron microscopy (SEM), energy dispersive spectroscopy (EDS) and X-ray diffraction (XRD). The latter revealed the samples had crystallised in the δ<sub>3</sub>-MoN phase with a core of γ-Mo<sub>2</sub>N. Their electrochemical behaviour was probed for the reduction of Ru(NH<sub>3</sub>)<sub>6</sub><sup>3+</sup>. For this fast electron transfer the MoN microdisc electrodes returned similar voltammetric features to Pt microelectrodes. Their amperometric response was further tested with the reduction of peroxodisulfate. In contrast with other electrode materials, the reduction of S<sub>2</sub>O<sub>8</sub><sup>2-</sup> on MoN microdiscs delivered steady state voltammograms with well-defined diffusion controlled plateau. At low sweep rates, the limiting current was consistent with hemispherical diffusion and stable for at least 500 s. The diffusion coefficient of S<sub>2</sub>O<sub>8</sub><sup>2-</sup> derived from these results, 9.5 × 10<sup>-6</sup> cm<sup>2</sup> s<sup>-1</sup>, is in excellent agreement with previous work. At high sweep rates, the reduction of peroxodisulfate was found to be complicated by the simultaneous reduction of adsorbates. The results indicate that MoN is an ideal electrode material to monitor the concentration of peroxodisulfate under steady state conditions. © 2018


### SciVal Topic Prominence

Topic: Electron transitions | Electrodes | Reorganization energy

Prominence percentile: 66.268

### Chemistry database information

#### Substances



#### Author keywords

[Microelectrodes](#) [Molybdenum nitride](#) [Peroxodisulfate](#)

#### Indexed keywords

[Metrics](#) [View all metrics >](#)



#### PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

#### Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

#### Related documents

Electroreduction of peroxodisulfate anion at platinum rotating disc electrode in the cyclic voltammetry mode

Botukhova, G.N. , Petrii, O.A. (2013) *Russian Journal of Electrochemistry*

Review — Electroreduction of peroxodisulfate: A review of a complicated reaction

Shafiee, S.A. , Aarons, J. , Hamzah, H.H. (2018) *Journal of the Electrochemical Society*

Peroxodisulphate reduction as a novel probe for the study of platinum single crystal/solution interphases

Climent, V. , Maciá, M.D. , Herrero, E. (2008) *Journal of Electroanalytical Chemistry*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

## Funding details

Funding sponsor	Funding number	Acronym
	EP/K00509X/1,EP/K009877/1	

Engineering and Physical Sciences Research Council  
[See opportunities↗](#)

### Funding text

SABS would like to thank Majlis Amanah Rakyat (Malaysia) for their sponsorship. The authors also thank EPSRC for funding the SmartLab diffractometer under EP/K00509X/1 and EP/K009877/1 . Appendix A

**ISSN:** 00134686  
**CODEN:** ELCAA  
**Source Type:** Journal  
**Original language:** English

**DOI:** 10.1016/j.electacta.2018.10.046  
**Document Type:** Article  
**Publisher:** Elsevier Ltd

## References (37)

[View in search results format >](#)

All    [Export](#)    [Print](#)    [E-mail](#)    [Save to PDF](#)    [Create bibliography](#)

- 1 Azuma, M., Kashihara, M., Nakato, Y., Tsubomura, H.  
Reduction of oxygen to water on cobalt-nitride thin film electrodes prepared by the reactive rf sputtering technique  
(1988) *Journal of Electroanalytical Chemistry*, 250 (1), pp. 73-82. Cited 23 times.  
doi: 10.1016/0022-0728(88)80193-1

[View at Publisher](#)

- 2 Ishihara, A., Imai, H., Ota, K.-I.  
Transition Metal Oxides, Carbides, Nitrides, Oxynitrides, and Carbonitrides for O<sub>2</sub> Reduction Reaction Electrocatalysts for Acid PEM Fuel Cells  
(2014) *Non-Noble Metal Fuel Cell Catalysts*, 9783527333240, pp. 183-204. Cited 5 times.  
<http://www.wiley.com/remttitle.cgi?isbn=352733324X>  
ISBN: 978-352766490-0; 978-352733324-0  
doi: 10.1002/9783527664900.ch5

[View at Publisher](#)