

Miscibility, Morphology and Mechanical Properties of Compatibilized Polylactic Acid/Thermoplastic Polyurethane Blends

By: [Mahmud, MS](#) (Mahmud, M. S.)^[1]; [Buys, YF](#) (Buys, Y. F.)^[1]; [Anuar, H](#) (Anuar, H.)^[1]; [Sopyan, I](#) (Sopyan, I.)^[1]

[View Web of Science ResearcherID and ORCID](#)

MATERIALS TODAY-PROCEEDINGS
 Volume: 17 Pages: 778-786 Part: 3
 DOI: 10.1016/j.matpr.2019.06.362
 Published: 2019
 Document Type: Proceedings Paper

Conference

Conference: 6th International Conference on Recent Advances in Materials, Minerals and Environment (RAMM)
Location: MALAYSIA
Date: NOV 27-29, 2018

Abstract

Polylactic acid (PLA) is a biodegradable polymer and has an excellent strength, however its inherent brittleness and low impact resistance has limited its application. One of the potential alternatives for enhancing the weakness of PLA is by blending it with thermoplastic polyurethane (TPU) which possesses several attractive properties such as high toughness, durability and flexibility. Nevertheless, few works have been reported on the effect of compatibilizer on physical properties of PLA/TPU blends. In this work, the effect of ethylene-methyl acrylate-glycidyl methacrylate (EMA-GMA) compatibilizer addition in various blend compositions on miscibility, morphological development and mechanical properties of PLA/TPU blends was analysed. The blends were prepared through melt blending technique and analysis of miscibility and morphological development were conducted using dynamic mechanical analysis (DMA) and scanning electron microscopy (SEM), while evaluation of mechanical properties were performed through tensile and impact tests. Inclusion of EMA-GMA improved miscibility of PLA/TPU blends by reducing the size of the droplets and uniformly dispersed the droplets throughout the matrix. Addition of EMA-GMA further improved mechanical properties of PLA which is shown by significant increment of elongation at break and impact strength of PLA/TPU blends with some composition exhibited non-break behaviour. (C) 2019 Elsevier Ltd. All rights reserved.

Keywords

Author Keywords: PLA/TPU blends; miscibility; mechanical properties
KeyWords Plus: GLYCIDYL METHACRYLATE; NANOCOMPOSITES; BEHAVIOR

Author Information

Reprint Address: Buys, YF (reprint author)
 Int Islamic Univ Malaysia, Dept Mfg & Mat Engr, Kuala Lumpur, Malaysia.
Addresses:
 [1] Int Islamic Univ Malaysia, Dept Mfg & Mat Engr, Kuala Lumpur, Malaysia
E-mail Addresses: yose@iium.edu.my

Funding

Funding Agency	Grant Number
Research Initiative Grant Scheme	RIGS 16-085-0249
International Islamic University Malaysia	

[View funding text](#)

Publisher

ELSEVIER, RADARWEG 29, 1043 NX AMSTERDAM, NETHERLANDS

[See more data fields](#)

Citation Network

In Web of Science Core Collection

0

Times Cited

[Create Citation Alert](#)

21

Cited References

[View Related Records](#)

Use in Web of Science

Web of Science Usage Count

5

Last 180 Days

5

Since 2013

[Learn more](#)

This record is from:
Web of Science Core Collection
 - Conference Proceedings Citation Index-Science

[Suggest a correction](#)

If you would like to improve the quality of the data in this record, please suggest a correction.

Cited References: 21

Showing 21 of 21 [View All in Cited References page](#)

(from Web of Science Core Collection)

- [The Effect of Multiple Compatibilizers on the Impact Properties of Polypropylene/Polystyrene \(PP/PS\) Blend](#)

Times Cited: 8

By: Aziz, Azizan Abd; Akil, Hazizan Md; Jamaludin, Syed Mustafa Syed; et al.

POLYMER-PLASTICS TECHNOLOGY AND ENGINEERING Volume: 50 Issue: 8 Pages: 768-775 Article Number: PII 938491463 Published: 2011

2. **Toughening of Poly(lactic acid) Nanocomposites: A Short Review** Times Cited: 68
 By: Balakrishnan, Harinatharavimal; Hassan, Azman; Imran, Muhammad; et al.
 POLYMER-PLASTICS TECHNOLOGY AND ENGINEERING Volume: 51 Issue: 2 Pages: 175-192 Published: 2012

3. **Ethylene-methyl acrylate-glycidyl methacrylate toughened poly(lactic acid) nanocomposites** Times Cited: 17
 By: Baouz, Touffik; Rezgui, Farouk; Yilmazer, Ulku
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 128 Issue: 5 Pages: 3193-3204 Published: JUN 5 2013

4. **Micro- and nano-scale deformation behavior of nylon 66-based binary and ternary nanocomposites** Times Cited: 84
 By: Dasari, Aravind; Yu, Zhong-Zhen; Yang, Mingshu; et al.
 COMPOSITES SCIENCE AND TECHNOLOGY Volume: 66 Issue: 16 Pages: 3097-3114 Published: DEC 2006

5. **Morphologies and Mechanical Properties of Poly(lactide)/Thermoplastic Polyurethane Elastomer Blends** Times Cited: 108
 By: Feng, Fei; Ye, Lin
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 119 Issue: 5 Pages: 2778-2783 Published: MAR 5 2011

6. **Preparation and Characterization of Biodegradable Poly(lactide)/Thermoplastic Polyurethane Elastomer Blends** Times Cited: 81
 By: Han, Juan-Juan; Huang, Han-Xiong
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 120 Issue: 6 Pages: 3217-3223 Published: JUN 15 2011

7. **Investigation on the Polyamide 6/SEBS-g-MA/Organoclay Nanocomposites with Glycidyl Methacrylate as a Compatibilizer** Times Cited: 13
 By: He, Sanxiong; Wu, Wei; Wang, Ru; et al.
 POLYMER-PLASTICS TECHNOLOGY AND ENGINEERING Volume: 50 Issue: 7 Pages: 719-726 Article Number: PII 937916174 Published: 2011

8. **Novel reactive compatibilization strategy on immiscible polypropylene and polystyrene blend** Times Cited: 17
 By: Hung, Chen-Jui; Chuang, Hung-Yang; Chang, Feng-Chih
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 107 Issue: 2 Pages: 831-839 Published: JAN 15 2008

9. Title: [not available] Times Cited: 1
 By: ISLAM M
 SPE ANTEC INDIANAPOL Pages: 180 Published: 2016

10. **Bio-Plastics and Elastomers from Poly(lactic acid)/Thermoplastic Polyurethane Blends** Times Cited: 29
 By: Jaso, Vladislav; Cvetinovic, Miroslav; Rakic, Srđan; et al.
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 131 Issue: 22 Article Number: 41104 Published: NOV 15 2014

11. **Biodegradability study of poly(lactic acid)/thermoplastic polyurethane blends** Times Cited: 27
 By: Jaso, Vladislav; Glenn, Gregory; Klamczynski, Artur; et al.
 POLYMER TESTING Volume: 47 Pages: 1-3 Published: OCT 2015

12. **The Morphology, Properties, and Shape Memory Behavior of Poly(lactic acid)/Thermoplastic Polyurethane Blends** Times Cited: 50
 By: Jing, Xin; Mi, Hao-Yang; Peng, Xiang-Fang; et al.
 POLYMER ENGINEERING AND SCIENCE Volume: 55 Issue: 1 Pages: 70-80 Published: JAN 2015

13. **Use of maleic anhydride compatibilization to improve toughness and other properties of poly(lactide) blended with thermoplastic elastomers** Times Cited: 32
 By: Kaynak, Cevdet; Meyva, Yelda
 POLYMERS FOR ADVANCED TECHNOLOGIES Volume: 25 Issue: 12 Pages: 1622-1632 Published: DEC 2014

14. **Effect of glycidyl methacrylate (GMA) on the thermal, mechanical and morphological property of biodegradable PLA/PBAT blend and its nanocomposites** Times Cited: 182
 By: Kumar, Mukesh; Mohanty, S.; Nayak, S. K.; et al.
 BIORESOURCE TECHNOLOGY Volume: 101 Issue: 21 Pages: 8406-8415 Published: NOV 2010

15. **Blends of poly(lactic acid) with thermoplastic copolyester elastomer: Effect of functionalized terpolymer type on reactive toughening** Times Cited: 6
 By: Nagarajan, Vidhya; Mohanty, Amar K.; Misra, Manjusri
 POLYMER ENGINEERING AND SCIENCE Volume: 58 Issue: 3 Pages: 280-290 Published: MAR 2018

16. **Investigation of structure and mechanical properties of toughened poly(L-lactide)/thermoplastic poly(ester urethane) blends** Times Cited: 21
 By: Oliaei, Erfan; Kaffashi, Babak; Davoodi, Saeed
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 133 Issue: 15 Article Number: 43104 Published: APR 15 2016

17. **Poly(lactic acid) modifications** Times Cited: 1,132
 By: Rasal, Rahul M.; Janorkar, Amol V.; Hirt, Douglas E.
 PROGRESS IN POLYMER SCIENCE Volume: 35 Issue: 3 Pages: 338-356 Published: MAR 2010

18. **Poly(lactide) Toughening with Epoxy-Functionalized Grafted Acrylonitrile-Butadiene-Styrene Particles** Times Cited: 62
 By: Sun, Shulin; Zhang, Mingyao; Zhang, Huixuan; et al.
 JOURNAL OF APPLIED POLYMER SCIENCE Volume: 122 Issue: 5 Pages: 2992-2999 Published: DEC 5 2011

19. **Polyoxymethylene/ethylene butylacrylate copolymer/ethylene-methyl acrylate-glycidyl methacrylate ternary blends** Times Cited: 57
By: Yang, Wenqing; Wang, Xuan-Lun; Li, Jianfeng; et al.
POLYMER ENGINEERING AND SCIENCE Volume: 58 Issue: 7 Pages: 1127-1134 Published: JUL 2018
20. **Improving Flexibility of Poly(L-lactide) by Blending with Poly(L-lactic acid) Based Poly(ester-urethane): Morphology, Mechanical Properties, and Crystallization Behaviors** Times Cited: 35
By: Zeng, Jian-Bing; Li, Yi-Dong; He, Yi-Song; et al.
INDUSTRIAL & ENGINEERING CHEMISTRY RESEARCH Volume: 50 Issue: 10 Pages: 6124-6131 Published: MAY 18 2011
21. **Supertoughened Renewable PLA Reactive Multiphase Blends System: Phase Morphology and Performance** Times Cited: 115
By: Zhang, Kunyu; Nagarajan, Vidhya; Misra, Manjusri; et al.
ACS APPLIED MATERIALS & INTERFACES Volume: 6 Issue: 15 Pages: 12436-12448 Published: AUG 13 2014

Showing 21 of 21 [View All in Cited References page](#)

