

## Documents

Fauzi, F.B.<sup>a</sup>, Ismail, E.<sup>a</sup>, Syed Abu Bakar, S.N.<sup>b</sup>, Ismail, A.F.<sup>b</sup>, Mohamed, M.A.<sup>c</sup>, Md Din, M.F.<sup>d</sup>, Illias, S.<sup>e</sup>, Ani, M.H.<sup>a</sup>

**The role of gas-phase dynamics in interfacial phenomena during few-layer graphene growth through atmospheric pressure chemical vapour deposition**  
(2020) *Physical Chemistry Chemical Physics*, 22 (6), pp. 3481-3489.

**DOI:** 10.1039/c9cp05346h

<sup>a</sup> Department of Manufacturing and Materials, Kulliyah of Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, 50728, Malaysia

<sup>b</sup> Department of Mechanical, Kulliyah of Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, 50728, Malaysia

<sup>c</sup> Institute of Microengineering and Nanoelectronic, University Kebangsaan Malaysia, Bangi, 43600, Malaysia

<sup>d</sup> Department of Electrical and Electronic, Faculty of Engineering, National Defence University of Malaysia, Kem Sungai Besi, Kuala Lumpur, Malaysia

<sup>e</sup> School of Manufacturing Engineering, Universiti Malaysia Perlis, Kampus Alam Pauh Putra, Arau Perlis, 02600, Malaysia

**Abstract**

The complicated chemical vapour deposition (CVD) is currently the most viable method of producing graphene. Most studies have extensively focused on chemical aspects either through experiments or computational studies. However, gas-phase dynamics in CVD reportedly plays an important role in improving graphene quality. Given that mass transport is the rate-limiting step for graphene deposition in atmospheric-pressure CVD (APCVD), the interfacial phenomena at the gas-solid interface (i.e., the boundary layer) are a crucial controlling factor. Accordingly, only by understanding and controlling the boundary-layer thickness can uniform full-coverage graphene deposition be achieved. In this study, a simplified computational fluid dynamics analysis of APCVD was performed to investigate gas-phase dynamics during deposition. Boundary-layer thickness was also estimated through the development of a customised homogeneous gas model. Interfacial phenomena, particularly the boundary layer and mass transport within it, were studied. The effects of Reynolds number on these factors were explored and compared with experimentally obtained results of the characterised graphene deposit. We then discussed and elucidated the important relation of fluid dynamics to graphene growth through APCVD. This journal is © the Owner Societies.

**Funding details**

International Islamic University Malaysia IUMRIGS17-035-0629

International Islamic University Malaysia IUM

Ministry of Higher Education, Malaysia MOHE

**Correspondence Address**

Ani M.H.; Department of Manufacturing and Materials, Kulliyah of Engineering, International Islamic University Malaysia, P.O. Box 10, Malaysia; email: mhanafi@iium.edu.my

**Publisher:** Royal Society of Chemistry

**ISSN:** 14639076

**CODEN:** PPCPF

**PubMed ID:** 31989130

**Language of Original Document:** English

**Abbreviated Source Title:** Phys. Chem. Chem. Phys.

2-s2.0-85079330802  
**Document Type:** Article  
**Publication Stage:** Final  
**Source:** Scopus

---

**ELSEVIER**

Copyright © 2020 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

 **RELX Group™**