



# Document details

< Back to results | 1 of 1

↗ Export ↴ Download 🖨️ Print ✉️ E-mail 📄 Save to PDF ☆ Add to List More... >

[Full Text](#) View at Publisher

Journal of Thermophysics and Heat Transfer  
Volume 34, Issue 1, 2020, Pages 215-229

## Numerical investigation of nondimensional constant and empirical relation representing nusselt profile nonuniformity

(Article)

Mohd, U.S.<sup>a,e</sup>, Ansari, E.<sup>b,f</sup>, Khan, S.A.<sup>c,g</sup>, Gulhane, N.P.<sup>d,g</sup>, Patil, R.<sup>a,h</sup>

<sup>a</sup>NMIMS University, Mumbai, 400 056, India

<sup>b</sup>Mumbai University, Mumbai, 400 008, India

<sup>c</sup>International Islamic University of Malaysia, Kuala Lumpur, 53100, Malaysia

[View additional affiliations](#) ▾

### Abstract

▾ View references (40)

The use of air jet impingement for cooling is the most expensive task as far as the efficiency of the component is concerned: not only this, but the generation of characteristic cooling over the target surface (heat sink) is of great significance in material processing firms. The conversion of the temperature profile to a Nusselt profile is widely used when the concern of nondimensionality comes into the picture. So, the present work reports the Nusselt profile for different impinging parameters, and the nonuniformities concerned with the profiles are evaluated. The standard deviation is the parameter used to represent the nonuniformity in the Nusselt profile for the present study. A nondimensional constant (ratio of Reynolds number and nozzle-target spacing) is defined to represent the start and end of nonuniformity in the Nusselt profile. When this constant exceeds a value of 6000, the nonuniformity in the profile ends. Also, an empirical relation representing the standard deviation is proposed in terms of the Reynolds number and nozzle-target spacing. The generation of turbulence vortices at the exit of the nozzle is responsible for the end of nonuniformity in the Nusselt profile. © 2019 by the American Institute of Aeronautics and Astronautics, Inc.

### SciVal Topic Prominence ⓘ

Topic: Jet Impingement | Heat Transfer | Swirling

Prominence percentile: 96.569 ⓘ

### Indexed keywords

Engineering controlled terms:

[Jets](#) [Reynolds number](#) [Statistics](#)

Engineering uncontrolled terms

[Air jet impingement](#) [Empirical relations](#) [Material processing](#) [Non-uniformities](#)  
[Numerical investigations](#) [Standard deviation](#) [Target surface](#) [Temperature profiles](#)

Engineering main heading:

[Nozzles](#)

### Funding details

Funding text

Metrics ⓘ [View all metrics](#) >



PlumX Metrics ▾

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert](#) >

[Set citation feed](#) >

### Related documents

Experimental study and theoretical analysis of local heat transfer distribution between smooth flat surface and impinging air jet from a circular straight pipe nozzle

Katti, V. , Prabhu, S.V. (2008) *International Journal of Heat and Mass Transfer*

Numerical investigation of secondary peaks in nusselt profile under water jet impingement

Siddique, U. , Ansari, E. , Khan, S.A. (2020) *Journal of Thermophysics and Heat Transfer*

Analysis of heat transfer from flat surface due to circular jet impingement

Katti, V. , Prabhu, S.V. (2007) *Collection of Technical Papers - 5th International Energy Conversion Engineering Conference*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors](#) > [Keywords](#) >

ISSN: 08878722

CODEN: JTHTE

Source Type: Journal

Original language: English

DOI: 10.2514/1.T5828

Document Type: Article

Publisher: American Institute of Aeronautics and Astronautics Inc.

---

## References (40)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 
- 1 Katti, V., Prabhu, S.V.  
Experimental study and theoretical analysis of local heat transfer distribution between smooth flat surface and impinging air jet  
(2008) *International Journal of Heat and Mass Transfer*, 51 (17-18), pp. 4480-4495. Cited 211 times.  
doi: 10.1016/j.ijheatmasstransfer.2007.12.024  
[View at Publisher](#)

- 
- 2 Lytle, D., Webb, B.W.  
Air jet impingement heat transfer at low nozzle-plate spacings  
(1994) *International Journal of Heat and Mass Transfer*, 37 (12), pp. 1687-1697. Cited 465 times.  
doi: 10.1016/0017-9310(94)90059-0  
[View at Publisher](#)

- 
- 3 Colucci, D.W., Viskanta, R.  
Effect of nozzle geometry on local convective heat transfer to a confined impinging air jet  
(1996) *Experimental Thermal and Fluid Science*, 13 (1), pp. 71-80. Cited 198 times.  
doi: 10.1016/0894-1777(96)00015-5  
[View at Publisher](#)

- 
- 4 Gardon, R., Akfirat, J.C.  
The role of turbulence in determining the heat-transfer characteristics of impinging jets  
(1965) *International Journal of Heat and Mass Transfer*, 8 (10), pp. 1261-1272. Cited 555 times.  
doi: 10.1016/0017-9310(65)90054-2  
[View at Publisher](#)

- 
- 5 Shadlesky, P.S.  
Stagnation point heat transfer for jet impingement to a plane surface  
(1983) *AIAA Journal*, 21 (8), pp. 1214-1215. Cited 45 times.  
doi: 10.2514/3.8231  
[View at Publisher](#)

- 
- 6 Jambunathan, K., Lai, E., Moss, M.A., Button, B.L.  
A review of heat transfer data for single circular jet impingement  
(1992) *International Journal of Heat and Fluid Flow*, 13 (2), pp. 106-115. Cited 921 times.  
doi: 10.1016/0142-727X(92)90017-4  
[View at Publisher](#)
-

- 7 Hrycak, P.  
Heat transfer from round impinging jets to a flat plate  
(1983) *International Journal of Heat and Mass Transfer*, 26 (12), pp. 1857-1865. Cited 106 times.  
doi: 10.1016/S0017-9310(83)80156-2  
[View at Publisher](#)
- 
- 8 Lee, J., Lee, S.-J.  
The effect of nozzle configuration on stagnation region heat transfer enhancement of axisymmetric jet impingement  
(2000) *International Journal of Heat and Mass Transfer*, 43 (18), pp. 3497-3509. Cited 142 times.  
doi: 10.1016/S0017-9310(99)00349-X  
[View at Publisher](#)
- 
- 9 Brdlik, P.M., Savin, V.K.  
Heat transfer in the vicinity of the stagnation point in an axisymmetric jet flowing over flat surfaces normal to the flow  
(1966) *Journal of Engineering Physics*, 10 (4), pp. 241-245. Cited 13 times.  
doi: 10.1007/BF00837813  
[View at Publisher](#)
- 
- 10 Knowles, K., Myszko, M.  
Turbulence measurements in radial wall-jets  
(1998) *Experimental Thermal and Fluid Science*, 17 (1-2), pp. 71-78. Cited 54 times.  
doi: 10.1016/S0894-1777(97)10051-6  
[View at Publisher](#)
- 
- 11 Poreh, M., Tsuei, Y.G., Cermak, J.E.  
Investigation of a turbulent radial wall jet  
(1964) *Journal of Applied Mechanics, Transactions ASME*, 34 (2), pp. 457-463. Cited 130 times.  
doi: 10.1115/1.3607705  
[View at Publisher](#)
- 
- 12 Alimohammadi, S., Murray, D.B., Persoons, T.  
Experimental validation of a computational fluid dynamics methodology for transitional flow heat transfer characteristics of a st  
(2014) *Journal of Heat Transfer*, 136 (9), art. no. 091703. Cited 23 times.  
<http://asmedl.aip.org/HeatTransfer>  
doi: 10.1115/1.4027840  
[View at Publisher](#)
- 
- 13 Alimohammadi, S., Murray, D.B., Persoons, T.  
On the numerical-experimental analysis and scaling of convective heat transfer to pulsating impinging jets  
(2015) *International Journal of Thermal Sciences*, 98, pp. 296-311. Cited 18 times.  
<http://www.journals.elsevier.com/international-journal-of-thermal-sciences/>  
doi: 10.1002/9781118032428  
[View at Publisher](#)
- 
- 14 Langtry, R.B., Menter, F.R., Likki, S.R., Suzen, Y.B., Huang, P.G., Völker, S.  
A correlation-based transition model using local variables - Part II: Test cases and industrial applications  
(2006) *Journal of Turbomachinery*, 128 (3), pp. 423-434. Cited 305 times.  
doi: 10.1115/1.2184353  
[View at Publisher](#)
-

- 15 Langtry, R.B., Menter, F.R.  
Correlation-based transition modeling for unstructured parallelized computational fluid dynamics codes  
(2009) *AIAA Journal*, 47 (12), pp. 2894-2906. Cited 740 times.  
<http://pdf.aiaa.org/getfile.cfm?urlX=%2D%3CW%277D%2FQKS%2B%2FRPKOWP%20%20%0A&urla=%26%2A%22L%20%23%20%2AC%0A&urlb=%21%2A%20%20%20%0A&urlc=%21%2A%20%20%20%0A&urld=%21%2A%20%20%20%0A&urle=%21%2A%20%20%20%0A&urlf=%21%2A%20%20%20%0A&urlg=%21%2A%20%20%20%0A&urlh=%21%2A%20%20%20%0A&urli=%21%2A%20%20%20%0A&urlj=%21%2A%20%20%20%0A&urlk=%21%2A%20%20%20%0A&urll=%21%2A%20%20%20%0A&urlm=%21%2A%20%20%20%0A&urln=%21%2A%20%20%20%0A&urlo=%21%2A%20%20%20%0A&urlp=%21%2A%20%20%20%0A&urlq=%21%2A%20%20%20%0A&urlr=%21%2A%20%20%20%0A&urls=%21%2A%20%20%20%0A&urlt=%21%2A%20%20%20%0A&urlu=%21%2A%20%20%20%0A&urlv=%21%2A%20%20%20%0A&urlw=%21%2A%20%20%20%0A&urlx=%21%2A%20%20%20%0A&urly=%21%2A%20%20%20%0A&urlz=%21%2A%20%20%20%0A>  
doi: 10.2514/1.42362  
View at Publisher
- 
- 16 Umair, S.M., Gulhane, N.P.  
Numerical investigation of non-dimensional constant representing the occurrence of secondary peaks in the Nusselt distribution curve  
(2016) *International Journal of Engineering, Transactions A*, 29 (10), pp. 1453-1461. Cited 7 times.  
<https://doi.org/10.5829/idosi.ije.2016.29.10a.14>
- 
- 17 Umair, S.M., Gulhane, N.P.  
On numerical investigation of nonuniformity in cooling characteristic for different materials of target surfaces being exposed to  
(2017) *International Journal of Modeling, Simulation, and Scientific Computing*, 8 (3), art. no. 1750024. Cited 6 times.  
<http://www.worldscinet.com/ijmssc/>  
doi: 10.1142/S1793962317500246  
View at Publisher
- 
- 18 Umair, S.M., Kolawale, A.R., Bhise, G.A., Gulhane, N.P.  
On numerical heat transfer characteristic study of flat surface subjected to variation in geometric thickness  
(2017) *International Journal of Computational Materials Science and Engineering*, 6 (2), art. no. 1750010. Cited 5 times.  
[www.worldscientific.com/ijcmse](http://www.worldscientific.com/ijcmse)  
doi: 10.1142/S2047684117500105  
View at Publisher
- 
- 19 Siddique, U.M., Bhise, G.A., Gulhane, N.P.  
On numerical investigation of local nusselt distribution between flat surface and impinging air jet from straight circular nozzle  
(2018) *Heat Transfer - Asian Research*, 47 (1), pp. 126-149. Cited 5 times.  
[http://onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)1523-1496](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1523-1496)  
doi: 10.1002/htj.21295  
View at Publisher
- 
- 20 Reynolds, A.J.  
The variation of turbulent Prandtl and Schmidt numbers in wakes and jets  
(1976) *International Journal of Heat and Mass Transfer*, 19 (7), pp. 757-764. Cited 35 times.  
doi: 10.1016/0017-9310(76)90128-9  
View at Publisher
- 
- 21 Browne, L.W.B., Antonia, R.A.  
Measurements of turbulent prandtl number in a plane jet  
(1983) *Journal of Heat Transfer*, 105 (3), pp. 663-666. Cited 17 times.  
doi: 10.1115/1.3245639  
View at Publisher
- 
- 22 Koseoglu, M.F., Baskaya, S.  
The role of jet inlet geometry in impinging jet heat transfer, modeling and experiments  
(2010) *International Journal of Thermal Sciences*, 49 (8), pp. 1417-1426. Cited 73 times.  
<http://www.journals.elsevier.com/international-journal-of-thermal-sciences/>  
doi: 10.1016/j.ijthermalsci.2010.02.009  
View at Publisher

- 
- 23 Baughn, J.W., Shimizu, S.  
Heat transfer measurements from a surface with uniform heat flux and an impinging jet  
(1989) *Journal of Heat Transfer*, 111 (4), pp. 1096-1098. Cited 372 times.  
<https://doi.org/10.1115/1.3250776>
- 
- 24 Gao, N., Sun, H., Ewing, D.  
Heat transfer to impinging round jets with triangular tabs  
  
(2003) *International Journal of Heat and Mass Transfer*, 46 (14), pp. 2557-2569. Cited 101 times.  
<http://www.journals.elsevier.com/international-journal-of-heat-and-mass-transfer/>  
doi: 10.1016/S0017-9310(03)00034-6  
  
View at Publisher
- 
- 25 Alimohammadi, S., Persoons, T., Murray, D.B.  
A numerical-experimental study of heat transfer enhancement using unconfined steady and pulsating turbulent air jet impinging  
  
(2014) *Proceedings of the 15th International Heat Transfer Conference, IHTC 2014*. Cited 6 times.  
doi: 10.1615/ihtc15.hte.008765  
  
View at Publisher
- 
- 26 Persoons, T., Balgazin, K., Brown, K., Murray, D.B.  
Scaling of convective heat transfer enhancement due to flow pulsation in an axisymmetric impinging jet  
  
(2013) *Journal of Heat Transfer*, 135 (11), art. no. 111012. Cited 25 times.  
doi: 10.1115/1.4024620  
  
View at Publisher
- 
- 27 Litvinenko, Y.A., Grek, G.R., Kozlov, G.V., Sorokin, A.M., Litvinenko, M.V.  
Development of free round jet at different conditions at the nozzle exit under an acoustic action  
(2012) *Flight Physics*, 3, pp. 429-448. Cited 3 times.  
Jan  
<https://doi.org/10.1051/eucass/201203429>
- 
- 28 Patel, J.A.  
Low-temperature emissivity measurement system  
(2014) *International Journal of Engineering Research and Application*, 4 (5), pp. 172-174.
- 
- 29 Rajput, R.K.  
(2008) *Heat and Mass Transfer*. Cited 37 times.  
S. Chand Publ., New Delhi, India
- 
- 30 Nag, P.K.  
(2002) *Heat and Mass Transfer*. Cited 1472 times.  
McGraw-Hill Publ., New Delhi, India
- 
- 31 Moffat, R.J.  
Using uncertainty analysis in the planning of an experiment  
  
(1985) *Journal of Fluids Engineering, Transactions of the ASME*, 107 (2), pp. 173-178. Cited 617 times.  
doi: 10.1115/1.3242452  
  
View at Publisher
-

- 32 Lu, G., Cheng, P.  
Friction factor and Nusselt number for thermoacoustic transport phenomena in a tube

(2000) *Journal of thermophysics and heat transfer*, 14 (4), pp. 566-573. Cited 21 times.  
doi: 10.2514/2.6558

[View at Publisher](#)

- 33 Manglik, R.M., Prusa, J.  
Viscous dissipation in non-Newtonian flows: Implications for the nusselt number

(1995) *Journal of Thermophysics and Heat Transfer*, 9 (4), pp. 733-742. Cited 12 times.

<http://arc.aiaa.org/loi/jtht>

doi: 10.2514/3.732

[View at Publisher](#)

- 34 Wang, X., Naterer, G.F., Bibeau, E.  
Multiphase nusselt correlation for impinging droplet heat flux from a NACA airfoil

(2008) *Journal of Thermophysics and Heat Transfer*, 22 (2), pp. 219-226. Cited 4 times.

<http://pdf.aiaa.org/getfile.cfm?>

[urlX=%2D%3CWl%277D%2FQKS%2B%28RPWIW%20%20%20%0A&urla=%26%2A%22L%20%23%20%2AC%0A&urlb=%21%2A%20%20%20%0A&urlic=%27%20%20%20%0A&urld=%27%20%20%20%0A](http://pdf.aiaa.org/getfile.cfm?urlX=%2D%3CWl%277D%2FQKS%2B%28RPWIW%20%20%20%0A&urla=%26%2A%22L%20%23%20%2AC%0A&urlb=%21%2A%20%20%20%0A&urlic=%27%20%20%20%0A&urld=%27%20%20%20%0A)

doi: 10.2514/1.32401

[View at Publisher](#)

- 35 Pourmahmoud, N., Ghafouri, A., Mirzaee, I.  
Thermal performance analysis of nanofluid thermal conductivity models in a cooling chamber

(2017) *Journal of Thermophysics and Heat Transfer*, 31 (1), pp. 28-38. Cited 4 times.

<http://arc.aiaa.org/loi/jtht>

doi: 10.2514/1.T4658

[View at Publisher](#)

- 36 Yunis, I.  
Standard deviation of launch vehicle vibration and acoustic environments

(2013) *Journal of Spacecraft and Rockets*, 50 (4), pp. 829-837. Cited 3 times.

<http://arc.aiaa.org/doi/pdf/10.2514/1.A32375>

doi: 10.2514/1.A32375

[View at Publisher](#)

- 37 Abernethy, R.B., Benedict, R.P., Dowdell, R.B.  
ASME measurement uncertainty ([Open Access](#))

(1985) *Journal of Fluids Engineering, Transactions of the ASME*, 107 (2), pp. 161-164. Cited 432 times.

doi: 10.1115/1.3242450

[View at Publisher](#)

- 38 Kajfez, D., Chebolu, S., Abdul-Gaffoor, M.R., Kishk, A.A.  
Uncertainty analysis of the transmission-type measurement of Q-factor

(1999) *IEEE Transactions on Microwave Theory and Techniques*, 47 (3), pp. 367-371. Cited 83 times.

doi: 10.1109/22.750244

[View at Publisher](#)

- 39 Takahashi, K., Kato, H., Saito, T., Matsuyama, S., Kinugasa, S.  
Precise measurement of the size of nanoparticles by dynamic light scattering with uncertainty analysis

(2008) *Particle and Particle Systems Characterization*, 25 (1), pp. 31-38. Cited 73 times.

doi: 10.1002/ppsc.200700015

[View at Publisher](#)

□ 40 Coleman, H.W., Steele, W.G.

## Experimentation, Validation, and Uncertainty Analysis for Engineers: Third Edition

(2009) *Experimentation, Validation, and Uncertainty Analysis for Engineers: Third Edition*, pp. 1-317. Cited 645 times.

<http://onlinelibrary.wiley.com/book/10.1002/9780470485682>

ISBN: 978-047016888-2

doi: 10.1002/9780470485682

[View at Publisher](#)

© Copyright 2020 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

### About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

### Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

### Customer Service

[Help](#)

[Contact us](#)

**ELSEVIER**

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX