



Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

[Full Text](#) | [View at Publisher](#)

International Journal of Hydrogen Energy
Volume 45, Issue 42, 28 August 2020, Pages 22364-22381

Physicochemical and tribological properties of microalgae oil as biolubricant for hydrogen-powered engine (Article)

Cheah, M.Y.^{a,c} Ong, H.C.^{a,c} Zulkifli, N.W.M.^{a,c} Masjuki, H.H.^{a,c} Salleh, A.^{b,d}

^aCentre for Energy Sciences, University of Malaya, Kuala Lumpur, 50603, Malaysia

^bCentre of Tropical Biodiversity Research, Institute of Biological Sciences, Faculty of Science, University of Malaya, Kuala Lumpur, 50603, Malaysia

^cDepartment of Mechanical Engineering, Faculty of Engineering, University of Malaya, Kuala Lumpur, 50603, Malaysia

[View additional affiliations](#) ▾

Abstract

[View references \(70\)](#)

Hydrogen fuel offers a cleaner fuel alternative to fossil fuel due to more efficient burning as well as reduces the environmental and health issues brought by fossil fuel usage. In engine application, regardless of either pure hydrogen or in combination with air or/and other biofuel, all the moving parts are exposed to friction and wear, and lubricant is used to minimize friction and wear for optimum operation. Thus, in this study, the use of microalgae oil as an alternative biolubricant is evaluated from the physicochemical and tribological aspects. It is found that modified microalgae oil (MMO) has demonstrated great anti-friction and anti-wear potential, particularly the 10% modified microalgae oil blend (MMO-10). The coefficient of friction is reduced (up to 10.1%) and significant reductions of wear loss and surface roughness are obtained in comparison to pure poly-alpha-olefin. Lubricant's heat dissipation is also enhanced with MMO addition, demonstrating great prospect for MMO for hydrogen-powered engine utilization. © 2019 Hydrogen Energy Publications LLC

SciVal Topic Prominence

Topic: Biolubricants | Base Stock | Trimethylolpropane

Prominence percentile: 95.080

Metrics [View all metrics](#) ▾

1	Citation in Scopus
	76th percentile
1.03	Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 1 document

Experimental investigation of ZnO nanoparticles effects on thermophysical and tribological properties of diesel oil

Mousavi, S.B. , Zeinali Heris, S. (2020) *International Journal of Hydrogen Energy*

[View details of this citation](#)







Inform me when this document is cited in Scopus:

[Set citation alert](#) ▾

[Set citation feed](#) ▾

Chemistry database information

[View all substances \(10\)](#)



Author keywords

[Adhesive wear](#) [Alternative energy](#) [Friction coefficient](#) [Lubricant additive](#) [Microalgae](#)

Indexed keywords

Engineering controlled terms:

[Adhesives](#) [Algae](#) [Engines](#) [Friction](#) [Hydrogen](#) [Hydrogen fuels](#) [Microorganisms](#)
[Physicochemical properties](#) [Surface roughness](#) [Tribology](#) [Wear of materials](#)

Related documents

The effect of multi-walled carbon nanotubes-additive in physicochemical property of rice bran methyl ester: Optimization analysis

Kusumo, F. , Mahlia, T.M.I. , Shamsuddin, A.H. (2019) *Energies*

The performance and exhaust emissions of a diesel engine fuelled with Calophyllum inophyllum- palm biodiesel

Damanik, N. , Ong, H.C. , Mofijur, M. (2019) *Processes*

Optimization of cerbera manghas biodiesel production using artificial neural networks

Funding details

Funding sponsor	Funding number	Acronym
Universiti Malaya	UM.C/HIR/MOHE/ENG/60,RG112-11AET,PS121/2010B,RP016-2012B	

Funding text

This work was supported by the Ministry of Education (MOE) , Malaysia, and University of Malaya , through the following grants: PS121/2010B , RG112-11AET , RP016-2012B , and UM.C/HIR/MOHE/ENG/60 .

ISSN: 03603199
CODEN: IJHED
Source Type: Journal
Original language: English

DOI: 10.1016/j.ijhydene.2019.11.020
Document Type: Article
Publisher: Elsevier Ltd

References (70)

[View in search results format >](#)

All [Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 1 Ismail, M.S., Moghavvemi, M., Mahlia, T.M.I.

Techno-economic analysis of an optimized photovoltaic and diesel generator hybrid power system for remote houses in a tropical climate

(2013) *Energy Conversion and Management*, 69, pp. 163-173. Cited 173 times.
doi: 10.1016/j.enconman.2013.02.005

[View at Publisher](#)

- 2 Chia, S.R., Ong, H.C., Chew, K.W., Show, P.L., Phang, S.-M., Ling, T.C., Nagarajan, D., (...), Chang, J.-S.

Sustainable approaches for algae utilisation in bioenergy production

(2018) *Renewable Energy*, Part B 129, pp. 838-852. Cited 89 times.
<http://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews/>
doi: 10.1016/j.renene.2017.04.001

[View at Publisher](#)

- 3 Dharma, S., Masjuki, H.H., Ong, H.C., Sebayang, A.H., Silitonga, A.S., Kusumo, F., Mahlia, T.M.I.

Optimization of biodiesel production process for mixed Jatropha curcas-Ceiba pentandra biodiesel using response surface methodology

(2016) *Energy Conversion and Management*, 115, pp. 178-190. Cited 141 times.
doi: 10.1016/j.enconman.2016.02.034

[View at Publisher](#)

- 4 Silitonga, A.S., Atabani, A.E., Mahlia, T.M.I., Masjuki, H.H., Badruddin, I.A., Mekhilef, S.

A review on prospect of Jatropha curcas for biodiesel in Indonesia

(2011) *Renewable and Sustainable Energy Reviews*, 15 (8), pp. 3733-3756. Cited 208 times.
doi: 10.1016/j.rser.2011.07.011

[View at Publisher](#)

- 5 Mehrali, M., Latibari, S.T., Mehrali, M., Indra Mahlia, T.M., Cornelis Metselaar, H.S., Naghavi, M.S., Sadeghinezhad, E., (...), Akhiani, A.R.

Preparation and characterization of palmitic acid/graphene nanoplatelets composite with remarkable thermal conductivity as a novel shape-stabilized phase change material

(2013) *Applied Thermal Engineering*, 61 (2), pp. 633-640. Cited 141 times.
doi: 10.1016/j.applthermaleng.2013.08.035

[View at Publisher](#)

-
- 6 Amin, M., Putra, N., Kosasih, E.A., Prawiro, E., Luanto, R.A., Mahlia, T.M.I.

Thermal properties of beeswax/graphene phase change material as energy storage for building applications

(2017) *Applied Thermal Engineering*, 112, pp. 273-280. Cited 115 times.
<http://www.journals.elsevier.com/applied-thermal-engineering/>
doi: 10.1016/j.applthermaleng.2016.10.085

[View at Publisher](#)

-
- 7 Koten, H.

Hydrogen effects on the diesel engine performance and emissions

(2018) *International Journal of Hydrogen Energy*, 43 (22), pp. 10511-10519. Cited 38 times.
<http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/>
doi: 10.1016/j.ijhydene.2018.04.146

[View at Publisher](#)

-
- 8 Nag, S., Sharma, P., Gupta, A., Dhar, A.

Combustion, vibration and noise analysis of hydrogen-diesel dual fuelled engine

(2019) *Fuel*, 241, pp. 488-494. Cited 15 times.
<http://www.journals.elsevier.com/fuel/>
doi: 10.1016/j.fuel.2018.12.055

[View at Publisher](#)

-
- 9 Tüccar, G., Uludamar, E.

Emission and engine performance analysis of a diesel engine using hydrogen enriched pomegranate seed oil biodiesel

(2018) *International Journal of Hydrogen Energy*, 43 (38), pp. 18014-18019. Cited 26 times.
<http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/>
doi: 10.1016/j.ijhydene.2017.11.124

[View at Publisher](#)

-
- 10 Wang, X., Sun, B.-G., Luo, Q.-H.

Energy and exergy analysis of a turbocharged hydrogen internal combustion engine

(2019) *International Journal of Hydrogen Energy*, pp. 5551-5563. Cited 12 times.
<http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/>
doi: 10.1016/j.ijhydene.2018.10.047

[View at Publisher](#)

-
- 11 Ong, H.C., Masjuki, H.H., Mahlia, T.M.I., Silitonga, A.S., Chong, W.T., Yusaf, T.

Engine performance and emissions using Jatropha curcas, Ceiba pentandra and Calophyllum inophyllum biodiesel in a CI diesel engine

(2014) *Energy*, 69, pp. 427-445. Cited 162 times.
www.elsevier.com/inca/publications/store/4/8/3/
doi: 10.1016/j.energy.2014.03.035

[View at Publisher](#)

- 12 (2018) *Research Grand View. Lubricants market size & share, Industry Analysis Report 2018–2025*, p. 176.

-
- 13 Zulkifli, N.W.M., Kalam, M.A., Masjuki, H.H., Al Mahmud, K.A.H., Yunus, R.
The Effect of Temperature on Tribological Properties of Chemically Modified Bio-Based Lubricant

(2014) *Tribology Transactions*, 57 (3), pp. 408-415. Cited 21 times.
www.tandf.co.uk/journals/titles/10402004.asp
doi: 10.1080/10402004.2013.878777

[View at Publisher](#)

-
- 14 Xu, Y., Zheng, X., Hu, X., Dearn, K.D., Xu, H.
Effect of catalytic esterification on the friction and wear performance of bio-oil

(2014) *Wear*, 311 (1-2), pp. 93-100. Cited 26 times.
doi: 10.1016/j.wear.2013.12.029

[View at Publisher](#)

-
- 15 Gulzar, M., Masjuki, H.H., Alabdulkarem, A., Kalam, M.A., Varman, M., Zulkifli, N.W.M., Zahid, R., (...), Yunus, R.
Chemically active oil filter to develop detergent free bio-based lubrication for diesel engine

(2017) *Energy*, 124, pp. 413-422. Cited 2 times.
www.elsevier.com/inca/publications/store/4/8/3/
doi: 10.1016/j.energy.2017.02.072

[View at Publisher](#)

-
- 16 Zainal, N.A., Zulkifli, N.W.M., Gulzar, M., Masjuki, H.H.
A review on the chemistry, production, and technological potential of bio-based lubricants

(2018) *Renewable and Sustainable Energy Reviews*, Part 1 82, pp. 80-102. Cited 79 times.
doi: 10.1016/j.rser.2017.09.004

[View at Publisher](#)

-
- 17 Sajjadi, B., Raman, A.A.A., Arandiyan, H.
A comprehensive review on properties of edible and non-edible vegetable oil-based biodiesel: Composition, specifications and prediction models

(2016) *Renewable and Sustainable Energy Reviews*, 63, pp. 62-92. Cited 198 times.
doi: 10.1016/j.rser.2016.05.035

[View at Publisher](#)

-
- 18 Mazaheri, H., Ong, H.C., Masjuki, H.H., Amini, Z., Harrison, M.D., Wang, C.-T., Kusumo, F., (...), Alwi, A.
Rice bran oil based biodiesel production using calcium oxide catalyst derived from Chicoreus brunneus shell

(2018) *Energy*, 144, pp. 10-19. Cited 60 times.
www.elsevier.com/inca/publications/store/4/8/3/
doi: 10.1016/j.energy.2017.11.073

[View at Publisher](#)

- 19 Ong, H.C., Milano, J., Silitonga, A.S., Hassan, M.H., Shamsuddin, A.H., Wang, C.-T., Indra Mahlia, T.M., (...), Sutrisno, J.

Biodiesel production from *Calophyllum inophyllum*-*Ceiba pentandra* oil mixture: Optimization and characterization

(2019) *Journal of Cleaner Production*, 219, pp. 183-198. Cited 58 times.

<https://www.journals.elsevier.com/journal-of-cleaner-production>

doi: 10.1016/j.jclepro.2019.02.048

[View at Publisher](#)

- 20 Kusumo, F., Silitonga, A.S., Masjuki, H.H., Ong, H.C., Siswantoro, J., Mahlia, T.M.I.

Optimization of transesterification process for *Ceiba pentandra* oil: A comparative study between kernel-based extreme learning machine and artificial neural networks

(2017) *Energy*, 134, pp. 24-34. Cited 49 times.

www.elsevier.com/inca/publications/store/4/8/3/

doi: 10.1016/j.energy.2017.05.196

[View at Publisher](#)

- 21 Silitonga, A.S., Masjuki, H.H., Mahlia, T.M.I., Ong, H.C., Chong, W.T., Boosroh, M.H.

Overview properties of biodiesel diesel blends from edible and non-edible feedstock

(2013) *Renewable and Sustainable Energy Reviews*, 22, pp. 346-360. Cited 167 times.

doi: 10.1016/j.rser.2013.01.055

[View at Publisher](#)

- 22 Milano, J., Ong, H.C., Masjuki, H.H., Silitonga, A.S., Chen, W.-H., Kusumo, F., Dharma, S., (...), Sebayang, A.H.

Optimization of biodiesel production by microwave irradiation-assisted transesterification for waste cooking oil-*Calophyllum inophyllum* oil via response surface methodology

(2018) *Energy Conversion and Management*, 158, pp. 400-415. Cited 74 times.

doi: 10.1016/j.enconman.2017.12.027

[View at Publisher](#)

- 23 Norhasyima, R.S., Mahlia, T.M.I.

Advances in CO₂ utilization technology: A patent landscape review

(2018) *Journal of CO₂ Utilization*, 26, pp. 323-335. Cited 75 times.

<http://www.journals.elsevier.com/journal-of-co2-utilization/>

doi: 10.1016/j.jcou.2018.05.022

[View at Publisher](#)

- 24 Goh, B.H.H., Ong, H.C., Cheah, M.Y., Chen, W.-H., Yu, K.L., Mahlia, T.M.I.

Sustainability of direct biodiesel synthesis from microalgae biomass: A critical review

(2019) *Renewable and Sustainable Energy Reviews*, 107, pp. 59-74. Cited 72 times.

<https://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews>

doi: 10.1016/j.rser.2019.02.012

[View at Publisher](#)

- 25 Chernova, N.I., Kiseleva, S.V.

Microalgae biofuels: Induction of lipid synthesis for biodiesel production and biomass residues into hydrogen conversion

(2017) *International Journal of Hydrogen Energy*, 42 (5), pp. 2861-2867. Cited 24 times.

<http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/>

doi: 10.1016/j.ijhydene.2016.05.302

[View at Publisher](#)

- 26 Sun, J., Xiong, X., Wang, M., Du, H., Li, J., Zhou, D., Zuo, J.
Microalgae biodiesel production in China: A preliminary economic analysis
(2019) *Renewable and Sustainable Energy Reviews*, 104, pp. 296-306. Cited 22 times.
<https://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews>
doi: 10.1016/j.rser.2019.01.021

[View at Publisher](#)

- 27 Sadvakasova, A.K., Akmukhanova, N.R., Bolatkhan, K., Zayadan, B.K., Usserbayeva, A.A., Bauanova, M.O., Akhmetkaliyeva, A.E., (...), Allakhverdiev, S.I.
Search for new strains of microalgae-producers of lipids from natural sources for biodiesel production
(2019) *International Journal of Hydrogen Energy*, 44 (12), pp. 5844-5853. Cited 9 times.
<http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/>
doi: 10.1016/j.ijhydene.2019.01.093

[View at Publisher](#)

- 28 Menegazzo, M.L., Fonseca, G.G.
Biomass recovery and lipid extraction processes for microalgae biofuels production: A review
(2019) *Renewable and Sustainable Energy Reviews*, 107, pp. 87-107. Cited 22 times.
<https://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews>
doi: 10.1016/j.rser.2019.01.064

[View at Publisher](#)

- 29 Shah, S.H., Raja, I.A., Rizwan, M., Rashid, N., Mahmood, Q., Shah, F.A., Pervez, A.
Potential of microalgal biodiesel production and its sustainability perspectives in Pakistan
(2018) *Renewable and Sustainable Energy Reviews*, Part 1 81, pp. 76-92. Cited 34 times.
doi: 10.1016/j.rser.2017.07.044

[View at Publisher](#)

- 30 Babich, I.V., van der Hulst, M., Lefferts, L., Moulijn, J.A., O'Connor, P., Seshan, K.
Catalytic pyrolysis of microalgae to high-quality liquid bio-fuels
(2011) *Biomass and Bioenergy*, 35 (7), pp. 3199-3207. Cited 174 times.
doi: 10.1016/j.biombioe.2011.04.043

[View at Publisher](#)

- 31 Chaiwong, K., Kiatsiriroat, T., Vorayos, N., Thararax, C.
Study of bio-oil and bio-char production from algae by slow pyrolysis
(2013) *Biomass and Bioenergy*, 56, pp. 600-606. Cited 118 times.
doi: 10.1016/j.biombioe.2013.05.035

[View at Publisher](#)

- 32 Li, Z., Savage, P.E.
Feedstocks for fuels and chemicals from algae: Treatment of crude bio-oil over HZSM-5
(2013) *Algal Research*, 2 (2), pp. 154-163. Cited 71 times.
doi: 10.1016/j.algal.2013.01.003

[View at Publisher](#)

- 33 Lin, B.-J., Chen, W.-H., Hsieh, T.-H., Ong, H.C., Show, P.L., Naqvi, S.R.
Oxidative reaction interaction and synergistic index of emulsified pyrolysis bio-oil/diesel fuels
(2019) *Renewable Energy*, 136, pp. 223-234. Cited 8 times.
<http://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews/>
doi: 10.1016/j.renene.2018.12.111
View at Publisher
-
- 34 Santillan-Jimenez, E., Pace, R., Morgan, T., Behnke, C., Sajkowski, D.J., Lappas, A., Crocker, M.
Co-processing of hydrothermal liquefaction algal bio-oil and petroleum feedstock to fuel-like hydrocarbons via fluid catalytic cracking
(2019) *Fuel Processing Technology*, 188, pp. 164-171. Cited 17 times.
<https://www.journals.elsevier.com/fuel-processing-technology>
doi: 10.1016/j.fuproc.2019.02.018
View at Publisher
-
- 35 Wang, S., Chen, J., Cai, Q., Zhang, F., Wang, Y., Ru, B., Wang, Q.
The effect of mild hydrogenation on the catalytic cracking of bio-oil for aromatic hydrocarbon production
(2016) *International Journal of Hydrogen Energy*, 41 (37), pp. 16385-16393. Cited 35 times.
<http://www.journals.elsevier.com/international-journal-of-hydrogen-energy/>
doi: 10.1016/j.ijhydene.2015.12.024
View at Publisher
-
- 36 Xu, Y., Hu, X., Yuan, K., Zhu, G., Wang, W.
Friction and wear behaviors of catalytic methylesterified bio-oil
(2014) *Tribology International*, 71, pp. 168-174. Cited 26 times.
doi: 10.1016/j.triboint.2013.11.018
View at Publisher
-
- 37 Xu, Y., Zheng, X., Peng, Y., Li, B., Hu, X., Yin, Y.
Upgrading the lubricity of bio-oil via homogeneous catalytic esterification under vacuum distillation conditions
(2015) *Biomass and Bioenergy*, 80, pp. 1-9. Cited 9 times.
<http://www.journals.elsevier.com/biomass-and-bioenergy/>
doi: 10.1016/j.biombioe.2015.04.027
View at Publisher
-
- 38 Milano, J., Ong, H.C., Masjuki, H.H., Silitonga, A.S., Kusumo, F., Dharma, S., Sebayang, A.H., (...), Wang, C.-T.
Physicochemical property enhancement of biodiesel synthesis from hybrid feedstocks of waste cooking vegetable oil and Beauty leaf oil through optimized alkaline-catalysed transesterification
(2018) *Waste Management*, 80, pp. 435-449. Cited 22 times.
www.elsevier.com/locate/wasman
doi: 10.1016/j.wasman.2018.09.005
View at Publisher
-
- 39 FOLCH, J., ASCOLI, I., LEES, M., MEATH, J.A., LeBARON, N.
Preparation of lipide extracts from brain tissue.
(1951) *The Journal of biological chemistry*, 191 (2), pp. 833-841. Cited 676 times.
View at Publisher

- 40 Bin Sayeed, M.S., Karim, S.M.R., Sharmin, T., Morshed, M.M. Critical analysis on characterization, systemic effect, and therapeutic potential of beta-sitosterol: a plant-derived orphan phytosterol (2016) *Medicines*, 3, p. 29. Cited 33 times.

- 41 Gabay, O., Sanchez, C., Salvat, C., Chevy, F., Breton, M., Nourissat, G., Wolf, C., (...), Berenbaum, F. Stigmasterol: a phytosterol with potential anti-osteoarthritic properties ([Open Access](#)) (2010) *Osteoarthritis and Cartilage*, 18 (1), pp. 106-116. Cited 181 times.
doi: 10.1016/j.joca.2009.08.019

[View at Publisher](#)

- 42 Danping, W., Spikes, H.A. The lubricity of diesel fuels (1986) *Wear*, 111 (2), pp. 217-235. Cited 132 times.
doi: 10.1016/0043-1648(86)90221-8

[View at Publisher](#)

- 43 Hughes, J.M., Mushrush, G.W., Hardy, D.R. The relationship between the base extractable species found in middle distillate fuel and lubricity (2003) *Energy and Fuels*, 17 (2), pp. 444-449. Cited 16 times.
doi: 10.1021/ef010281b

[View at Publisher](#)

- 44 Adhvaryu, A., Erhan, S.Z., Perez, J.M. Tribological studies of thermally and chemically modified vegetable oils for use as environmentally friendly lubricants (2004) *Wear*, 257 (3-4), pp. 359-367. Cited 183 times.
doi: 10.1016/j.wear.2004.01.005

[View at Publisher](#)

- 45 Chen, B., Wan, C., Mehmood, M.A., Chang, J.-S., Bai, F., Zhao, X. Manipulating environmental stresses and stress tolerance of microalgae for enhanced production of lipids and value-added products—A review (2017) *Bioresource Technology*, Part 2 244, pp. 1198-1206. Cited 83 times.
www.elsevier.com/locate/biortech
doi: 10.1016/j.biortech.2017.05.170

[View at Publisher](#)

- 46 Griffiths, M.J., van Hille, R.P., Harrison, S.T.L. Lipid productivity, settling potential and fatty acid profile of 11 microalgal species grown under nitrogen replete and limited conditions (2012) *Journal of Applied Phycology*, 24 (5), pp. 989-1001. Cited 208 times.
doi: 10.1007/s10811-011-9723-y

[View at Publisher](#)

- 47 Ruangsomboon, S. Effect of light, nutrient, cultivation time and salinity on lipid production of newly isolated strain of the green microalga, *Botryococcus braunii* KMITL 2 (2012) *Bioresource Technology*, 109, pp. 261-265. Cited 145 times.
doi: 10.1016/j.biortech.2011.07.025

[View at Publisher](#)

48 Rai, M.P., Gupta, S.

Effect of media composition and light supply on biomass, lipid content and FAME profile for quality biofuel production from *Scenedesmus abundans*

(2017) *Energy Conversion and Management*, 141, pp. 85-92. Cited 35 times.
doi: 10.1016/j.enconman.2016.05.018

[View at Publisher](#)

49 Li, T., Gargouri, M., Feng, J., Park, J.-J., Gao, D., Miao, C., Dong, T., (...), Chen, S.

Regulation of starch and lipid accumulation in a microalga *Chlorella sorokiniana*
(Open Access)

(2015) *Bioresource Technology*, 180, pp. 250-257. Cited 58 times.
www.elsevier.com/locate/biotech
doi: 10.1016/j.biortech.2015.01.005

[View at Publisher](#)

50 Nagappan, S., Devendran, S., Tsai, P.-C., Dahms, H.-U., Ponnusamy, V.K.

Potential of two-stage cultivation in microalgae biofuel production

(2019) *Fuel*, 252, pp. 339-349. Cited 25 times.
<http://www.journals.elsevier.com/fuel/>
doi: 10.1016/j.fuel.2019.04.138

[View at Publisher](#)

51 Geller, D.P., Goodrum, J.W.

Effects of specific fatty acid methyl esters on diesel fuel lubricity

(2004) *Fuel*, 83 (17-18), pp. 2351-2356. Cited 196 times.
<http://www.journals.elsevier.com/fuel/>
doi: 10.1016/j.fuel.2004.06.004

[View at Publisher](#)

52 Fox, N.J., Tyrer, B., Stachowiak, G.W.

Boundary lubrication performance of free fatty acids in sunflower oil

(2004) *Tribology Letters*, 16 (4), pp. 275-281. Cited 107 times.
[http://www.springerlink.com/\(snpxut45gxflnr45vb2gia45\)/app/home/journal.asp?referrer=parent&backto=searchpublicationsresults,1,2;](http://www.springerlink.com/(snpxut45gxflnr45vb2gia45)/app/home/journal.asp?referrer=parent&backto=searchpublicationsresults,1,2;)
doi: 10.1023/B:TRIL.0000015203.08570.82

[View at Publisher](#)

53 Talib, N., Rahim, E.A.

Performance of modified jatropha oil in combination with hexagonal boron nitride particles as a bio-based lubricant for green machining

(2018) *Tribology International*, 118, pp. 89-104. Cited 37 times.
www.elsevier.com/inca/publications/store/3/0/4/7/4
doi: 10.1016/j.triboint.2017.09.016

[View at Publisher](#)

54 Zulkifli, N.W.M., Kalam, M.A., Masjuki, H.H., Shahabuddin, M., Yunus, R.

Wear prevention characteristics of a palm oil-based TMP (trimethylolpropane) ester as an engine lubricant

(2013) *Energy*, 54, pp. 167-173. Cited 103 times.
www.elsevier.com/inca/publications/store/4/8/3/
doi: 10.1016/j.energy.2013.01.038

[View at Publisher](#)

- 55 Zulkifli, N.W.M., Azman, S.S.N., Kalam, M.A., Masjuki, H.H., Yunus, R., Gulzar, M. Lubricity of bio-based lubricant derived from different chemically modified fatty acid methyl ester
(2016) *Tribology International*, Part B 93, pp. 555-562. Cited 45 times.
<http://www.elsevier.com/inca/publications/store/3/0/4/7/>
doi: 10.1016/j.triboint.2015.03.024
- [View at Publisher](#)
-
- 56 Fazal, M.A., Suhaila, N.R., Haseeb, A.S.M.A., Rubaiee, S., Al-Zahrani, A. Influence of copper on the instability and corrosiveness of palm biodiesel and its blends: An assessment on biodiesel sustainability
(2018) *Journal of Cleaner Production*, 171, pp. 1407-1414. Cited 27 times.
doi: 10.1016/j.jclepro.2017.10.144
- [View at Publisher](#)
-
- 57 Kumar, N. Oxidative stability of biodiesel: Causes, effects and prevention
(2017) *Fuel*, 190, pp. 328-350. Cited 98 times.
<http://www.journals.elsevier.com/fuel/>
doi: 10.1016/j.fuel.2016.11.001
- [View at Publisher](#)
-
- 58 Hong, I.K., Lee, J.R., Lee, S.B. Fuel properties of canola oil and lard biodiesel blends: Higher heating value, oxidative stability, and kinematic viscosity
(2015) *Journal of Industrial and Engineering Chemistry*, 22, pp. 335-340. Cited 12 times.
<http://www.sciencedirect.com/science/journal/1226086X>
doi: 10.1016/j.jiec.2014.07.027
- [View at Publisher](#)
-
- 59 Viscosity of lubricants
(2001) *Lubrication and reliability handbook*. Woburn, pp. 1-4.
M.J. Neale Butterworth-Heinemann
-
- 60 Kalam, M.A., Masjuki, H.H., Cho, H.M., Mosarof, M.H., Mahmud, M.I., Chowdhury, M.A., Zulkifli, N.W.M. Influences of thermal stability, and lubrication performance of biodegradable oil as an engine oil for improving the efficiency of heavy duty diesel engine
(2017) *Fuel*, 196, pp. 36-46. Cited 14 times.
<http://www.journals.elsevier.com/fuel/>
doi: 10.1016/j.fuel.2017.01.071
- [View at Publisher](#)
-
- 61 Ashraful, A.M., Masjuki, H.H., Kalam, M.A., Rahman, S.M.A., Habibullah, M., Syazwan, M. Study of the effect of storage time on the oxidation and thermal stability of various biodiesels and their blends
(2014) *Energy and Fuels*, 28 (2), pp. 1081-1089. Cited 21 times.
doi: 10.1021/ef402411v
- [View at Publisher](#)

- 62 Reeves, C.J., Menezes, P.L., Jen, T.-C., Lovell, M.R.
The influence of fatty acids on tribological and thermal properties of natural oils as sustainable biolubricants
(2015) *Tribology International*, 90, pp. 123-134. Cited 76 times.
www.elsevier.com/inca/publications/store/3/0/4/7/4
doi: 10.1016/j.triboint.2015.04.021
[View at Publisher](#)
-
- 63 Sukjit, E., Tongroon, M., Chollacoop, N., Yoshimura, Y., Poapongsakorn, P., Lapuerta, M., Dearn, K.D.
Improvement of the tribological behaviour of palm biodiesel via partial hydrogenation of unsaturated fatty acid methyl esters
(2019) *Wear*, Part A 426-427, pp. 813-818. Cited 4 times.
doi: 10.1016/j.wear.2018.12.017
[View at Publisher](#)
-
- 64 Mosarof, M.H., Kalam, M.A., Masjuki, H.H., Alabdulkarem, A., Habibullah, M., Arslan, A., Monirul, I.M.
Assessment of friction and wear characteristics of *Calophyllum inophyllum* and palm biodiesel
(2016) *Industrial Crops and Products*, 83, pp. 470-483. Cited 28 times.
www.elsevier.com/inca/publications/store/5/2/2/8/2/5
doi: 10.1016/j.indcrop.2015.12.082
[View at Publisher](#)
-
- 65 Habibullah, M., Masjuki, H.H., Kalam, M.A., Zulkifli, N.W.M., Masum, B.M., Arslan, A., Gulzar, M.
Friction and wear characteristics of *Calophyllum inophyllum* biodiesel
(2015) *Industrial Crops and Products*, 76, pp. 188-197. Cited 36 times.
www.elsevier.com/inca/publications/store/5/2/2/8/2/5
doi: 10.1016/j.indcrop.2015.05.042
[View at Publisher](#)
-
- 66 Imran, A., Masjuki, H.H., Kalam, M.A., Varman, M., Hasmelidin, M., Al Mahmud, K.A.H., Shahir, S.A., (...), Habibullah, M.
Study of friction and wear characteristic of Jatropha oil blended lube oil [\(Open Access\)](#)
(2013) *Procedia Engineering*, 68, pp. 178-185. Cited 23 times.
<http://www.sciencedirect.com/science/journal/18777058>
doi: 10.1016/j.proeng.2013.12.165
[View at Publisher](#)
-
- 67 Ghasemi, R., Fazlali, A., Mohammadi, A.H.
Effects of TiO₂ nanoparticles and oleic acid surfactant on the rheological behavior of engine lubricant oil
(2018) *Journal of Molecular Liquids*, 268, pp. 925-930. Cited 12 times.
doi: 10.1016/j.molliq.2018.07.002
[View at Publisher](#)
-
- 68 Bhushan, B.
Introduction to tribology
(2013). Cited 1282 times.
John Wiley & Sons New York, USA
-
- 69 Errichello, R., Cardis, A.B.
Additives: anti-wear vs. anti-scuff. Is one better?
(2014) *Gear Technol*, p. 71.

70 Astakhov, V.P., Stanley, A.

Polycrystalline diamond (PCD) tool material: emerging applications, problems, and possible solutions

(2015) *Traditional machining processes: research advances*, pp. 1-32. Cited 4 times.

J.P. Davim Springer Berlin, Heidelberg Berlin Heidelberg

✉ Cheah, M.Y.; Centre for Energy Sciences, University of Malaya, Kuala Lumpur, Malaysia;

email:meiye_cheah@yahoo.com

© Copyright 2020 Elsevier B.V., All rights reserved.

[Back to results](#) | 1 of 1

[Top of page](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

Customer Service

[Help](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX