



&lt; Back to results | 1 of 1

[↗ Export](#)
[↓ Download](#)
[🖨 Print](#)
[✉ E-mail](#)
[📄 Save to PDF](#)
[★ Add to List](#)
[More... >](#)
[Full Text](#) | [View at Publisher](#)
**Document type**

Review

**Source type**

Journal

**ISSN**

19764251

**DOI**

10.1007/s42823-020-00212-3

[View more](#) ✓

Carbon Letters • Open Access • Volume 31, Issue 3, Pages 371 - 388 • June 2021

A short review on electrochemical exfoliation of graphene and graphene quantum dots

Danial W.H.<sup>a</sup>✉, Norhisham N.A.<sup>a</sup>, Ahmad Noorden A.F.<sup>b</sup>, Abdul Majid Z.<sup>c</sup>, Matsumura K.<sup>d</sup>, Iqbal A.<sup>e</sup>[📄 Save all to author list](#)<sup>a</sup> Department of Chemistry, Kulliyah of Science, International Islamic University Malaysia, Kuantan, 25200, Malaysia<sup>b</sup> Advanced Optoelectronics Research Group (CAPTOR), Department of Physics, Kulliyah of Science, International Islamic University Malaysia, Kuantan, 25200, Malaysia<sup>c</sup> Department of Chemistry, Faculty of Science, Universiti Teknologi Malaysia, UTM Johor Bahru, 81310, Malaysia<sup>d</sup> Department of Material Science and Engineering, Shibaura Institute of Technology, 3-7-5 Toyosu, Koto-ku, Tokyo, 135-8548, Japan[View additional affiliations](#) ✓

Abstract

Author keywords

Reaxys Chemistry database information

Topics of prominence

Funding details

**Abstract**

The synthesis of graphene and graphene quantum dots (GQDs) employing various approaches with a range of precursors, chemicals, and parameters has been reported. Most of the top-down and bottom-up techniques employ strong and hazardous chemical environments, complicated and tedious procedures, are time-consuming, and often require special equipment. Another drawback of the techniques reported is the production of agglomerated, inhomogeneous, and non-dispersible graphene in aqueous solvents or organic solvents, thus limiting its application. This work specifically and comprehensively describes the electrochemical exfoliation of graphene and GQDs, which is often considered as a simple one-step, facile, non-hazardous, and highly efficient technique yet favourable for mass production. A brief discussion on the advantageous and challenges of the electrochemical technique and applications of the electrochemically exfoliated graphene and GQDs is also presented. © 2021, Korean Carbon Society.

**Author keywords**

Electrochemical ; Exfoliation ; Graphene ; Graphene quantum dots

**Metrics** ⓘ [View all metrics >](#)**41** Views Count 2021 ⓘ

Last updated on:

27 April 2021

**41** 2011-2021

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)**Related documents**

Electrochemical Cutting in Weak Aqueous Electrolytes: The Strategy for Efficient and Controllable Preparation of Graphene Quantum Dots

Huang, H. , Yang, S. , Li, Q. (2018) *Langmuir*


Avenue to Large-Scale Production of Graphene Quantum Dots from High-Purity Graphene Sheets Using Laboratory-Grade Graphite Electrodes


Kapoor, S. , Jha, A. , Ahmad, H. (2020) *ACS Omega*


Energetically efficient and electrochemically tuneable exfoliation of graphite: process monitoring and product characterization


Ljubek, G. , Čapeta, D. , Šrut Rakić, I. (2021) *Journal of Materials Science*[View all related documents based on references](#)[Find more related documents in Scopus based on:](#)[Authors >](#) [Keywords >](#)


View all substances (6)

  
View details


  
View details

  
View details

  
View details

Powered by **Topic cluster**

Carbon Quantum Dots; Nanodots; Carbon Nanoparticles

**Prominence percentile**99.977036 **Funding sponsor****Funding number****Acronym**

Ministry of Higher Education

MOHE

See opportunities by MOHE [↗](#)

International Islamic University Malaysia



IIUM

See opportunities by IIUM [↗](#)**Funding text**

This work was supported by the Fundamental Research Grant Scheme (FRGS/1/2018/STG01/UIAM/03/2) (FRGS19-015-0623), Ministry of Higher Education (MOHE), Malaysia and Department of Chemistry, Kulliyah of Science, International Islamic University Malaysia.

**References (85)**[View in search results format >](#)☐ All

Export

 Print E-mail Save to PDF

Create bibliography

- ☐ 1 Geim, A.K., Novoselov, K.S.

**The rise of graphene**

(2007) *Nature Materials*, 6 (3), pp. 183-191. Cited 30181 times.  
doi: 10.1038/nmat1849

[View at Publisher](#)

- ☐ 2 Phiri, J., Gane, P., Maloney, T.C.

**General overview of graphene: Production, properties and application in polymer composites** ([Open Access](#))

(2017) *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 215, pp. 9-28. Cited 162 times.  
doi: 10.1016/j.mseb.2016.10.004

[View at Publisher](#)

- ☐ 3 Prabhu, S.A., Kavithayeni, V., Suganthy, R., Geetha, K.  
**Graphene quantum dots synthesis and energy application: a review** (Open Access)  
  
(2021) *Carbon Letters*, 31 (1). Cited 4 times.  
<https://link-springer-com.ezlib.iium.edu.my/journal/42823>  
doi: 10.1007/s42823-020-00154-w  
  
View at Publisher
- 
- ☐ 4 Xia, Z., Maccaferri, G., Zanardi, C., Christian, M., Ortolani, L., Morandi, V., Bellani, V., (...), Palermo, V.  
**Dispersion Stability and Surface Morphology Study of Electrochemically Exfoliated Bilayer Graphene Oxide**  
  
(2019) *Journal of Physical Chemistry C*, 123 (24), pp. 15122-15130. Cited 11 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/jpcck>  
doi: 10.1021/acs.jpcc.9b03395  
  
View at Publisher
- 
- ☐ 5 Tarhini, A., Tehrani-Bagha, A., Kazan, M., Grady, B.  
**The effect of graphene flake size on the properties of graphene-based polymer composite films**  
  
(2021) *Journal of Applied Polymer Science*, 138 (6), art. no. 49821.  
[http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/\(ISSN\)1097-4628](http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/(ISSN)1097-4628)  
doi: 10.1002/app.49821  
  
View at Publisher
- 
- ☐ 6 Kumar, A., Sharma, K., Dixit, A.R.  
**A review on the mechanical properties of polymer composites reinforced by carbon nanotubes and graphene** (Open Access)  
  
(2021) *Carbon Letters*, 31 (2), pp. 149-165. Cited 8 times.  
<https://link-springer-com.ezlib.iium.edu.my/journal/42823>  
doi: 10.1007/s42823-020-00161-x  
  
View at Publisher
- 
- ☐ 7 Lawal, A.T.  
**Graphene-based nano composites and their applications. A review**  
  
(2019) *Biosensors and Bioelectronics*, 141, art. no. 111384. Cited 71 times.  
[www.elsevier.com/locate/bios](http://www.elsevier.com/locate/bios)  
doi: 10.1016/j.bios.2019.111384  
  
View at Publisher
- 
- ☐ 8 Ambrosi, A., Chua, C.K., Bonanni, A., Pumera, M.  
**Electrochemistry of graphene and related materials** (Open Access)  
  
(2014) *Chemical Reviews*, 114 (14), pp. 7150-7188. Cited 688 times.  
doi: 10.1021/cr500023c  
  
View at Publisher
-

- 9 Arshad, A., Jabbal, M., Yan, Y., Reay, D.  
A review on graphene based nanofluids: Preparation, characterization and applications ([Open Access](#))  
(2019) *Journal of Molecular Liquids*, 279, pp. 444-484. Cited 60 times.  
doi: 10.1016/j.molliq.2019.01.153  
[View at Publisher](#)
- 
- 10 Hummers, W.S., Offeman, R.E.  
Preparation of Graphitic Oxide  
(1958) *Journal of the American Chemical Society*, 80 (6), p. 1339. Cited 23679 times.  
doi: 10.1021/ja01539a017  
[View at Publisher](#)
- 
- 11 Dong, X., Cao, Y., Wang, J., Chan-Park, M.B., Wang, L., Huang, W., Chen, P.  
Hybrid structure of zinc oxide nanorods and three dimensional graphene foam for supercapacitor and electrochemical sensor applications  
(2012) *RSC Advances*, 2 (10), pp. 4364-4369. Cited 249 times.  
doi: 10.1039/c2ra01295b  
[View at Publisher](#)
- 
- 12 Emtsev, K.V., Bostwick, A., Horn, K., Jobst, J., Kellogg, G.L., Ley, L., McChesney, J.L., (...), Seyller, T.  
Towards wafer-size graphene layers by atmospheric pressure graphitization of silicon carbide ([Open Access](#))  
(2009) *Nature Materials*, 8 (3), pp. 203-207. Cited 1979 times.  
<http://www.nature.com/nmat/>  
doi: 10.1038/nmat2382  
[View at Publisher](#)
- 
- 13 Yang, X., Dou, X., Rouhanipour, A., Zhi, L., Räder, H.J., Müllen, K.  
Two-dimensional graphene nanoribbons  
(2008) *Journal of the American Chemical Society*, 130 (13), pp. 4216-4217. Cited 586 times.  
doi: 10.1021/ja710234t  
[View at Publisher](#)
- 
- 14 Guermoune, A., Chari, T., Popescu, F., Sabri, S.S., Guillemette, J., Skulason, H.S., Szkopek, T., (...), Siaz, M.  
Chemical vapor deposition synthesis of graphene on copper with methanol, ethanol, and propanol precursors  
(2011) *Carbon*, 49 (13), pp. 4204-4210. Cited 232 times.  
doi: 10.1016/j.carbon.2011.05.054  
[View at Publisher](#)
-

- 15 Cirone, J., Ahmed, S.R., Wood, P.C., Chen, A.  
**Green Synthesis and Electrochemical Study of Cobalt/Graphene Quantum Dots for Efficient Water Splitting**  
(2019) *Journal of Physical Chemistry C*, 123 (14), pp. 9183-9191. Cited 6 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/jpcck>  
doi: 10.1021/acs.jpcc.9b00951  
View at Publisher
- 

- 16 Miltenburg, M.B., Schon, T.B., Kynaston, E.L., Manion, J.G., Seferos, D.S.  
**Electrochemical Polymerization of Functionalized Graphene Quantum Dots (Open Access)**  
(2017) *Chemistry of Materials*, 29 (16), pp. 6611-6615. Cited 17 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/cmatex>  
doi: 10.1021/acs.chemmater.7b01700  
View at Publisher
- 

- 17 Wang, D., Chen, J.-F., Dai, L.  
**Recent advances in graphene quantum dots for fluorescence bioimaging from cells through tissues to animals**  
(2015) *Particle and Particle Systems Characterization*, 32 (5), pp. 515-523. Cited 70 times.  
[http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/\(ISSN\)1521-4117](http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/(ISSN)1521-4117)  
doi: 10.1002/ppsc.201400219  
View at Publisher
- 

- 18 Ozhukil Valappil, M., K. Pillai, V., Alwarappan, S.  
**Spotlighting graphene quantum dots and beyond: Synthesis, properties and sensing applications**  
(2017) *Applied Materials Today*, 9, pp. 350-371. Cited 38 times.  
<http://www.journals.elsevier.com/applied-materials-today/>  
doi: 10.1016/j.apmt.2017.09.002  
View at Publisher
- 

- 19 Tian, P., Tang, L., Teng, K.S., Lau, S.P.  
**Graphene quantum dots from chemistry to applications (Open Access)**  
(2018) *Materials Today Chemistry*, 10, pp. 221-258. Cited 142 times.  
<https://www.journals.elsevier.com/materials-today-chemistry/>  
doi: 10.1016/j.mtchem.2018.09.007  
View at Publisher
- 

- 20 Shen, J., Zhu, Y., Yang, X., Li, C.  
**Graphene quantum dots: Emergent nanolights for bioimaging, sensors, catalysis and photovoltaic devices**  
(2012) *Chemical Communications*, 48 (31), pp. 3686-3699. Cited 1464 times.  
doi: 10.1039/c2cc00110a  
View at Publisher
-

- ☐ 21 Li, W., Li, M., Liu, Y., Pan, D., Li, Z., Wang, L., Wu, M.  
**Three Minute Ultrarapid Microwave-Assisted Synthesis of Bright Fluorescent Graphene Quantum Dots for Live Cell Staining and White LEDs**  
(2018) *ACS Applied Nano Materials*, 1 (4), pp. 1623-1630. Cited 34 times.  
<https://pubs-acsc-org.ezlib.iium.edu.my/journal/aanmf6>  
doi: 10.1021/acsanm.8b00114  
[View at Publisher](#)
- 
- ☐ 22 Abbas, A., Mariana, L.T., Phan, A.N.  
**Biomass-waste derived graphene quantum dots and their applications** ([Open Access](#))  
(2018) *Carbon*, 140, pp. 77-99. Cited 54 times.  
<http://www.journals.elsevier.com/carbon/>  
doi: 10.1016/j.carbon.2018.08.016  
[View at Publisher](#)
- 
- ☐ 23 Zheng, X.T., Ananthanarayanan, A., Luo, K.Q., Chen, P.  
**Glowing graphene quantum dots and carbon dots: Properties, syntheses, and biological applications**  
(2015) *Small*, 11 (14), pp. 1620-1636. Cited 1175 times.  
[http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/\(ISSN\)1613-6829](http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/(ISSN)1613-6829)  
doi: 10.1002/smll.201402648  
[View at Publisher](#)
- 
- ☐ 24 Zhao, Y., Hu, C., Hu, Y., Cheng, H., Shi, G., Qu, L.  
**A versatile, ultralight, nitrogen-doped graphene framework**  
(2012) *Angewandte Chemie - International Edition*, 51 (45), pp. 11371-11375. Cited 625 times.  
doi: 10.1002/anie.201206554  
[View at Publisher](#)
- 
- ☐ 25 Li, Y., Li, S., Wang, Y., Wang, J., Liu, H., Liu, X., Wang, L., (...), Ma, N.  
**Electrochemical synthesis of phosphorus-doped graphene quantum dots for free radical scavenging**  
(2017) *Physical Chemistry Chemical Physics*, 19 (18), pp. 11631-11638. Cited 73 times.  
<http://www.rsc.org/Publishing/Journals/CP/index.asp>  
doi: 10.1039/c6cp06377b  
[View at Publisher](#)
- 
- ☐ 26 Zhang, X., Wei, C., Li, Y., Yu, D.  
**Shining luminescent graphene quantum dots: Synthesis, physicochemical properties, and biomedical applications**  
(2019) *TrAC - Trends in Analytical Chemistry*, 116, pp. 109-121. Cited 23 times.  
[www.elsevier.com/locate/trac](http://www.elsevier.com/locate/trac)  
doi: 10.1016/j.trac.2019.03.011  
[View at Publisher](#)

- ☐ 27 Zhu, S., Zhang, J., Qiao, C., Tang, S., Li, Y., Yuan, W., Li, B., (...), Yang, B.  
**Strongly green-photoluminescent graphene quantum dots for bioimaging applications**  
(2011) *Chemical Communications*, 47 (24), pp. 6858-6860. Cited 1154 times.  
<http://pubs.rsc.org/en/journals/journal/cc>  
doi: 10.1039/c1cc11122a  
[View at Publisher](#)
- 
- ☐ 28 Pan, D., Guo, L., Zhang, J., Xi, C., Xue, Q., Huang, H., Li, J., (...), Wu, M.  
**Cutting sp<sup>2</sup> clusters in graphene sheets into colloidal graphene quantum dots with strong green fluorescence**  
(2012) *Journal of Materials Chemistry*, 22 (8), pp. 3314-3318. Cited 353 times.  
doi: 10.1039/c2jm16005f  
[View at Publisher](#)
- 
- ☐ 29 Peng, J., Gao, W., Gupta, B.K., Liu, Z., Romero-Aburto, R., Ge, L., Song, L., (...), Ajayan, P.M.  
**Graphene quantum dots derived from carbon fibers**  
(2012) *Nano Letters*, 12 (2), pp. 844-849. Cited 1590 times.  
doi: 10.1021/nl2038979  
[View at Publisher](#)
- 
- ☐ 30 Danial, W.H., Chutia, A., Majid, Z.A., Sahnoun, R., Aziz, M.  
**Electrochemical synthesis and characterization of stable colloidal suspension of graphene using two-electrode cell system**  
(2015) *AIP Conference Proceedings*, 1669, art. no. 4919158.  
<http://scitation.aip.org/content/aip/proceeding/aipcp>  
ISBN: 978-073541316-0  
doi: 10.1063/1.4919158  
[View at Publisher](#)
- 
- ☐ 31 Ahirwar, S., Mallick, S., Bahadur, D.  
**Electrochemical Method to Prepare Graphene Quantum Dots and Graphene Oxide Quantum Dots ([Open Access](#))**  
(2017) *ACS Omega*, 2 (11), pp. 8343-8353. Cited 68 times.  
[pubs.acs.org/journal/acsodf](https://pubs.acs.org/journal/acsodf)  
doi: 10.1021/acsomega.7b01539  
[View at Publisher](#)
- 
- ☐ 32 Deng, J., Lu, Q., Li, H., Zhang, Y., Yao, S.  
**Large scale preparation of graphene quantum dots from graphite oxide in pure water via one-step electrochemical tailoring**  
(2015) *RSC Advances*, 5 (38), pp. 29704-29707. Cited 34 times.  
<http://pubs.rsc.org/en/journals/journal/ra>  
doi: 10.1039/c4ra16805d  
[View at Publisher](#)
-

- 33 Ananthanarayanan, A., Wang, X., Routh, P., Sana, B., Lim, S., Kim, D.-H., Lim, K.-H., (...), Chen, P.

Facile synthesis of graphene quantum dots from 3D graphene and their application for Fe<sup>3+</sup> sensing

(2014) *Advanced Functional Materials*, 24 (20), pp. 3021-3026. Cited 338 times.

[http://www3.interscience.wiley.com.ezlib.iium.edu.my/journal/117935002/gro](http://www3.interscience.wiley.com.ezlib.iium.edu.my/journal/117935002/grouphome)  
[uphome](http://www3.interscience.wiley.com.ezlib.iium.edu.my/journal/117935002/grouphome)

doi: 10.1002/adfm.201303441

[View at Publisher](#)

- 34 Peng, J., Zhao, Z., Zheng, M., Su, B., Chen, X., Chen, X.

Electrochemical synthesis of phosphorus and sulfur co-doped graphene quantum dots as efficient electrochemiluminescent immunomarkers for monitoring okadaic acid

(2020) *Sensors and Actuators, B: Chemical*, 304, art. no. 127383. Cited 10 times.

<https://www.journals.elsevier.com/sensors-and-actuators-b-chemical>

doi: 10.1016/j.snb.2019.127383

[View at Publisher](#)

- 35 He, M., Guo, X., Huang, J., Shen, H., Zeng, Q., Wang, L.

Mass production of tunable multicolor graphene quantum dots from an energy resource of coke by a one-step electrochemical exfoliation

(2018) *Carbon*, 140, pp. 508-520. Cited 24 times.

<http://www.journals.elsevier.com/carbon/>

doi: 10.1016/j.carbon.2018.08.067

[View at Publisher](#)

- 36 Novoselov, K.S., Geim, A.K., Morozov, S.V., Jiang, D., Zhang, Y., Dubonos, S.V., Grigorieva, I.V., (...), Firsov, A.A.

Electric field in atomically thin carbon films ([Open Access](#))

(2004) *Science*, 306 (5696), pp. 666-669. Cited 44825 times.

doi: 10.1126/science.1102896

[View at Publisher](#)

- 37 Guerrero-Contreras, J., Caballero-Briones, F.

Graphene oxide powders with different oxidation degree, prepared by synthesis variations of the Hummers method

(2015) *Materials Chemistry and Physics*, 153, pp. 209-220. Cited 279 times.

doi: 10.1016/j.matchemphys.2015.01.005

[View at Publisher](#)

- 38 Lee, I., Nam, J., Park, S.J., Bae, D.J., Hong, S., Kim, K.S.

Rapid chemical vapor deposition of graphene using methanol as a precursor ([Open Access](#))

(2021) *Carbon Letters*, 31 (2), pp. 307-313.

<https://link.springer-com.ezlib.iium.edu.my/journal/42823>

doi: 10.1007/s42823-020-00166-6

[View at Publisher](#)



- 39 Lee, S.H., Kim, D.Y., Lee, J., Lee, S.B., Han, H., Kim, Y.Y., Mun, S.C., (...), Park, O.O.

Synthesis of Single-Crystalline Hexagonal Graphene Quantum Dots from Solution Chemistry

(2019) *Nano Letters*, 19 (8), pp. 5437-5442. Cited 16 times.

<http://pubs.acs.org.ezlib.iium.edu.my/journal/nalefd>

doi: 10.1021/acs.nanolett.9b01940

[View at Publisher](#)

- 40 Htwe, Y.Z.N., Chow, W.S., Suda, Y., Thant, A.A., Mariatti, M.

Effect of electrolytes and sonication times on the formation of graphene using an electrochemical exfoliation process

(2019) *Applied Surface Science*, 469, pp. 951-961. Cited 26 times.

<http://www.journals.elsevier.com/applied-surface-science/>

doi: 10.1016/j.apsusc.2018.11.029

[View at Publisher](#)

- 41 Alanyalioglu, M., Segura, J.J., Oró-Sol, J., Casañ-Pastor, N.

The synthesis of graphene sheets with controlled thickness and order using surfactant-assisted electrochemical processes

(2012) *Carbon*, 50 (1), pp. 142-152. Cited 165 times.

<http://www.journals.elsevier.com/carbon/>

doi: 10.1016/j.carbon.2011.07.064

[View at Publisher](#)

- 42 Zhong, Y.L., Swager, T.M.

Enhanced electrochemical expansion of graphite for in situ electrochemical functionalization

(2012) *Journal of the American Chemical Society*, 134 (43), pp. 17896-

17899. Cited 128 times.

doi: 10.1021/ja309023f

[View at Publisher](#)

- 43 Tiwari, S.K., Huczko, A., Oraon, R., De Adhikari, A., Nayak, G.C.

Facile electrochemical synthesis of few layered graphene from discharged battery electrode and its application for energy storage ([Open Access](#))

(2017) *Arabian Journal of Chemistry*, 10 (4), pp. 556-565. Cited 27 times.

<http://colleges.ksu.edu.sa/Arabic%20Colleges/CollegeOfScience/ChemicalDept/AJC/default.aspx> ([ScienceDirect](#))

<http://www.sciencedirect.com.ezlib.iium.edu.my/science/journal/18785352>

doi: 10.1016/j.arabjc.2015.08.016

[View at Publisher](#)

- 44 Ambrosi, A., Pumera, M.

Electrochemically Exfoliated Graphene and Graphene Oxide for Energy Storage and Electrochemistry Applications

(2016) *Chemistry - A European Journal*, 22 (1), pp. 153-159. Cited 149 times.

[www.interscience.wiley.com](http://www.interscience.wiley.com)

doi: 10.1002/chem.201503110

[View at Publisher](#)

- ☐ 45 Punith Kumar, M.K., Shanthini, S., Srivastava, C.  
Electrochemical exfoliation of graphite for producing graphene using saccharin  
(2015) *RSC Advances*, 5 (66), pp. 53865-53869. Cited 30 times.  
<http://pubs.rsc.org/en/journals/journalissues>  
doi: 10.1039/c5ra07846f  
[View at Publisher](#)
- 
- ☐ 46 Wan, H., Wei, C., Zhu, K., Zhang, Y., Gong, C., Guo, J., Zhang, J., (...), Zhang, J.  
Preparation of graphene sheets by electrochemical exfoliation of graphite in confined space and their application in transparent conductive films  
(2017) *ACS Applied Materials and Interfaces*, 9 (39), pp. 34456-34466. Cited 48 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/aamick>  
doi: 10.1021/acsami.7b09891  
[View at Publisher](#)
- 
- ☐ 47 Parvez, K., Li, R., Puniredd, S.R., Hernandez, Y., Hinkel, F., Wang, S., Feng, X., (...), Müllen, K.  
Electrochemically exfoliated graphene as solution-processable, highly conductive electrodes for organic electronics ([Open Access](#))  
(2013) *ACS Nano*, 7 (4), pp. 3598-3606. Cited 386 times.  
doi: 10.1021/nn400576v  
[View at Publisher](#)
- 
- ☐ 48 Wang, X., Zhang, L.  
Green and facile production of high-quality graphene from graphite by the combination of hydroxyl radicals and electrical exfoliation in different electrolyte systems ([Open Access](#))  
(2019) *RSC Advances*, 9 (7), pp. 3693-3703. Cited 7 times.  
<http://pubs.rsc.org/en/journals/journal/ra>  
doi: 10.1039/c8ra09752f  
[View at Publisher](#)
- 
- ☐ 49 Lim, S., Han, J.H., Kang, H.W., Lee, J.U., Lee, W.  
Preparation of electrochemically exfoliated graphene sheets using DC switching voltages ([Open Access](#))  
(2020) *Carbon Letters*, 30 (4), pp. 409-416. Cited 4 times.  
<https://link-springer-com.ezlib.iium.edu.my/journal/42823>  
doi: 10.1007/s42823-019-00110-3  
[View at Publisher](#)
-

- ☐ 50 Lee, J., Noh, S., Pham, N.D., Shim, J.H.  
Top-down synthesis of S-doped graphene nanosheets by electrochemical exfoliation of graphite: Metal-free bifunctional catalysts for oxygen reduction and evolution reactions  
(2019) *Electrochimica Acta*, 313, pp. 1-9. Cited 18 times.  
<http://www.journals.elsevier.com/electrochimica-acta/>  
doi: 10.1016/j.electacta.2019.05.015  
View at Publisher
- 
- ☐ 51 Zhao, X., Li, H., Han, F., Dai, M., Sun, Y., Song, Z., Han, D., (...), Niu, L.  
Electrochemical exfoliation of graphene as an anode material for ultra-long cycle lithium ion batteries  
(2020) *Journal of Physics and Chemistry of Solids*, 139, art. no. 109301. Cited 8 times.  
<https://www.journals.elsevier.com/journal-of-physics-and-chemistry-of-solids/>  
doi: 10.1016/j.jpcs.2019.109301  
View at Publisher
- 
- ☐ 52 Sharif, F., Zeraati, A.S., Ganjeh-Anzabi, P., Yasri, N., Perez-Page, M., Holmes, S.M., Sundararaj, U., (...), Roberts, E.P.L.  
Synthesis of a high-temperature stable electrochemically exfoliated graphene  
(2020) *Carbon*, 157, pp. 681-692. Cited 14 times.  
<http://www.journals.elsevier.com/carbon/>  
doi: 10.1016/j.carbon.2019.10.042  
View at Publisher
- 
- ☐ 53 Tang, W., Sun, D., Liu, S., Li, B., Sun, W., Fu, J., Li, B., (...), Yu, J.  
One step electrochemical fabricating of the biomimetic graphene skins with superhydrophobicity and superoleophilicity for highly efficient oil-water separation  
(2020) *Separation and Purification Technology*, 236, art. no. 116293. Cited 11 times.  
<http://www.journals.elsevier.com/separation-and-purification-technology/>  
doi: 10.1016/j.seppur.2019.116293  
View at Publisher
- 
- ☐ 54 Ali, G.A.M., Thalji, M.R., Soh, W.C., Algarni, H., Chong, K.F.  
One-step electrochemical synthesis of MoS<sub>2</sub>/graphene composite for supercapacitor application  
(2020) *Journal of Solid State Electrochemistry*, 24 (1), pp. 25-34. Cited 23 times.  
<https://rd-springer-com.ezlib.iium.edu.my/journal/10008>  
doi: 10.1007/s10008-019-04449-5  
View at Publisher
-

- ☐ 55 Yang, S., Brüller, S., Wu, Z.-S., Liu, Z., Parvez, K., Dong, R., Richard, F., (...), Müllen, K.  
**Organic Radical-Assisted Electrochemical Exfoliation for the Scalable Production of High-Quality Graphene** ([Open Access](#))  
(2015) *Journal of the American Chemical Society*, 137 (43), pp. 13927-13932. Cited 198 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/jacsat>  
doi: 10.1021/jacs.5b09000  
[View at Publisher](#)
- 
- ☐ 56 Zhao, Z., Cai, W., Xu, Z., Mu, X., Ren, X., Zou, B., Gui, Z., (...), Hu, Y.  
**Multi-role p-styrene sulfonate assisted electrochemical preparation of functionalized graphene nanosheets for improving fire safety and mechanical property of polystyrene composites**  
(2020) *Composites Part B: Engineering*, 181, art. no. 107544. Cited 14 times.  
<https://www.journals.elsevier.com/composites-part-b-engineering>  
doi: 10.1016/j.compositesb.2019.107544  
[View at Publisher](#)
- 
- ☐ 57 Zhou, F., Huang, H., Xiao, C., Zheng, S., Shi, X., Qin, J., Fu, Q., (...), Wu, Z.-S.  
**Electrochemically Scalable Production of Fluorine-Modified Graphene for Flexible and High-Energy Ionogel-Based Microsupercapacitors**  
(2018) *Journal of the American Chemical Society*, 140 (26), pp. 8198-8205. Cited 132 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/jacsat>  
doi: 10.1021/jacs.8b03235  
[View at Publisher](#)
- 
- ☐ 58 Tan, X., Li, Y., Li, X., Zhou, S., Fan, L., Yang, S.  
**Electrochemical synthesis of small-sized red fluorescent graphene quantum dots as a bioimaging platform**  
(2015) *Chemical Communications*, 51 (13), pp. 2544-2546. Cited 201 times.  
<http://pubs.rsc.org/en/journals/journal/cc>  
doi: 10.1039/c4cc09332a  
[View at Publisher](#)
- 
- ☐ 59 Huang, H., Yang, S., Li, Q., Yang, Y., Wang, G., You, X., Mao, B., (...), Xie, X.  
**Electrochemical Cutting in Weak Aqueous Electrolytes: The Strategy for Efficient and Controllable Preparation of Graphene Quantum Dots**  
(2018) *Langmuir*, 34 (1), pp. 250-258. Cited 34 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/langd5>  
doi: 10.1021/acs.langmuir.7b03425  
[View at Publisher](#)
-

- ☐ 60 Yan, Y., Li, H., Wang, Q., Mao, H., Kun, W.  
Controllable ionic liquid-assisted electrochemical exfoliation of carbon fibers for the green and large-scale preparation of functionalized graphene quantum dots endowed with multicolor emission and size tunability  
(2017) *Journal of Materials Chemistry C*, 5 (24), pp. 6092-6100. Cited 13 times.  
<http://pubs.rsc.org/en/journals/journalissues/tc>  
doi: 10.1039/c7tc01342f  
[View at Publisher](#)
- 
- ☐ 61 Zhang, M., Bai, L., Shang, W., Xie, W., Ma, H., Fu, Y., Fang, D., (...), Yang, S.  
Facile synthesis of water-soluble, highly fluorescent graphene quantum dots as a robust biological label for stem cells  
(2012) *Journal of Materials Chemistry*, 22 (15), pp. 7461-7467. Cited 533 times.  
doi: 10.1039/c2jm16835a  
[View at Publisher](#)
- 
- ☐ 62 Shinde, D.B., Pillai, V.K.  
Electrochemical preparation of luminescent graphene quantum dots from multiwalled carbon nanotubes  
(2012) *Chemistry - A European Journal*, 18 (39), pp. 12522-12528. Cited 257 times.  
doi: 10.1002/chem.201201043  
[View at Publisher](#)
- 
- ☐ 63 Muthurasu, A., Dhandapani, P., Ganesh, V.  
Facile and simultaneous synthesis of graphene quantum dots and reduced graphene oxide for bio-imaging and supercapacitor applications  
(2016) *New Journal of Chemistry*, 40 (11), pp. 9111-9124. Cited 28 times.  
<http://pubs.rsc.org/en/journals/journal/nj>  
doi: 10.1039/c6nj00586a  
[View at Publisher](#)
- 
- ☐ 64 Kalita, H., Palaparthi, V.S., Baghini, M.S., Aslam, M.  
Electrochemical synthesis of graphene quantum dots from graphene oxide at room temperature and its soil moisture sensing properties  
(2020) *Carbon*, 165, pp. 9-17. Cited 9 times.  
<http://www.journals.elsevier.com/carbon/>  
doi: 10.1016/j.carbon.2020.04.021  
[View at Publisher](#)
- 
- ☐ 65 Luo, P., Guan, X., Yu, Y., Li, X.  
New insight into electrooxidation of graphene into graphene quantum dots  
(2017) *Chemical Physics Letters*, 690, pp. 129-132. Cited 12 times.  
<http://www.elsevier.com.ezlib.iium.edu.my/locate/cplonline>  
doi: 10.1016/j.cplett.2017.10.047  
[View at Publisher](#)

- 66 Fu, Y., Gao, G., Zhi, J.  
Electrochemical synthesis of multicolor fluorescent N-doped graphene quantum dots as a ferric ion sensor and their application in bioimaging  
(2019) *Journal of Materials Chemistry B*, 7 (9), pp. 1494-1502. Cited 28 times.  
<http://pubs.rsc.org/en/journals/journal/tb>  
doi: 10.1039/c8tb03103g  
View at Publisher
- 
- 67 Zhu, S., Zhang, J., Tang, S., Qiao, C., Wang, L., Wang, H., Liu, X., (...), Yang, B.  
Surface chemistry routes to modulate the photoluminescence of graphene quantum dots: From fluorescence mechanism to up-conversion bioimaging applications  
(2012) *Advanced Functional Materials*, 22 (22), pp. 4732-4740. Cited 842 times.  
doi: 10.1002/adfm.201201499  
View at Publisher
- 
- 68 Zhong, Y.L., Tian, Z., Simon, G.P., Li, D.  
Scalable production of graphene via wet chemistry: Progress and challenges (Open Access)  
(2015) *Materials Today*, 18 (2), pp. 73-78. Cited 179 times.  
[www.materialstoday.com](http://www.materialstoday.com)  
doi: 10.1016/j.mattod.2014.08.019  
View at Publisher
- 
- 69 Coroş, M., Pogăcean, F., Roşu, M.-C., Socaci, C., Borodi, G., Mageruşan, L., Biriş, A.R., (...), Pruneanu, S.  
Simple and cost-effective synthesis of graphene by electrochemical exfoliation of graphite rods  
(2016) *RSC Advances*, 6 (4), pp. 2651-2661. Cited 65 times.  
<http://pubs.rsc.org/en/journals/journalissues>  
doi: 10.1039/c5ra19277c  
View at Publisher
- 
- 70 Liu, F., Wang, C., Sui, X., Riaz, M.A., Xu, M., Wei, L., Chen, Y.  
Synthesis of graphene materials by electrochemical exfoliation: Recent progress and future potential (Open Access)  
(2019) *Carbon Energy*, 1 (2), pp. 173-199. Cited 43 times.  
[onlinelibrary.wiley.com/journal/26379368](http://onlinelibrary.wiley.com/journal/26379368)  
doi: 10.1002/cey2.14  
View at Publisher
- 
- 71 Shi, L., Yang, J.H., Zeng, H.B., Chen, Y.M., Yang, S.C., Wu, C., Zeng, H., (...), Zhang, Q.  
Carbon dots with high fluorescence quantum yield: The fluorescence originates from organic fluorophores  
(2016) *Nanoscale*, 8 (30), pp. 14374-14378. Cited 122 times.  
<http://www.rsc.org/publishing/journals/NR/Index.asp>  
doi: 10.1039/c6nr00451b  
View at Publisher

- 72 Choi, Y., Kang, B., Lee, J., Kim, S., Kim, G.T., Kang, H., Lee, B.R., (...), Kim, B.-S.

**Integrative Approach toward Uncovering the Origin of Photoluminescence in Dual Heteroatom-Doped Carbon Nanodots**

(2016) *Chemistry of Materials*, 28 (19), pp. 6840-6847. Cited 69 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/cmaterx>  
doi: 10.1021/acs.chemmater.6b01710

[View at Publisher](#)

- 
- 73 Brownson, D.A.C., Banks, C.E.

**Graphene electrochemistry: Fabricating amperometric biosensors**

(2011) *Analyst*, 136 (10), pp. 2084-2089. Cited 56 times.  
<http://pubs.rsc.org/en/journals/journal/an>  
doi: 10.1039/c0an00875c

[View at Publisher](#)

- 
- 74 Brownson, D.A.C., Metters, J.P., Kampouris, D.K., Banks, C.E.

**Graphene electrochemistry: Surfactants inherent to graphene can dramatically effect electrochemical processes**

(2011) *Electroanalysis*, 23 (4), pp. 894-899. Cited 71 times.  
doi: 10.1002/elan.201000708

[View at Publisher](#)

- 
- 75 Bonanni, A., Pumera, M.

**Surfactants used for dispersion of graphenes exhibit strong influence on electrochemical impedance spectroscopic response**

(2012) *Electrochemistry Communications*, 16 (1), pp. 19-21. Cited 13 times.  
doi: 10.1016/j.elecom.2011.12.012

[View at Publisher](#)

- 
- 76 Wang, J., Manga, K.K., Bao, Q., Loh, K.P.

**High-yield synthesis of few-layer graphene flakes through electrochemical expansion of graphite in propylene carbonate electrolyte**

(2011) *Journal of the American Chemical Society*, 133 (23), pp. 8888-8891. Cited 410 times.  
doi: 10.1021/ja203725d

[View at Publisher](#)

- 
- 77 Cooper, A.J., Wilson, N.R., Kinloch, I.A., Dryfe, R.A.W.

**Single stage electrochemical exfoliation method for the production of few-layer graphene via intercalation of tetraalkylammonium cations ([Open Access](#))**

(2014) *Carbon*, 66, pp. 340-350. Cited 155 times.  
doi: 10.1016/j.carbon.2013.09.009

[View at Publisher](#)

- 78 Su, C.-Y., Lu, A.-Y., Xu, Y., Chen, F.-R., Khlobystov, A.N., Li, L.-J.  
**High-quality thin graphene films from fast electrochemical exfoliation**

(2011) *ACS Nano*, 5 (3), pp. 2332-2339. Cited 638 times.  
doi: 10.1021/nn200025p

[View at Publisher](#)

- 79 Parvez, K., Wu, Z.-S., Li, R., Liu, X., Graf, R., Feng, X., Müllen, K.  
**Exfoliation of graphite into graphene in aqueous solutions of inorganic salts** ([Open Access](#))

(2014) *Journal of the American Chemical Society*, 136 (16), pp. 6083-6091. Cited 812 times.  
<http://pubs.acs.org.ezlib.iium.edu.my/journal/jacsat>  
doi: 10.1021/ja5017156

[View at Publisher](#)

- 80 Xia, Z.Y., Giambastiani, G., Christodoulou, C., Nardi, M.V., Koch, N., Treossi, E., Bellani, V., (...), Palermo, V.

**Synergic exfoliation of graphene with organic molecules and inorganic ions for the electrochemical production of flexible electrodes**

(2014) *ChemPlusChem*, 79 (3), pp. 439-446. Cited 50 times.  
<http://onlinelibrary.wiley.com.ezlib.iium.edu.my/journal/10.1002/%28ISSN%292192-6506/>  
doi: 10.1002/cplu.201300375

[View at Publisher](#)

👤 Danial, W.H.; Department of Chemistry, Kulliyah of Science, International Islamic University Malaysia, Kuantan, Pahang, Malaysia; email:whazman@iium.edu.my  
© Copyright 2021 Elsevier B.V., All rights reserved.

[◀ Back to results](#) | 1 of 1

[^ Top of page](#)

## About Scopus

[What is Scopus](#)  
[Content coverage](#)  
[Scopus blog](#)  
[Scopus API](#)  
[Privacy matters](#)

## Language

[日本語に切り替える](#)  
[切换到简体中文](#)  
[切换到繁體中文](#)  
[Русский язык](#)

## Customer Service

[Help](#)  
[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

RELX