

Documents

Muhd Helmi, M.A.^a, Lai, N.M.^b, Van Rostenberghe, H.^c, Ayub, I.^d, Mading, E.^{e f}

Antiseptic solutions for skin preparation during central catheter insertion in neonates

(2021) *Cochrane Database of Systematic Reviews*, 2021 (1), art. no. CD013841, .

DOI: 10.1002/14651858.CD013841

^a Department of Paediatrics, International Islamic University Malaysia, Kuantan, Malaysia

^b School of Medicine, Taylor's University, Subang Jaya, Malaysia

^c Department of Paediatrics, School of Medical Sciences, Universiti Sains Malaysia, Kubang Kerian, Malaysia

^d Department of Paediatrics, Universiti Sultan Zainal Abidin, Kuala Terengganu, Malaysia

^e Faculty of Medicine and Health Sciences, University Malaysia Sabah (UMS), Sabah, Malaysia

^f Department of Paediatrics, School of Medical Sciences, Universiti Sains Malaysia, Kubang Kerian, Malaysia

Abstract

Objectives: This is a protocol for a Cochrane Review (intervention). The objectives are as follows:. To systematically evaluate the safety and efficacy of different antiseptic solutions in preventing CRBSI and other related outcomes in neonates with CVC. Copyright © 2021 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Index Keywords

chlorhexidine gluconate; all cause mortality, antisepsis, Article, catheter infection, chemical burn, contact dermatitis, dermatological procedure, drug efficacy, drug safety, hospital discharge, hospitalization, human, neonatal intensive care unit, newborn care, patient participation, practice guideline, priority journal, randomized controlled trial (topic), systematic review, treatment outcome

Chemicals/CAS

chlorhexidine gluconate, 18472-51-0

References

- Arnts, I.J., Bullens, L.M., Groenewoud, J.M., Liem, K.D.

Comparison of complication rates between umbilical and peripherally inserted central venous catheters in newborns

(2014) *Journal of Obstetric, Gynecologic, and Neonatal Nursing: JOGNN*, 43 (2), pp. 205-215.

[PMID, 24502854

- Bayley, B.
(2006) *Bayley Scales of Infant and Toddler Development*,
3rd edition, Toronto, PsychCorp, Pearson
- Bentlin, M.R., Rugolo, L.M., Ferrari, L.S.
Practices related to late-onset sepsis in very low-birth weight preterm infants
(2015) *Jornal de Pediatria*, 91 (2), pp. 168-174.
[PMID, 25449788]
- Bertini, G., Elia, S., Ceciari, F., Dani, C.
Reduction of catheter-related bloodstream infections in preterm infants by the use of catheters with the AgION antimicrobial system
(2013) *Early Human Development*, 89 (1), pp. 21-25.
[PMID, 22841551]
- O'Grady, N.P., Alexander, M., Burns, L.A., Dellinger, P., Garland, J., Heard, S.
Guidelines for the prevention of intravascular catheter-related infections
www.cdc.gov/infectioncontrol/pdf/guidelines/bsi-guidelines-H.pdf,
(accessed prior to 15 December 2020)
- **Bloodstream Infection Event (Central Line-Associated Bloodstream Infection and Non-central Line Associated Bloodstream Infection)**
https://www.cdc.gov/nhsn/PDFs/pscManual/4PSC_clabscurrent.pdf, pp. 1-49.
January 2020
- Chapman, A.K., Aucott, S.W., Milstone, A.M.
Safety of chlorhexidine gluconate used for skin antisepsis in the preterm infant
(2012) *Journal of Perinatology: Official Journal of the California Perinatal Association*, 32 (1), pp. 4-9.
[PMID, 22031047]
- Climo, M.W., Yokoe, D.S., Warren, D.K., Perl, T.M., Bolon, M., Herwaldt, L.A.
Effect of daily chlorhexidine bathing on hospital-acquired infection
(2013) *New England Journal of Medicine*, 368 (6), pp. 533-542.
[PMID, 23388005]
- **Screening, data extraction and management. EPOC resources for review authors, 2020**
epoc.cochrane.org/epoc-resources-review-authors (accessed 20 June 2020),
Cochrane Effective Practice and Organisation of Care (EPOC)

- Darouiche, R.O., Itani, K.M., Otterson, M.F., Webb, A.L., Carrick, M.M.
Chlorhexidine-alcohol versus povidone-iodine for surgical-site antisepsis
(2010) *New England Journal of Medicine*, 362 (1), pp. 18-26.
Wall MJ Jr.,] [PMID, 20054046
- de Brito, C.S., de Brito, D.V., Abdallah, V.O., Gontijo Filho, P.P.
Occurrence of bloodstream infection with different types of central vascular catheter in critically neonates
(2010) *Journal of Infection*, 60 (2), pp. 128-132.
[PMID, 19944717
- Dongara, A.R., Patel, D.V., Nimbalkar, S.M., Potana, N., Nimbalkar, A.S.
Umbilical venous catheter versus peripherally inserted central catheter in neonates: a randomized controlled trial
(2017) *Journal of Tropical Pediatrics*, 63 (5), pp. 374-379.
[PMID, 28077611
- Ferreira, J., Camargos, P.A.M., Rosado, V., Mourão, P.H.O., Romanelli, R.M.C.
Risk factors for central venous catheter-related bloodstream infection in neonates
(2020) *American Journal of Infection Control*, 48 (9), pp. 1102-1103.
[PMID, 31926756
- Fisher, D., Cochran, K.M., Provost, L.P., Patterson, J., Bristol, T., Metzguer, K.
Reducing central line-associated bloodstream infections in North Carolina NICUs
(2013) *Pediatrics*, 132 (6), pp. e1664-e1671.
[PMID, 24249819
- Gahlot, R., Nigam, C., Kumar, V., Yadav, G., Anupurba, S.
Catheter-related bloodstream infections
(2014) *International Journal of Critical Illness and Injury Science*, 4 (2), pp. 162-167.
[PMID, 25024944
- Geffers, C., Gastmeier, A., Schwab, F., Groneberg, K., Rüdén, H., Gastmeier, P.
Use of central venous catheter and peripheral venous catheter as risk factors for nosocomial bloodstream infection in very-low-birth-weight infants
(2010) *Infection Control and Hospital Epidemiology*, 31 (4), pp. 395-401.
[PMID, 20175683
- *GRADEpro GDT*,
Version accessed 5 June 2020. Hamilton (ON) McMaster University (developed by Evidence Prime). grade.pro

- Green, E., Stroud, L., Bloomfield, S., Cronje, J., Foxcroft, C., Hurter, K.
(2016) *Griffiths Scales of Child Development*,
3rd edition, Oxford, UK, Hogrefe
- Higgins, J.P., Thomas, J., Chandler, J., Cumpston, M., Li, T., Page, M.J., Welch, V.
Cochrane Handbook for Systematic Reviews of Interventions version 6.0 (updated July 2019). Cochrane, 2019
Available from www.training.cochrane.org/handbook,
editor(s)
- Jacobs, S.E., Berg, M., Hunt, R., Tarnow-Mordi, W.O., Inder, T.E., Davis, P.G.
Cooling for newborns with hypoxic ischaemic encephalopathy
(2013) *Cochrane Database of Systematic Reviews*, (1).
Issue, Art. CD003311. [,] [PMID, 23440789]
- Johnson, J., Suwantararat, N., Colantuoni, E., Ross, T.L., Aucott, S.W., Carroll, K.C.
The impact of chlorhexidine gluconate bathing on skin bacterial burden of neonates admitted to the neonatal intensive care unit
(2019) *Journal of Perinatology: Official Journal of the California Perinatal Association*, 39 (1), pp. 63-71.
[PMID, 30237474]
- Kampf, G.
Acquired resistance to chlorhexidine - is it time to establish an 'antiseptic stewardship' initiative?
(2016) *Journal of Hospital Infection*, 94 (3), pp. 213-227.
[PMID, 27671220]
- Kaplan, H.C., Lannon, C., Walsh, M.C., Donovan, E.F.
Ohio statewide quality-improvement collaborative to reduce late-onset sepsis in preterm infants
(2011) *Pediatrics*, 127 (3), pp. 427-435.
[PMID, 21339274]
- Kieran, E.A., O'Sullivan, A., Miletin, J., Twomey, A.R., Knowles, S.J., O'Donnell, C.P.
2% chlorhexidine-70% isopropyl alcohol versus 10% povidone-iodine for insertion site cleaning before central line insertion in preterm infants: a randomised trial
(2018) *Archives of Disease in Childhood. Fetal and Neonatal Edition*, 103 (2), pp. F101-F106.
[PMID, 29074717]
- Kitano, T., Takagi, K., Arai, I., Yasuhara, H., Ebisu, R., Ohgitani, A.
Efficacy of routine catheter tip culture in a neonatal intensive care unit
(2018) *Pediatrics International: Official Journal of the Japan Pediatric Society*, 60 (5), pp. 423-427.

[PMID, 29468780

- Konstantinidi, A., Sokou, R., Panagiotounakou, P., Lampridou, M., Parastatidou, S., Tsantila, K.
Umbilical venous catheters and peripherally inserted central catheters: are they equally safe in VLBW infants? A non-randomized single center study
(2019) *Medicina (Kaunas, Lithuania)*, 55 (8).
[PMID, 31390790
- Lai, N.M., Taylor, J.E., Tan, K., Choo, Y.M., Ahmad Kamar, A., Muhamad, N.A.
Antimicrobial dressings for the prevention of catheter-related infections in newborn infants with central venous catheters
(2016) *Cochrane Database of Systematic Reviews*, (3).
Issue, Art. CD011082. [,] [PMID, 27007217
- Lee, S.Y., Mesfin, F.B.
Blindness
(2020) *StatPearls. Treasure Island (FL): StatPearls Publishing*,
[PMID, 28846303
- Lissauer, M.E., Leekha, S., Preas, M.A., Thom, K.A., Johnson, S.B.
Risk factors for central line-associated bloodstream infections in the era of best practice
(2012) *Journal of Trauma and Acute Care Surgery*, 72 (5), pp. 1174-1180.
[PMID, 22673242
- Loveday, H.P., Wilson, J.A., Pratt, R.J., Golsorkhi, M., Tingle, A., Bak, A.
epic3: National evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in England
(2014) *Journal of Hospital Infection*, 86, pp. S1-70.
[PMID, 24330862
- Malhotra, S., Kumta, S., Bhutada, A., Jacobson-Dickman, E., Motaghedi, R.
Topical iodine-induced thyrotoxicosis in a newborn with a giant omphalocele
(2016) *American Journal of Perinatology Reports*, 6 (2), pp. e243-e245.
[PMID, 27551578
- Manian, F.A.
IDSA guidelines for the diagnosis and management of intravascular catheter-related bloodstream infection
(2009) *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, 49 (11), pp. 1770-17712.

[PMID, 19891568]

- McCord, H., Fieldhouse, E., El-Naggar, W.
Current practices of antiseptic use in Canadian neonatal intensive care units
(2019) *American Journal of Perinatology*, 36 (2), pp. 141-147.
[PMID, 29945280]
- Mobley, R.E., Bizzarro, M.J.
Central line-associated bloodstream infections in the NICU: successes and controversies in the quest for zero
(2017) *Seminars in Perinatology*, 41 (3), pp. 166-174.
[PMID, 28411947]
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G.
Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement
(2009) *Journal of Clinical Epidemiology*, 62 (10), pp. 1006-1012.
[PMID, 19631508]
- Neri, I., Ravaioli, G.M., Faldella, G., Capretti, M.G., Arcuri, S., Patrizi, A.
Chlorhexidine-induced chemical burns in very low birth weight infants
(2017) *Journal of Pediatrics*, 191, pp. 262-5.e2.
[PMID, 29173315]
- O'Grady, N.P., Alexander, M., Burns, L.A., Dellinger, E.P., Garland, J., Heard, S.O.
Guidelines for the prevention of intravascular catheter-related infections
(2011) *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, 52 (9), pp. e162-e193.
[PMID, 21460264]
- Odedra, K.M., Farooque, S.
Chlorhexidine: an unrecognised cause of anaphylaxis
(2014) *Postgraduate Medical Journal*, 90 (1070), pp. 709-714.
[PMID, 25352674]
- Ohki, Y., Maruyama, K., Harigaya, A., Kohno, M., Arakawa, H.
Complications of peripherally inserted central venous catheter in Japanese neonatal intensive care units
(2013) *Pediatrics International: Official Journal of the Japan Pediatric Society*, 55 (2), pp. 185-189.
[PMID, 23253251]

- Pagani, J.L., Eggimann, P.
Management of catheter-related infection
(2008) *Expert Review of Anti-Infective Therapy*, 6 (1), pp. 31-37.
[PMID, 18251662]
- Paternoster, M., Niola, M., Graziano, V.
Avoiding chlorhexidine burns in preterm infants
(2017) *Journal of Obstetric, Gynecologic, and Neonatal Nursing: JOGNN*, 46 (2), pp. 267-271.
[PMID, 28068508]
- Ponnusamy, V., Venkatesh, V., Clarke, P.
Skin antiseptics in the neonate: what should we use?
(2014) *Current Opinion in Infectious Diseases*, 27 (3), pp. 244-250.
[PMID, 24751895]
- (2020) *Review Manager (RevMan)*,
Version 5.4. Copenhagen Nordic Cochrane Centre, The Cochrane Collaboration
- Sathiyamurthy, S., Banerjee, J., Godambe, S.V.
Antiseptic use in the neonatal intensive care unit - a dilemma in clinical practice: an evidence based review
(2016) *World Journal of Clinical Pediatrics*, 5 (2), pp. 159-171.
[PMID, 27170926]
- Schlapbach, L.J., Aebischer, M., Adams, M., Natalucci, G., Bonhoeffer, J., Latzin, P.
Impact of sepsis on neurodevelopmental outcome in a Swiss National Cohort of extremely premature infants
(2011) *Pediatrics*, 128 (2), pp. e348-e357.
[PMID, 21768312]
- Schünemann, H., Brožek, J., Guyatt, G., Oxman, A.
Handbook for grading the quality of evidence and the strength of recommendations using the GRADE approach (updated October 2013). GRADE Working Group, 2013
Available from gdt.guidelinedevelopment.org/app/handbook/handbook.html,
editor(s)
- Shah, V., Deshpande, P., Lee, K., McGeer, A.
Comparison of 2% chlorhexidine in 70% isopropyl alcohol with 2% aqueous chlorhexidine for skin antiseptics prior to venepuncture in very low birth weight infants: a non-inferiority trial
(2014) *Paediatrics & Child Health*, 19, pp. e67-e68.
Jain A

- Smith, R.N., Nolan, J.P.
Central venous catheters
(2013) *BMJ (Clinical Research Ed.)*, 347, p. f6570.
[PMID, 24217269]
- Soares, B.N., Pissarra, S., Rouxinol-Dias, A.L., Costa, S., Guimarães, H.
Complications of central lines in neonates admitted to a level III Neonatal Intensive Care Unit
(2018) *Journal of Maternal-Fetal & Neonatal Medicine: the Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 31 (20), pp. 2770-2776.
[PMID, 28707497]
- Spencer, C., Orr, D., Hallam, S., Tillmanns, E.
Daily bathing with octenidine on an intensive care unit is associated with a lower carriage rate of meticillin-resistant *Staphylococcus aureus*
(2013) *Journal of Hospital Infection*, 83 (2), pp. 156-159.
[PMID, 23201399]
- Sterne, J.A.C., Savović, J., Page, M.J., Elbers, R.G., Blencowe, N.S., Boutron, I.
RoB 2: a revised tool for assessing risk of bias in randomised trials
(2019) *BMJ (Clinical research ed.)*, 366, p. l4898.
[PMID, 31462531]
- Umscheid, C.A., Mitchell, M.D., Doshi, J.A., Agarwal, R., Williams, K., Brennan, P.J.
Estimating the proportion of healthcare-associated infections that are reasonably preventable and the related mortality and costs
(2011) *Infection Control and Hospital Epidemiology*, 32 (2), pp. 101-114.
[PMID, 21460463]
- Wynn, J.L., Wong, H.R., Shanley, T.P., Bizzarro, M.J., Saiman, L., Polin, R.A.
Time for a neonatal-specific consensus definition for sepsis
(2014) *Pediatric Critical Care Medicine: a Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15 (6), pp. 523-528.
[PMID, 24751791]

Correspondence Address

Muhd Helmi M.A.; Department of Paediatrics, Malaysia; email: muhdalwi@gmail.com

Publisher: John Wiley and Sons Ltd

ISSN: 14651858

Language of Original Document: English
Abbreviated Source Title: Cochrane Database Syst. Rev.
2-s2.0-85103003691
Document Type: Article
Publication Stage: Final
Source: Scopus

ELSEVIER

Copyright © 2021 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

01 11 2021