



# Document details

[Back to results](#) | 1 of 1

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)

[Full Text](#) | [View at Publisher](#)

IEEE Access

Volume 9, 2021, Article number 9374949, Pages 46641-46651

## The Radiation Effect on Low Noise Amplifier Implemented in the Space-Aerial-Terrestrial Integrated 5G Networks (Article) [\(Open Access\)](#)

Youssouf, A.S., Habaebi, M.H., Hasbullah, N.F.

Department of Electrical and Computer Engineering, International Islamic University, Kuala Lumpur, Malaysia

### Abstract

[View references \(35\)](#)

This paper provides the details of a study on the effects of electron irradiation on two Low Noise Amplifiers (LNA), the Gallium-Arsenide (GaAs) pseudomorphic high electron mobility transistor (pHEMT) based and the Silicon-Germanium (SiGe) Heterojunction Bipolar Transistor (HBT)-based. Previous studies have shown that the properties of GaAs and SiGe HBT's are very tolerant of gamma, neutron, and proton irradiation without additional radiation hardening. Nowadays, commercials on the shelves (COTS) LNAs have been used in CubeSat space communication systems which may be connected to other communication networks for the implementation of the space-aerial-terrestrial integrated 5G network (SATIN) systems projects, for satellites, launched into Low and Medium Earth Orbits. Previous studies suggest that the electron radiation in space may degrade the LNAs' performance and might even lead to its failure. Located at the front end of the communication receiver system, this paper conducted such investigation to evaluate the performance under the radiation of the GaAs and SiGe LNAs considering the physics of the technology of each LNA, respectively. The results indicate that both SiGe and GaAs technologies are affected after electron irradiation. As a result, this degradation of the LNAs' performance affected the communications system performance of the inter-satellite radio link. After the assessment of the quality performance of the communication link at the system level, it has been found that the inter-satellite space link will be at risk under high space radiation dose and the link BER degrades proportionally to the radiation dose level. © 2013 IEEE.


### SciVal Topic Prominence

Topic: Monolithic Microwave Integrated Circuits | High Electron Mobility Transistors | Low Noise Amplifiers

Prominence percentile: 83.331

### Chemistry database information

#### Substances



#### Author keywords

[5G](#) [Degradation](#) [electron irradiation](#) [gallium arsenide](#) [inter-satellite link](#) [low noise amplifier](#)  
[silicon germanium](#)

#### Indexed keywords

[Metrics](#) [View all metrics >](#)



PlumX Metrics

Usage, Captures, Mentions,  
Social Media and Citations  
beyond Scopus.

Cited by 0 documents

Inform me when this document  
is cited in Scopus:

[Set citation alert >](#)

#### Related documents

Gain Investigation for commercial GaAs and SiGe HBT LNAs under Electron irradiation

Youssouf, A.S. , Habaebi, M.H. , Ibrahim, S.N.

(2017) *Proceedings - 14th IEEE Student Conference on Research and Development: Advancing Technology for Humanity, SCORed 2016*

Evaluating the effects of single event transients in FET-Based single-pole double-throw RF switches

Cardoso, A.S. , Chakraborty, P.S. , Lourenco, N.E.

(2014) *IEEE Transactions on Nuclear Science*

Mitigation of total dose performance degradation in an 8-18 GHz SiGe reconfigurable receiver

Howard, D.C. , Cardoso, A.S. , Fleetwood, Z.E.

(2014) *IEEE Transactions on Nuclear Science*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors > Keywords >](#)

Engineering controlled terms:

(Antennas) (Communication satellites) (Earth (planet)) (Electron irradiation) (Electrons)  
(Gallium arsenide) (Heterojunction bipolar transistors) (Heterojunctions)  
(High electron mobility transistors) (III-V semiconductors) (Low noise amplifiers)  
(Neutron irradiation) (Orbits) (Proton irradiation) (Queueing networks) (Radiation effects)  
(Radiation hardening) (Radio links) (Risk assessment) (Satellite communication systems)  
(Satellites) (Semiconducting gallium) (Si-Ge alloys) (Silicon)

Engineering uncontrolled terms

(Communication receivers) (Communications system performance) (Medium earth orbit)  
(Pseudomorphic high electron mobility transistors) (Quality performance) (Radiation dose levels)  
(Satellite radio links) (Space communication systems)

Engineering main heading:

(5G mobile communication systems)

## Funding details

Funding sponsor	Funding number	Acronym
Ministry of Higher Education, Malaysia	FRGS 19-053-0661	MOHE

### Funding text

This work was supported by the Ministry of Higher Education Malaysia through the Research Grant under Grant FRGS 19-053-0661.

**ISSN:** 21693536  
**Source Type:** Journal  
**Original language:** English

**DOI:** 10.1109/ACCESS.2021.3065497  
**Document Type:** Article  
**Publisher:** Institute of Electrical and Electronics Engineers Inc.

## References (35)

[View in search results format >](#)

All    [Export](#)    [Print](#)    [E-mail](#)    [Save to PDF](#)    [Create bibliography](#)

- 1 Zhang, S., Zhu, D., Wang, Y.  
A survey on space-aerial-terrestrial integrated 5G networks

(2020) *Computer Networks*, 174, art. no. 107212. Cited 2 times.  
<http://www.journals.elsevier.com/computer-networks/>  
doi: 10.1016/j.comnet.2020.107212

[View at Publisher](#)

- 2 (2014) *The Role of Satellites in 5G, Version 5*, pp. 1-20.  
NetWorld Eur., Secretariat Eurescom: Eurescom GmbH, Heidelberg, Germany, White Paper Jul

- 3 Jia, M., Zhang, X., Gu, X., Liu, X., Guo, Q.  
Joint UE location energy efficient resource management in integrated satellite and terrestrial networks  
(2018) *J. Commun. Inf. Netw.*, 3 (1), pp. 61-66. Cited 3 times.  
Mar

4 Evans, B.G.

The role of satellites in 5G ([Open Access](#))

(2014) *2014 7th Advanced Satellite Multimedia Systems Conference and the 13th Signal Processing for Space Communications Workshop, ASMS/SPSC 2014*, 2014-January, art. no. 6934544, pp. 197-202. Cited 74 times.

ISBN: 978-147995893-1

doi: 10.1109/ASMS-SPSC.2014.6934544

[View at Publisher](#)

---

5 Su, Y., Liu, Y., Zhou, Y., Yuan, J., Cao, H., Shi, J.

Broadband LEO satellite communications: Architectures and key technologies

(2019) *IEEE Wireless Communications*, 26 (2), art. no. 8700141, pp. 55-61. Cited 56 times.

<https://ieeexplore.ieee.org/servlet/opac?punumber=7742>

doi: 10.1109/MWC.2019.1800299

[View at Publisher](#)

---

6 Zhou, H.L.B.

Development review of foreign emerging commercial LEO satellite communication constellations  
(2018) *Telecommun. Eng.*, 58 (9), pp. 1108-1114. Cited 6 times.

7 (2016) *Solutions for NR to Support Non-Terrestrial Networks*, 16.

document TR 38.821, 3GPP

---

8 (2015) *Study on Using Satellite Access in 5G*, 15.

document TR 38.811, 3GPP

---

9 Tahir, M., Habaebi, M.H., Dabbagh, M., Mughees, A., Ahad, A., Ahmed, K.I.

A Review on Application of Blockchain in 5G and beyond Networks: Taxonomy, Field-Trials, Challenges and Opportunities ([Open Access](#))

(2020) *IEEE Access*, 8, art. no. 9119406, pp. 115876-115904. Cited 9 times.

<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=6287639>

doi: 10.1109/ACCESS.2020.3003020

[View at Publisher](#)

---

10 Cressler, J.D.

Radiation effects in SiGe technology

(2013) *IEEE Transactions on Nuclear Science*, 60 (3), art. no. 6484205, pp. 1992-2014. Cited 93 times.

doi: 10.1109/TNS.2013.2248167

[View at Publisher](#)

---

11 Bashir, M.A., Ahmed, M.M., Rafique, U., Memon, Q.D.

Design of a Ku-band high gain low noise amplifier

(2013) *RFM 2013 - 2013 IEEE International RF and Microwave Conference, Proceedings*, art. no. 6757241, pp. 168-171. Cited 5 times.

doi: 10.1109/RFM.2013.6757241

[View at Publisher](#)

- 12 Noji, T., Miyachi, A., Kikuchi, T., Yamasaki, N.Y., Mitsuda, K., Kawasaki, S.  
The X-band high gain and radiation-hardness low-noise GaAs MMIC amplifier with cryogenic temperature for X-ray astronomy  
(2014) *2014 Asia-Pacific Microwave Conference Proceedings, APMC 2014*, art. no. 7067981, pp. 160-162. Cited 6 times.  
ISBN: 978-490233931-4
- 

- 13 Popescu, O.  
Power Budgets for CubeSat Radios to Support Ground Communications and Inter-Satellite Links ([Open Access](#))  
(2017) *IEEE Access*, 5, art. no. 7964683, pp. 12618-12625. Cited 33 times.  
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=6287639>  
doi: 10.1109/ACCESS.2017.2721948

[View at Publisher](#)

---

- 14 Mossawir, B., Linscott, I.R., Inan, U.S., Roeder, J.L., Osborn, J.V., Witczak, S.C., King, E.E., (...), LaLumondiere, S.D.  
A TID and SEE radiation-hardened, wideband, low-noise amplifier  
(2006) *IEEE Transactions on Nuclear Science*, 53 (6), pp. 3439-3448. Cited 12 times.  
doi: 10.1109/TNS.2006.886219

[View at Publisher](#)

---

- 15 Howard, D.C., Cardoso, A.S., Fleetwood, Z.E., Lourenco, N.E., England, T.D., Saha, P.K., Shankar, S., (...), Cressler, J.D.  
Mitigation of total dose performance degradation in an 8-18 GHz SiGe reconfigurable receiver  
(2014) *IEEE Transactions on Nuclear Science*, 61 (6), art. no. 6954517, pp. 3226-3235.  
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=23>  
doi: 10.1109/TNS.2014.2364580

[View at Publisher](#)

---

- 16 Zhang, S., Niu, G., Cressler, J.D., Mathew, S.J., Gogineni, U., Clark, S.D., Zampardi, P., (...), Pierson, R.L.  
A comparison of the effects of gamma irradiation on SiGe HBT and GaAs HBT technologies  
(2000) *IEEE Transactions on Nuclear Science*, 47 (6 III), pp. 2521-2527. Cited 42 times.  
doi: 10.1109/23.903802

[View at Publisher](#)

---

- 17 Howard, D.C., Saha, P.K., Shankar, S., Diestelhorst, R.M., England, T.D., Lourenco, N.E., Kenyon, E., (...), Cressler, J.D.  
An 8-16 GHz SiGe low noise amplifier with performance tuning capability for mitigation of radiation-induced performance loss

(2012) *IEEE Transactions on Nuclear Science*, 59 (6), art. no. 6365401, pp. 2837-2846. Cited 26 times.  
doi: 10.1109/TNS.2012.2224132

[View at Publisher](#)

---

- 18 Chen, D., Pan, W., Jiang, P., Jin, J., Mo, T., Zhou, J.  
Reconfigurable dual-channel multiband rf receiver for GPS/Galileo/BD-2 systems  
(2012) *IEEE Transactions on Microwave Theory and Techniques*, 60 (11), art. no. 6304943, pp. 3491-3501. Cited 35 times.  
<http://ieeexplore.ieee.org/xpl/tocresult.jsp?isYear=2009&isnumber=4747395&Submit32=View+Contents>  
doi: 10.1109/TMTT.2012.2216287

[View at Publisher](#)

- 19 Cressler, J.D.  
Silicon-Germanium as an Enabling Technology for Extreme Environment Electronics  
(2010) *IEEE Transactions on Device and Materials Reliability*, 10 (4), pp. 437-448. Cited 44 times.  
doi: 10.1109/TDMR.2010.2050691  
[View at Publisher](#)
- 

- 20 Florian, C., Paganelli, R.P., Lonac, J.A.  
12-W X-Band MMIC HPA and driver amplifiers in InGaP-GaAs HBT technology for space SAR T/R Modules  
(2012) *IEEE Transactions on Microwave Theory and Techniques*, 60 (6 PART 2), art. no. 6176275, pp. 1805-1816. Cited 17 times.  
doi: 10.1109/TMTT.2012.2189234  
[View at Publisher](#)
- 

- 21 Howard, D.C., Poh, J., Mukerjee, T.S., Cressler, J.D.  
A 3-20 GHz SiGe HBT ultra-wideband LNA with gain and return loss control for multiband wireless applications  
(2010) *Midwest Symposium on Circuits and Systems*, art. no. 5548729, pp. 445-448. Cited 16 times.  
ISBN: 978-142447771-5  
doi: 10.1109/MWSCAS.2010.5548729  
[View at Publisher](#)
- 

- 22 Shi, Y., Hong-Liang, L., Yu-Ming, Z., Yi-Men, Z., Jin-Can, Z., Hai-Peng, Z.  
The effects of gamma irradiation on GaAs HBT  
(2011) *Proc. IEEE Int. Conf. Electron Devices Solid-State Circuits, Tianjin, China*, pp. 1-2.  
Nov
- 

- 23 Metcalfe, J., Dorfan, D.E., Grillo, A.A., Jones, A., Lucia, D., Martinez-McKinney, F., Mendoza, M., (...), Sutton, A.  
Evaluation of the radiation tolerance of SiGe heterojunction bipolar transistors under 24-GeV proton exposure  
(2006) *IEEE Transactions on Nuclear Science*, 53 (6), pp. 3889-3893. Cited 13 times.  
doi: 10.1109/TNS.2006.883949  
[View at Publisher](#)
- 

- 24 Gupta, A., Jha, R.K.  
A Survey of 5G Network: Architecture and Emerging Technologies [\(Open Access\)](#)  
(2015) *IEEE Access*, 3, art. no. 7169508, pp. 1206-1232. Cited 1156 times.  
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=6287639>  
doi: 10.1109/ACCESS.2015.2461602  
[View at Publisher](#)
- 

- 25 Pareit, D., Lannoo, B., Moerman, I., Demeester, P.  
The history of WiMAX: A complete survey of the evolution in certification and standardization for IEEE 802.16 and WiMAX [\(Open Access\)](#)  
(2012) *IEEE Communications Surveys and Tutorials*, 14 (4), art. no. 6042387, pp. 1183-1211. Cited 48 times.  
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=9739>  
doi: 10.1109/SURV.2011.091511.00129  
[View at Publisher](#)
-

- 26 Samsuzzaman, M., Islam, M.T., Kibria, S., Cho, M.  
BIRDS-1 CubeSat Constellation Using Compact UHF Patch Antenna ([Open Access](#))

(2018) *IEEE Access*, 6, art. no. 8468156, pp. 54282-54294. Cited 7 times.  
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=6287639>  
doi: 10.1109/ACCESS.2018.2871209

[View at Publisher](#)

---

- 27 (2017) *400 MHz to 4000 MHz Low Noise Amplifier Data Manual*  
Analogue Devices, Norwood, MA, USA

- 28 Suparta, W., Zulkeple, S.K.  
Simulation of major space particles toward selected materials in a near-equatorial low earth orbit

(2017) *Astrophysics and Space Science*, 362 (5), art. no. 104. Cited 3 times.  
<http://www.kluweronline.com/issn/0004-640X>  
doi: 10.1007/s10509-017-3082-3

[View at Publisher](#)

---

- 29 Xapsos, M.A., Neill, P.M., Brien, T.P.  
Near-earth space radiation models

(2013) *IEEE Transactions on Nuclear Science*, 60 (3), art. no. 6375793, pp. 1691-1705. Cited 39 times.  
doi: 10.1109/TNS.2012.2225846

[View at Publisher](#)

---

- 30 (2003) *Noise Figure Measurement Methods and Formulas*  
Maxim Integrated, San Jose, CA, USA

- 31 (2016) *Single-Stage 2.3-2.7GHz LNA with BFU730F*  
NXP Semiconductors, Eindhoven, The Netherlands

- 32 Suparta, W., Zulkeple, S.K.  
Investigating space radiation environment effects on communication of Razaksat-1 ([Open Access](#))

(2018) *Journal of Aerospace Technology and Management*, 10, art. no. e2218. Cited 2 times.  
<http://www.jatm.com.br>  
doi: 10.5028/jatm.v10.815

[View at Publisher](#)

---

- 33 You, L., Li, K.-X., Wang, J., Gao, X., Xia, X.-G., Ottersten, B.  
Massive MIMO Transmission for LEO Satellite Communications ([Open Access](#))

(2020) *IEEE Journal on Selected Areas in Communications*, 38 (8), art. no. 9110855, pp. 1851-1865. Cited 9 times.  
<http://ieeexplore.ieee.org/xpl/tocresult.jsp?isnumber=5678773>  
doi: 10.1109/JSAC.2020.3000803

[View at Publisher](#)

34 Çağlar, A., Yelten, M.B.

### Design of Cryogenic LNAs for High Linearity in Space Applications

(2019) *IEEE Transactions on Circuits and Systems I: Regular Papers*, 66 (12), art. no. 8844972, pp. 4619-4627. Cited 5 times.

<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=8919>

doi: 10.1109/TCSI.2019.2936506

[View at Publisher](#)

---

35 Ilik, S., Kabaoglu, A., Solmaz, N.Ş., Yelten, M.B.

### Modeling of Total Ionizing Dose Degradation on 180-nm n-MOSFETs Using BSIM3

(2019) *IEEE Transactions on Electron Devices*, 66 (11), art. no. 8770267, pp. 4617-4622. Cited 2 times.

<https://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=16>

doi: 10.1109/TED.2019.2926931

[View at Publisher](#)

✉ Hasbullah, N.F.; Department of Electrical and Computer Engineering, International Islamic University, Kuala Lumpur, Malaysia; email:nfadzlinh@iium.edu.my

© Copyright 2021 Elsevier B.V. All rights reserved.

[Back to results](#) | 1 of 1

[Top of page](#)

## About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

## Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

## Customer Service

[Help](#)

[Contact us](#)

**ELSEVIER**

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX