



Document details

[Back to results](#) | 1 of 6 [Next >](#)

[CSV export](#) ↘ [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Save to list](#) [More... >](#)

[Full Text](#) | [View at Publisher](#)

Applied Thermal Engineering
Volume 192, 25 June 2021, Article number 116916

[Metrics](#) [?](#) [View all metrics >](#)

Energy, exergy and economic analysis of liquid flat-plate solar collector using green covalent functionalized graphene nanoplatelets (Article)

Kumar, L.H.^a Kazi, S.N.^a Masjuki, H.H.^{a,b} Zubir, M.N.M.^a, Jahan, A.^c, Bhinitha, C.^a

[Save all to author list](#)

^aDepartment of Mechanical Engineering, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia

^bDepartment of Mechanical Engineering, Faculty of Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia

^cNANOCAT, University of Malaya, Kuala Lumpur, Malaysia

Abstract

[View references \(88\)](#)

The conventional method of synthesizing carbon-based nanofluids produces harmful products that are highly toxic and hazardous. The present investigation deals with the effects of using eco-friendly, non-corrosive, covalent functionalized Graphene Nanoplatelets with gallic acid (GGNPs) as heat transfer fluid on energetic and exergetic performance of a Liquid flat-plate solar collector (LFPSC). Long-term dispersible stable GGNP nanofluids with base fluid distilled water are prepared with different weight concentrations of 0.025%, 0.05% & 0.1%. For varying concentrations, fluid flow rates of 0.8, 1.2, and 1.5 L/min, heat flux intensities of 600, 800, and 1000 W/m², and inlet temperature ranging from 303 to 323 K are considered for the conduction of experiments. Improvement in energy and exergetic efficiency was achieved using GGNP nanofluids. Thermal efficiency surges with increment in flow rate and heat flux intensities, meanwhile it decreases for increment in inlet temperature. The maximum enhancement in LFPSC efficiency is 24.09% for 0.1 wt% GGNPs and flow rate of 1.5 L/min than distilled water. Analysis of exergetic performance revealed that exergy efficiency reduces with a rise in mass flow rate meanwhile enhanced with an increase in nanofluid concentration. Exergy efficiency was maximum for 0.1% GGNP concentration and flow rate of 0.8 L/min. The maximum increase in friction factor values is approximately 1.5, 2.6 and 7.9% for 0.025, 0.05 and 0.1% GGNP nanofluids than distilled water. Relative pumping power slightly increases with the increment of GGNP concentration but is quite close to that of the base fluid. Performance index greater than one is obtained with higher values achieved at an increase in GGNP weight concentration. Economic consideration of GGNP nanofluids in LFPSC showcased a maximum reduction of 26.41% in the size of collector area using 0.1% GGNP nanofluid instead of distilled water. The payback period for LFPSC using GGNPs was 5.615% lesser than that of using water. © 2021 Elsevier Ltd

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

Related documents

Experimental study on the effect of bio-functionalized graphene nanoplatelets on the thermal performance of liquid flat plate solar collector

Kumar, L.H., Kazi, S.N., Masjuki, H.H. (2021) *Journal of Thermal Analysis and Calorimetry*

Energy analysis using carbon and metallic oxides-based nanomaterials inside a solar collector

Liu, S., Afan, H.A., Aldlemy, M.S. (2020) *Energy Reports*

Nanofluids for flat plate solar collectors: Fundamentals and applications

Alawi, O.A., Kamar, H.M., Mallah, A.R. (2021) *Journal of Cleaner Production*


[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

Chemistry database information

Substances



Author keywords

Economic analysis Graphene nanoplatelets Green functionalization Liquid flat-plate solar collector
Thermal performance

Funding details

Funding sponsor	Funding number	Acronym
Universiti Malaya		UM

Funding text

The authors gratefully acknowledge the FRGS grant FP143-2019A and research grant GPF019A-2019, IIRG006B-19IIS, University of Malaya, Kuala Lumpur, Malaysia for the support to conduct this research work.

ISSN: 13594311 **DOI:** 10.1016/j.applthermaleng.2021.116916
CODEN: ATENF **Document Type:** Article
Source Type: Journal **Publisher:** Elsevier Ltd
Original language: English

References (88)

[View in search results format >](#)

All CSV export Print E-mail Save to PDF Create bibliography

- 1 (2018)
IPCC, Summary for Policymakers - Global warming of 1.5°C, an IPCC special report, IPCC Spec. Rep. 32.
https://doi-org.ezlib.iium.edu.my/http://www.ipcc.ch/publications_and_data/ar4/wg2/en/spm.html
- 2 (2020)
International Energy Agency, Global Energy Review 2020 - The impacts of the Covid-19 crisis on global energy demand and CO2 emissions
<https://www.iea.org/data-and-statistics/charts/global-energy-demand-and-co2-emissions-trends-in-the-stated-policies-scenario-2019-2030>
- 3 (2019)
IEA, International Renewable Energy Agency, United Nations Statistics Division, The World Bank, World Health Organization, The Energy Progress Report, IEA, IRENA, UNSD, WB, WHO, Track. SDG 7 Energy Prog. Rep. 2019, Washingt. DC. 176.
<https://trackingsdg7.esmap.org/>
- 4 Sukhatme, S.P.P., Nayak, J.K., Naik, J.K.
(2014)
Solar Energy Principles of Thermal Collection and Storage, Fourth, Tata McGraw-Hill Education, New Delhi.
- 5 (2019)
L. Anto Joseph Deeyoko, K. Balaji, S. Iniyan, C. Sharneela, Exergy, economics and pumping power analyses of flat plate solar water heater using thermal performance enhancer in absorber tube, Appl. Therm. Eng. 154 726–737.
<https://doi-org.ezlib.iium.edu.my/10.1016/j.applthermaleng.2019.03.135>

- 6 Raj, P., Subudhi, S.
A review of studies using nanofluids in flat-plate and direct absorption solar collectors
(2018) *Renewable and Sustainable Energy Reviews*, 84, pp. 54-74. Cited 73 times.
doi: 10.1016/j.rser.2017.10.012
[View at Publisher](#)
-
- 7 Verma, S.K., Sharma, K., Gupta, N.K., Soni, P., Upadhyay, N.
“Performance comparison of innovative spiral shaped solar collector design with conventional flat plate solar collector”
(2020) *Energy*, 194, art. no. 116853. Cited 17 times.
<https://www.journals.elsevier.com/energy>
doi: 10.1016/j.energy.2019.116853
[View at Publisher](#)
-
- 8 Sakhaei, S.A., Valipour, M.S.
Investigation on the effect of different coated absorber plates on the thermal efficiency of the flat-plate solar collector
(2020) *Journal of Thermal Analysis and Calorimetry*, 140 (3), pp. 1597-1610. Cited 12 times.
http://www.springer.com.ezlib.iium.edu.my/sgw/cda/frontpage/0_11855_1-40109-70-35752391-0_00.html
doi: 10.1007/s10973-019-09148-x
[View at Publisher](#)
-
- 9 (2020)
S.P. Aghili Yegane, A. Kasaeian, Thermal performance assessment of a flat-plate solar collector considering porous media, hybrid nanofluid and magnetic field effects, *J. Therm. Anal. Calorim.* 141 1969–1980.
<https://doi-org.ezlib.iium.edu.my/10.1007/s10973-020-09710-y>
-
- 10 Bioucas, F.E.B., Vieira, S.I.C., Lourenço, M.J.V., Santos, F.J.V., Nieto de Castro, C.A.
Performance of heat transfer fluids with nanographene in a pilot solar collector
(2018) *Solar Energy*, Part 2 172, pp. 171-176. Cited 11 times.
www.elsevier.com/inca/publications/store/3/2/9/index.htm
doi: 10.1016/j.solener.2018.05.040
[View at Publisher](#)
-
- 11 Pang, W., Cui, Y., Zhang, Q., Wilson, G.J., Yan, H.
A comparative analysis on performances of flat plate photovoltaic/thermal collectors in view of operating media, structural designs, and climate conditions
(2020) *Renewable and Sustainable Energy Reviews*, 119, art. no. 109599. Cited 14 times.
<https://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews>
doi: 10.1016/j.rser.2019.109599
[View at Publisher](#)
-
- 12 (2020)
P. Michael Joseph Stalin, T.V. Arjunan, M.M. Matheswaran, H. Dolli, N. Sadanandam, Energy, economic and environmental investigation of a flat plate solar collector with CeO₂/water nanofluid, *J. Therm. Anal. Calorim.* 139 3219–3233.
<https://doi-org.ezlib.iium.edu.my/10.1007/s10973-019-08670-2>

13 Sarsam, W.S., Kazi, S.N., Badarudin, A.

Thermal performance of a flat-plate solar collector using aqueous colloidal dispersions of graphene nanoplatelets with different specific surface areas

(2020) *Applied Thermal Engineering*, 172, art. no. 115142. Cited 8 times.

<http://www.journals.elsevier.com/applied-thermal-engineering/>

doi: 10.1016/j.applthermaleng.2020.115142

[View at Publisher](#)

14 Ahuja, A.S.

Augmentation of heat transport in laminar flow of polystyrene suspensions. I. Experiments and results

(1975) *Journal of Applied Physics*, 46 (8), pp. 3408-3416. Cited 274 times.

doi: 10.1063/1.322107

[View at Publisher](#)

15 Masuda, H., Ebata, A., Teramae, K., Hishinuma, N.

Alteration of thermal conductivity and viscosity of liquid by dispersing ultra-fine particles. Dispersion of Al₂O₃, SiO₂ and TiO₂ ultra-fine particles

(1993) *Netsu Bussei*, 7, pp. 227-233. Cited 1593 times.

16 Choi, Stephen U.S.

Enhancing thermal conductivity of fluids with nanoparticles

(1995) *American Society of Mechanical Engineers, Fluids Engineering Division (Publication) FED*, 231, pp. 99-105. Cited 6100 times.

17 Dhinesh Kumar, D., Valan Arasu, A.

A comprehensive review of preparation, characterization, properties and stability of hybrid nanofluids

(2018) *Renewable and Sustainable Energy Reviews*, Part 2 81, pp. 1669-1689. Cited 86 times.
doi: 10.1016/j.rser.2017.05.257

[View at Publisher](#)

18 Bakthavatchalam, B., Habib, K., Saidur, R., Saha, B.B., Irshad, K.

Comprehensive study on nanofluid and ionanofluid for heat transfer enhancement: A review on current and future perspective

(2020) *Journal of Molecular Liquids*, 305, art. no. 112787. Cited 37 times.

<https://www.journals.elsevier.com/journal-of-molecular-liquids>

doi: 10.1016/j.molliq.2020.112787

[View at Publisher](#)

19 Sheikholeslami, M., Ganji, D.D.

Heat transfer of Cu-water nanofluid flow between parallel plates

(2013) *Powder Technology*, 235, pp. 873-879. Cited 314 times.

doi: 10.1016/j.powtec.2012.11.030

[View at Publisher](#)

20 Chowdhury, N.R., MacGregor-Ramiasa, M., Zilm, P., Majewski, P., Vasilev, K.

'Chocolate' silver nanoparticles: Synthesis, antibacterial activity and cytotoxicity

(2016) *Journal of Colloid and Interface Science*, 482, pp. 151-158. Cited 43 times.

<http://www.elsevier.com.ezlib.iium.edu.my/inca/publications/store/6/2/2/8/6/1/index.htm>

doi: 10.1016/j.jcis.2016.08.003

[View at Publisher](#)

21 Pauzi, N., Zain, N.M., Yusof, N.A.A.

Gum arabic as natural stabilizing agent in green synthesis of ZnO nanofluids for antibacterial application

(2020) *Journal of Environmental Chemical Engineering*, 8 (3), art. no. 103331. Cited 12 times.

<http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/>

doi: 10.1016/j.jece.2019.103331

[View at Publisher](#)

22 Choudhary, S., Sachdeva, A., Kumar, P.

Time-based analysis of stability and thermal efficiency of flat plate solar collector using iron oxide nanofluid

(2021) *Applied Thermal Engineering*, Part 1 183, art. no. 115931. Cited 5 times.

<http://www.journals.elsevier.com/applied-thermal-engineering/>

doi: 10.1016/j.aplthermaleng.2020.115931

[View at Publisher](#)

23 Krishnam, M., Bose, S., Das, C.

Boron nitride (BN) nanofluids as cooling agent in thermal management system (TMS)

(2016) *Applied Thermal Engineering*, 106, pp. 951-958. Cited 26 times.

<http://www.journals.elsevier.com/applied-thermal-engineering/>

doi: 10.1016/j.aplthermaleng.2016.06.099

[View at Publisher](#)

24 Cadena-de la Peña, N.L., Rivera-Solorio, C.I., Payán-Rodríguez, L.A., García-Cuéllar, A.J., López-Salinas, J.L.

Experimental analysis of natural convection in vertical annuli filled with AlN and TiO₂/mineral oil-based nanofluids

(2017) *International Journal of Thermal Sciences*, 111, pp. 138-145. Cited 36 times.

<http://www.journals.elsevier.com/international-journal-of-thermal-sciences/>

doi: 10.1016/j.ijthermalsci.2016.08.010

[View at Publisher](#)

25 Li, X., Zou, C., Zhou, L., Qi, A.

Experimental study on the thermo-physical properties of diathermic oil based SiC nanofluids for high temperature applications

(2016) *International Journal of Heat and Mass Transfer*, 97, pp. 631-637. Cited 47 times.

<http://www.journals.elsevier.com/international-journal-of-heat-and-mass-transfer/>

doi: 10.1016/j.ijheatmasstransfer.2016.02.056

[View at Publisher](#)

26 Sadri, R., Hosseini, M., Kazi, S.N., Bagheri, S., Abdelrazek, A.H., Ahmadi, G., Zubir, N., (...), Abidin, N.I.Z.

A facile, bio-based, novel approach for synthesis of covalently functionalized graphene nanoplatelet nano-coolants toward improved thermo-physical and heat transfer properties

(2018) *Journal of Colloid and Interface Science*, 509, pp. 140-152. Cited 36 times.

<http://www.elsevier.com.ezlib.iium.edu.my/inca/publications/store/6/2/2/8/6/1/index.htm>

doi: 10.1016/j.jcis.2017.07.052

[View at Publisher](#)

27 Zayed, M.E., Zhao, J., Du, Y., Kabeel, A.E., Shalaby, S.M.

Factors affecting the thermal performance of the flat plate solar collector using nanofluids: A review

(2019) *Solar Energy*, 182, pp. 382-396. Cited 45 times.

<http://www.elsevier.com/inca/publications/store/3/2/9/index.htm>

doi: 10.1016/j.solener.2019.02.054

[View at Publisher](#)

- 28 Hussein, O.A., Habib, K., Muhsan, A.S., Saidur, R., Alawi, O.A., Ibrahim, T.K. Thermal performance enhancement of a flat plate solar collector using hybrid nanofluid

(2020) *Solar Energy*, 204, pp. 208-222. Cited 15 times.
www.elsevier.com/inca/publications/store/3/2/9/index.htm
doi: 10.1016/j.solener.2020.04.034

[View at Publisher](#)

-
- 29 Shafieian, A., Khiadani, M., Nosrati, A. Strategies to improve the thermal performance of heat pipe solar collectors in solar systems: A review ([Open Access](#))

(2019) *Energy Conversion and Management*, 183, pp. 307-331. Cited 39 times.
<https://www.journals.elsevier.com/energy-conversion-and-management>
doi: 10.1016/j.enconman.2018.12.115

[View at Publisher](#)

-
- 30 Tong, Y., Chi, X., Kang, W., Cho, H. Comparative investigation of efficiency sensitivity in a flat plate solar collector according to nanofluids

(2020) *Applied Thermal Engineering*, 174, art. no. 115346. Cited 9 times.
<http://www.journals.elsevier.com/applied-thermal-engineering/>
doi: 10.1016/j.applthermaleng.2020.115346

[View at Publisher](#)

-
- 31 Moravej, M., Bozorg, M.V., Guan, Y., Li, L.K.B., Doranehgard, M.H., Hong, K., Xiong, Q. Enhancing the efficiency of a symmetric flat-plate solar collector via the use of rutile TiO₂-water nanofluids

(2020) *Sustainable Energy Technologies and Assessments*, 40, art. no. 100783. Cited 25 times.
<http://www.journals.elsevier.com/sustainable-energy-technologies-and-assessments>
doi: 10.1016/j.seta.2020.100783

[View at Publisher](#)

-
- 32 Sundar, L.S., Misganaw, A.H., Singh, M.K., Pereira, A.M.B., Sousa, A.C.M. Efficiency, energy and economic analysis of twisted tape inserts in a thermosyphon solar flat plate collector with Cu nanofluids

(2020) *Renewable Energy Focus*, 35, pp. 10-31. Cited 4 times.
<http://www.elsevier.com.ezlib.iium.edu.my>
doi: 10.1016/j.ref.2020.06.004

[View at Publisher](#)

-
- 33 Choudhary, S., Sachdeva, A., Kumar, P. Influence of stable zinc oxide nanofluid on thermal characteristics of flat plate solar collector

(2020) *Renewable Energy*, 152, pp. 1160-1170. Cited 20 times.
<http://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews/>
doi: 10.1016/j.renene.2020.01.142

[View at Publisher](#)

-
- 34 Choudhary, S., Sachdeva, A., Kumar, P. Investigation of the stability of MgO nanofluid and its effect on the thermal performance of flat plate solar collector

(2020) *Renewable Energy*, Part 1 147, pp. 1801-1814. Cited 35 times.
<http://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews/>
doi: 10.1016/j.renene.2019.09.126

[View at Publisher](#)

- 35 Okonkwo, E.C., Wole-Osho, I., Kavaz, D., Abid, M., Al-Ansari, T.
Thermodynamic evaluation and optimization of a flat plate collector operating with alumina and iron mono and hybrid nanofluids
(2020) *Sustainable Energy Technologies and Assessments*, 37, art. no. 100636. Cited 29 times.
<http://www.journals.elsevier.com/sustainable-energy-technologies-and-assessments/>
doi: 10.1016/j.seta.2020.100636
- [View at Publisher](#)
-
- 36 Eltawee, M., Abdel-Rehim, A.A.
Energy and exergy analysis of a thermosiphon and forced-circulation flat-plate solar collector using MWCNT/Water nanofluid [\(Open Access\)](#)
(2019) *Case Studies in Thermal Engineering*, 14, art. no. 100416. Cited 32 times.
<http://www.journals.elsevier.com/case-studies-in-thermal-engineering/>
doi: 10.1016/j.csite.2019.100416
- [View at Publisher](#)
-
- 37 Akram, N., Sadri, R., Kazi, S.N., Ahmed, S.M., Zubir, M.N.M., Ridha, M., Soudagar, M., (...), Tong, G.B.
An experimental investigation on the performance of a flat-plate solar collector using eco-friendly treated graphene nanoplatelets–water nanofluids
(2019) *Journal of Thermal Analysis and Calorimetry*, 138 (1), pp. 609-621. Cited 26 times.
http://www.springer.com.ezlib.iium.edu.my/sgw/cda/frontpage/0_11855_1-40109-70-35752391-0_00.html
doi: 10.1007/s10973-019-08153-4
- [View at Publisher](#)
-
- 38 Alawi, O.A., Mohamed Kamar, H., Mallah, A.R., Kazi, S.N., Sidik, N.A.C.
Thermal efficiency of a flat-plate solar collector filled with Pentaethylene Glycol-Treated Graphene Nanoplatelets: An experimental analysis
(2019) *Solar Energy*, 191, pp. 360-370. Cited 15 times.
www.elsevier.com/inca/publications/store/3/2/9/index.htm
doi: 10.1016/j.solener.2019.09.011
- [View at Publisher](#)
-
- 39 Mirzaei, M., Hosseini, S.M.S., Moradi Kashkooli, A.M.
Assessment of Al_2O_3 nanoparticles for the optimal operation of the flat plate solar collector
(2018) *Applied Thermal Engineering*, 134, pp. 68-77. Cited 37 times.
<http://www.journals.elsevier.com/applied-thermal-engineering/>
doi: 10.1016/j.applthermaleng.2018.01.104
- [View at Publisher](#)
-
- 40 Farajzadeh, E., Movahed, S., Hosseini, R.
Experimental and numerical investigations on the effect of $\text{Al}_2\text{O}_3/\text{TiO}_2$ -H₂O nanofluids on thermal efficiency of the flat plate solar collector
(2018) *Renewable Energy*, 118, pp. 122-130. Cited 49 times.
<http://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews/>
doi: 10.1016/j.renene.2017.10.102
- [View at Publisher](#)
-
- 41 Sharafeldin, M.A., Gróf, G.
Experimental investigation of flat plate solar collector using CeO₂-water nanofluid
(2018) *Energy Conversion and Management*, 155, pp. 32-41. Cited 66 times.
doi: 10.1016/j.enconman.2017.10.070
- [View at Publisher](#)

- 42 Hawwash, A.A., Abdel Rahman, A.K., Nada, S.A., Ookawara, S. Numerical Investigation and Experimental Verification of Performance Enhancement of Flat Plate Solar Collector Using Nanofuids
(2018) *Applied Thermal Engineering*, 130, pp. 363-374. Cited 55 times.
<http://www.journals.elsevier.com/applied-thermal-engineering/>
doi: 10.1016/j.applthermaleng.2017.11.027
- [View at Publisher](#)
-
- 43 Verma, S.K., Tiwari, A.K., Chauhan, D.S. Experimental evaluation of flat plate solar collector using nanofuids
(2017) *Energy Conversion and Management*, 134, pp. 103-115. Cited 110 times.
doi: 10.1016/j.enconman.2016.12.037
- [View at Publisher](#)
-
- 44 Anin Vincely, D., Natarajan, E. Experimental investigation of the solar FPC performance using graphene oxide nanofluid under forced circulation
(2016) *Energy Conversion and Management*, 117, pp. 1-11. Cited 60 times.
doi: 10.1016/j.enconman.2016.03.015
- [View at Publisher](#)
-
- 45 Vakili, M., Hosseinalipour, S.M., Delfani, S., Khosrojerdi, S., Karami, M. Experimental investigation of graphene nanoplatelets nanofluid-based volumetric solar collector for domestic hot water systems
(2016) *Solar Energy*, 131, pp. 119-130. Cited 79 times.
www.elsevier.com/inca/publications/store/3/2/9/index.htm
doi: 10.1016/j.solener.2016.02.034
- [View at Publisher](#)
-
- 46 Verma, S.K., Tiwari, A.K., Chauhan, D.S. Performance augmentation in flat plate solar collector using MgO/water nanofluid
(2016) *Energy Conversion and Management*, 124, pp. 607-617. Cited 70 times.
doi: 10.1016/j.enconman.2016.07.007
- [View at Publisher](#)
-
- 47 Gupta, H.K., Agrawal, G.D., Mathur, J. An experimental investigation of a low temperature Al₂O₃-H₂O nanofluid based direct absorption solar collector
(2015) *Solar Energy*, 118, pp. 390-396. Cited 75 times.
www.elsevier.com/inca/publications/store/3/2/9/index.htm
doi: 10.1016/j.solener.2015.04.041
- [View at Publisher](#)
-
- 48 Faizal, M., Saidur, R., Mekhilef, S., Alim, M.A. Energy, economic and environmental analysis of metal oxides nanofluid for flat-plate solar collector
(2013) *Energy Conversion and Management*, 76, pp. 162-168. Cited 173 times.
doi: 10.1016/j.enconman.2013.07.038
- [View at Publisher](#)

49 Yousefi, T., Veisy, F., Shojaeizadeh, E., Zinadini, S.

An experimental investigation on the effect of MWCNT-H₂O nanofluid on the efficiency of flat-plate solar collectors

(2012) *Experimental Thermal and Fluid Science*, 39, pp. 207-212. Cited 180 times.

doi: 10.1016/j.expthermflusci.2012.01.025

[View at Publisher](#)

50 Kumar, L.H., Kazi, S.N., Masjuki, H.H., Zubir, M.N.M., Jahan, A., Sean, O.C.

Experimental study on the effect of bio-functionalized graphene nanoplatelets on the thermal performance of liquid flat plate solar collector

(2021) *Journal of Thermal Analysis and Calorimetry*

http://www.springer.com.ezlib.iium.edu.my/sgw/cda/frontpage/0_11855_1-40109-70-35752391-0_00.html

doi: 10.1007/s10973-020-10527-y

[View at Publisher](#)

51 Sadri, R., Hosseini, M., Kazi, S.N., Bagheri, S., Zubir, N., Ahmadi, G., Dahari, M., (...), Zaharinie, T.

A novel, eco-friendly technique for covalent functionalization of graphene nanoplatelets and the potential of their nanofluids for heat transfer applications

(2017) *Chemical Physics Letters*, 675, pp. 92-97. Cited 35 times.

<http://www.elsevier.com.ezlib.iium.edu.my/locate/cplonline>

doi: 10.1016/j.cplett.2017.02.077

[View at Publisher](#)

52 Parthasarathy, V.A., Chempakam, B., Zachariah, T.J.

(2008) . Cited 2 times.

Chemistry of spices

<https://doi.org.ezlib.iium.edu.my/10.4327/jsnfs1949.32.267>

53 Mekhilef, S., Safari, A., Mustaffa, W.E.S., Saidur, R., Omar, R., Younis, M.A.A.

Solar energy in Malaysia: Current state and prospects

(2012) *Renewable and Sustainable Energy Reviews*, 16 (1), pp. 386-396. Cited 195 times.

doi: 10.1016/j.rser.2011.08.003

[View at Publisher](#)

54 (1977)

Anon, Methods of Testing To Determine the Thermal Performance of Solar Collectors

<http://books.google.com.au/books?id=ybIPAAAAMAA>

55 Petukhov, B.S.

Heat Transfer and Friction in Turbulent Pipe Flow with Variable Physical Properties

(1970) *Advances in Heat Transfer*, 6 (C), pp. 503-564. Cited 1225 times.

doi: 10.1016/S0065-2717(08)70153-9

[View at Publisher](#)

56 Blasius, H.

Grenzschichten in Flüssigkeiten mit kleiner Reibung

(1908) *Z. Math. Phys.*, 56, pp. 1-37. Cited 1105 times.

57 Sadri, R., Hosseini, M., Kazi, S.N., Bagheri, S., Ahmed, S.M., Ahmadi, G., Zubir, N., (...), Dahari, M.

Study of environmentally friendly and facile functionalization of graphene nanoplatelet and its application in convective heat transfer

(2017) *Energy Conversion and Management*, 150, pp. 26-36. Cited 25 times.

doi: 10.1016/j.enconman.2017.07.036

[View at Publisher](#)

58 Razi, P., Akhavan-Behabadi, M.A., Saeedinia, M.

Pressure drop and thermal characteristics of CuO-base oil nanofluid laminar flow in flattened tubes under constant heat flux

(2011) *International Communications in Heat and Mass Transfer*, 38 (7), pp. 964-971. Cited 91 times.

doi: 10.1016/j.icheatmasstransfer.2011.04.010

[View at Publisher](#)

59 Holman, J.

(2011)

Experimental methods for engineers

[https://doi-org.ezlib.iium.edu.my/10.1016/0894-1777\(94\)90118-x](https://doi-org.ezlib.iium.edu.my/10.1016/0894-1777(94)90118-x)

60 Kline, S., McClintock, F.

Describing uncertainties in single-sample experiments

(1953) *Mech. Eng.*, 75, pp. 3-8. Cited 7780 times.

61 Moffat, R.J.

Describing the uncertainties in experimental results

(1988) *Experimental Thermal and Fluid Science*, 1 (1), pp. 3-17. Cited 5445 times.

doi: 10.1016/0894-1777(88)90043-X

[View at Publisher](#)

62 Holman, J.P.

(2012)

Experimental methods for engineers.

63

Batakliev, T., Petrova-Doycheva, I., Angelov, V., Georgiev, V., Ivanov, E., Kotsilkova, R., Casa, M., (...), Ciambelli, P.

Effects of graphene nanoplatelets and multiwall carbon nanotubes on the structure and mechanical properties of Poly(lactic acid) composites: A comparative study
[\(Open Access\)](#)

(2019) *Applied Sciences (Switzerland)*, 9 (3), art. no. 469. Cited 34 times.

<https://www.mdpi.com/2076-3417/9/3/469/pdf>

doi: 10.3390/app9030469

[View at Publisher](#)

64 Alawi, O.A., Sidik, N.A.C., Kazi, S.N., Najafi, G.

Graphene nanoplatelets and few-layer graphene studies in thermo-physical properties and particle characterization

(2019) *Journal of Thermal Analysis and Calorimetry*, 135 (2), pp. 1081-1093. Cited 14 times.

http://www.springer.com.ezlib.iium.edu.my/sgw/cda/frontpage/0_11855_1-40109-70-35752391-0_00.html

doi: 10.1007/s10973-018-7585-0

[View at Publisher](#)

- 65 Sarsam, W.S., Amiri, A., Kazi, S.N., Badarudin, A.
Stability and thermophysical properties of non-covalently functionalized graphene nanoplatelets nanofluids

(2016) *Energy Conversion and Management*, 116, pp. 101-111. Cited 91 times.
doi: 10.1016/j.enconman.2016.02.082

[View at Publisher](#)

- 66 Montazer, E., Salami, E., Yarmand, H., Chowdhury, Z.Z., Dahari, M., Kazi, S.N., Badarudin, A.
Development of a new density correlation for carbon-based nanofluids using response surface methodology

(2018) *Journal of Thermal Analysis and Calorimetry*, 132 (2), pp. 1399-1407. Cited 10 times.
http://www.springer.com.ezlib.iium.edu.my/sgw/cda/frontpage/0_11855_1-40109-70-35752391-0_00.html
doi: 10.1007/s10973-018-6978-4

[View at Publisher](#)

- 67 Karami, M., Akhavan-Bababadi, M.A., Delfani, S., Raisee, M.
Experimental investigation of CuO nanofluid-based Direct Absorption Solar Collector for residential applications

(2015) *Renewable and Sustainable Energy Reviews*, 52, pp. 793-801. Cited 86 times.
doi: 10.1016/j.rser.2015.07.131

[View at Publisher](#)

- 68 Ahmadi, A., Ganji, D.D., Jafarkazemi, F.
Analysis of utilizing Graphene nanoplatelets to enhance thermal performance of flat plate solar collectors

(2016) *Energy Conversion and Management*, 126, pp. 1-11. Cited 45 times.
doi: 10.1016/j.enconman.2016.07.061

[View at Publisher](#)

- 69 Garg, H.P., Agarwal, R.K.
Some aspects of a PV/T collector/forced circulation flat plate solar water heater with solar cells

(1995) *Energy Conversion and Management*, 36 (2), pp. 87-99. Cited 155 times.
doi: 10.1016/0196-8904(94)00046-3

[View at Publisher](#)

- 70 Genc, A.M., Ezan, M.A., Turgut, A.
Thermal performance of a nanofluid-based flat plate solar collector: A transient numerical study

(2018) *Applied Thermal Engineering*, 130, pp. 395-407. Cited 47 times.
<http://www.journals.elsevier.com/applied-thermal-engineering/>
doi: 10.1016/j.applthermaleng.2017.10.166

[View at Publisher](#)

- 71 Said, Z., Saidur, R., Rahim, N.A.
Energy and exergy analysis of a flat plate solar collector using different sizes of aluminium oxide based nanofluid

(2016) *Journal of Cleaner Production*, 133, pp. 518-530. Cited 79 times.
doi: 10.1016/j.jclepro.2016.05.178

[View at Publisher](#)

- 72 Shojaeizadeh, E., Veysi, F.
Development of a correlation for parameter controlling using exergy efficiency optimization of an Al₂O₃/water nanofluid based flat-plate solar collector
(2016) *Applied Thermal Engineering*, 98, pp. 1116-1129. Cited 45 times.
<http://www.journals.elsevier.com/applied-thermal-engineering/>
doi: 10.1016/j.applthermaleng.2016.01.001
[View at Publisher](#)
-
- 73 Rangababu, J.A., Kiran Kumar, K., Srinivasa Rao, S.
Numerical Analysis and Validation of Heat Transfer Mechanism of Flat Plate Collectors ([Open Access](#))
(2015) *Procedia Engineering*, 127, pp. 63-70. Cited 6 times.
<http://www.sciencedirect.com.ezlib.iium.edu.my/science/journal/18777058>
doi: 10.1016/j.proeng.2015.11.331
[View at Publisher](#)
-
- 74 Faizal, M., Saidur, R., Mekhilef, S., Hepbasli, A., Mahbubul, I.M.
Energy, economic, and environmental analysis of a flat-plate solar collector operated with SiO₂nanofluid ([Open Access](#))
(2015) *Clean Technologies and Environmental Policy*, 17 (6), pp. 1457-1473. Cited 60 times.
<http://springerlink.metapress.com.ezlib.iium.edu.my/app/home/journal.asp?wasp=46wa6aej7g0jwmac279x&referrer=parent&backto=browsepublicationsresults,91,542>
doi: 10.1007/s10098-014-0870-0
[View at Publisher](#)
-
- 75 Said, Z., Saidur, R., Sabiha, M.A., Rahim, N.A., Anisur, M.R.
Thermophysical properties of Single Wall Carbon Nanotubes and its effect on exergy efficiency of a flat plate solar collector
(2015) *Solar Energy*, 115, pp. 757-769. Cited 72 times.
www.elsevier.com/inca/publications/store/3/2/9/index.htm
doi: 10.1016/j.solener.2015.02.037
[View at Publisher](#)
-
- 76 Mahian, O., Kianifar, A., Sahin, A.Z., Wongwises, S.
Performance analysis of a minichannel-based solar collector using different nanofluids
(2014) *Energy Conversion and Management*, 88, pp. 129-138. Cited 126 times.
doi: 10.1016/j.enconman.2014.08.021
[View at Publisher](#)
-
- 77 Ekramian, E., Etemad, S.G., Haghshenasfard, M.
(2014) . Cited 14 times.
Numerical analysis of heat transfer performance of flat plate solar collectors, *J. Fluid Flow, Heat Mass Transf.*
<https://doi-org.ezlib.iium.edu.my/10.11159/jffhmt.2014.006>
-
- 78 Said, Z., Saidur, R., Rahim, N.A., Alim, M.A.
Analyses of exergy efficiency and pumping power for a conventional flat plate solar collector using SWCNTs based nanofluid
(2014) *Energy and Buildings*, 78, pp. 1-9. Cited 113 times.
doi: 10.1016/j.enbuild.2014.03.061
[View at Publisher](#)

79 Alim, M.A., Abdin, Z., Saidur, R., Hepbasli, A., Khairul, M.A., Rahim, N.A.

Analyses of entropy generation and pressure drop for a conventional flat plate solar collector using different types of metal oxide nanofluids

(2013) *Energy and Buildings*, 66, pp. 289-296. Cited 96 times.

doi: 10.1016/j.enbuild.2013.07.027

[View at Publisher](#)

80 Michael, J.J., Selvarasan, I.

Economic analysis and environmental impact of flat plate roof mounted solar energy systems

(2017) *Solar Energy*, 142, pp. 159-170. Cited 29 times.

www.elsevier.com/inca/publications/store/3/2/9/index.htm

doi: 10.1016/j.solener.2016.12.019

[View at Publisher](#)

© Kumar, L.H.; Department of Mechanical Engineering, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia; email: harishsanjeetha@gmail.com

© Copyright 2021 Elsevier B.V. All rights reserved.

[< Back to results](#) | 1 of 6 [Next >](#)

[^ Top of page](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語に切り替える](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Русский язык](#)

Customer Service

[Help](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX