Scopus

Documents

Rozila, I.^{a b}, Azari, P.^c, Munirah, S.^d, Safwani, W.K.Z.W.^e, Pingguan-Murphy, B.^e, Chua, K.H.^a

Polycaprolactone-based scaffolds facilitates osteogenic differentiation of human adipose-derived stem cells in a co-culture system

(2021) Polymers, 13 (4), art. no. 597, pp. 1-14.

DOI: 10.3390/polym13040597

- ^a Department of Physiology, Faculty of Medicine, University Kebangsaan Malaysia, Kuala Lumpur, 56000, Malaysia
- ^b Department of Pharmaceutical Sciences, Faculty of Pharmacy, University of Cyberjaya, Selangor, 63000, Malaysia
- ^c Department of Chemistry, Faculty of Science, University of Malaya, Kuala Lumpur, 50603, Malaysia
- ^d Department of Rehabilitation and Physiotherapy, Kulliyyah of Allied Health Sciences, International Islamic University Malaysia, Kuantan, 25200, Malaysia
- e Department of Biomedical Engineering, Faculty of Engineering, University of Malaya, Kuala Lumpur, 50603, Malaysia

Abstract

(1) Background: Stem cells in combination with scaffolds and bioactive molecules have made significant contributions to the regeneration of damaged bone tissues. A co-culture system can be effective in enhancing the proliferation rate and osteogenic differentiation of the stem cells. Hence, the aim of this study was to investigate the osteogenic differentiation of human adipose derived stem cells when co-cultured with human osteoblasts and seeded on polycaprolactone (PCL):hydroxyapatite (HA) scaffold; (2) Methods: Human adipose-derived stem cells (ASC) and human osteoblasts (HOB) were seeded in three different ratios of 1:2, 1:2 and 2:1 in the PCL-HA scaffolds. The osteogenic differentiation ability was evaluated based on cell morphology, proliferation rate, alkaline phosphatase (ALP) activity, calcium deposition and osteogenic genes expression levels using quantitative RT-PCR; (3) Results: The co-cultured of ASC/HOB in ratio 2:1 seeded on the PCLHA scaffolds showed the most positive osteogenic differentiation as compared to other groups, which resulted in higher ALP activity, calcium deposition and osteogenic genes expression, particularly Runx, ALP and BSP. These genes indicate that the co-cultured ASC/HOB seeded on PCL-HA was at the early stage of osteogenic development; (4) Conclusions: The combination of co-culture system (ASC/HOB) and PCL-HA scaffolds promote osteogenic differentiation and early bone formation. © 2021 by the authors. Licensee MDPI, Basel, Switzerland.

Author Keywords

Human adipose-derived stem cells; Osteogenic; Polycaprolactone

Index Keywords

Bone, Calcium, Cytology, Deposition, Genes, Hydroxyapatite, Phosphatases, Stem cells; Alkaline phosphatase activity, Bioactive molecules, Calcium deposition, Co-culture system, Human adipose derived stem cells, Osteogenic differentiation, Proliferation rate, Quantitative RT-PCR; Scaffolds (biology)

References

Nelson, A.E., Allen, K.D., Golightly, Y.M., Goode, A.P., Jordan, J.M.

A systematic review of recommendations and guidelines for the management of osteoarthritis: The Chronic Osteoarthritis Management Initiative of the U.S. Bone and Joint Initiative

(2014) Semin. Arthritis. Rheum, 43, pp. 701-712. [CrossRef]

Liu, Y., Wu, J., Zhu, Y., Han, J.

Therapeutic application of mesenchymal stem cells in bone and joint diseases (2014) *Clin. Exp. Med*, 14, pp. 13-24. [CrossRef] [PubMed]

1 of 5 8/6/2021, 1:28 PM

• Rozila, I., Azari, P., Munirah, S., Wan Safwani, W.K.Z., Gan, S.N., Nur Azurah, A.G., Jahendran, J., Chua, K.H.

Differential osteogenic potential of human adipose-derived stem cells co-cultured with human osteoblasts on polymeric microfiber scaffolds

(2016) *J. Biomed. Mater. Res. Part A*, 104, pp. 377-387. [CrossRef] [PubMed]

Kim, J., Ma, T.

Perfusion regulation of hMSC microenvironment and osteogenic differentiation in 3D scaffold

(2012) *Biotechnol. Bioeng*, 109, pp. 252-261. [CrossRef]

- Habibovic, P., Yuan, H., van der Valk, C.M., Meijer, G., van Blitterswijk, C.A., de Groot, K.
 3D microenvironment as essential element for osteoinduction by biomaterials (2005) *Biomaterials*, 26, pp. 3562-3575.
 [CrossRef] [PubMed]
- Chou, P.Y., Chou, Y.C., Lai, Y.H., Lin, Y.T., Lu, C.J., Liu, S.J.
 Fabrication of drug-eluting nano-hydroxylapatite filled polycaprolactone nanocomposites using solution-extrusion 3D printing technique (2021) *Polymers*, 13, p. 318.
 [CrossRef] [PubMed]
- Park, S., Kim, J.E., Han, J., Jeong, S., Lim, J.W., Lee, M.C., Son, H., Seonwoo, H.
 3D-printed poly(ε-caprolactone)/hydroxyapatite scaffolds modified with alkaline hydrolysis enhance osteogenesis in vitro (2021) *Polymers*, 13, p. 257.
 [CrossRef]
- Barradas, A.M., Monticone, V., Hulsman, M., Danoux, C., Fernandes, H., Tahmasebi Birgani, Z., Barrère-de Groot, F., Habibovic, P.
 Molecular mechanisms of biomaterial-driven osteogenic differentiation in human mesenchymal stromal cells

 (2013) Integr. Biol, 5, pp. 920-931.
 [CrossRef]
- Hesaraki, S., Nazarian, H., Pourbaghi-Masouleh, M., Borhan, S.
 Comparative study of mesenchymal stem cells osteogenic differentiation on low-temperature biomineralized nanocrystalline carbonated hydroxyapatite and sintered hydroxyapatite
 (2014) J. Biomed. Mater. Res. B Appl. Biomater, 102, pp. 108-118.
 [CrossRef]
- Venugopal, J., Rajeswari, R., Shayanti, M., Low, S., Bongso, A., Giri Dev, V.R., Choon, A.T., Ramakrishna, S.
 Electrospray hydroxyapatite on polymer nanofibers to differentiate mesenchymal stem cells to osteogenesis
 (2013) J. Biomater. Sci, 24, pp. 170-184.
 [CrossRef]
- Zhang, X., Chang, W., Lee, P., Wang, Y., Yang, M., Li, J., Kumbar, S.G., Yu, X.
 Polymer-ceramic spiral structured scaffolds for bone tissue engineering: Effect of hydroxyapatite composition on human fetal osteoblasts

2 of 5 8/6/2021, 1:28 PM

```
(2014) PLoS ONE, 9, p. e85871. [CrossRef]
```

• Akram, H., Azari, P., Wan Abas, W.A.B., Zain, N.M., Gan, S.N., Yahya, R., Wong, C.S., Pingguan-Murphy, B.

An in-vitro study on the proliferative potential of rat bone marrow stem cells on electrospun fibrous polycaprolactone scaffolds containing micro-hydroxyapatite particles

(2014) *Mater. Res. Innov*, 18, pp. 520-524. [CrossRef]

Eosoly, S., Vrana, N.E., Lohfeld, S., Hindie, M., Looney, L.
 Interaction of cell culture with composition effects on the mechanical properties of polycaprolactone-hydroxyapatite scaffolds fabricated via selective laser sintering (SLS)

(2012) *Mater. Sci. Eng. C*, 32, pp. 2250-2257. [CrossRef]

- Goers, L., Freemont, P., Polizzi, K.M.
 Co-culture systems and technologies: Taking synthetic biology to the next level (2014) *J. R. Soc. Interface*, 11, p. 20140065.
 [CrossRef]
- Akahane, M., Ueha, T., Shimizu, T., Inagaki, Y., Kido, A., Imamura, T., Kawate, K., Tanaka, Y.
 Increased osteogenesis with hydroxyapatite constructs combined with serially-passaged bone marrow-derived mesenchymal stem cells
 (2012) Stem. Cell Discov, 2, pp. 133-140.
 [CrossRef]

Kim, J.Y., Lee, T.J., Cho, D.W., Kim, B.S.
 Solid free-form fabrication-based PCL/HA scaffolds fabricated with a multi-head deposition system for bone tissue engineering
 (2010) J. Biomater. Sci. Polym. Ed, 21, pp. 951-962.
 [CrossRef] [PubMed]

Herliansyah, M.K., Hamdi, M., Ide-Ektessabi, A., Wildan, M.W.
 Fabrication of bovine bone hydroxyapatite effect of the material shapes and calcination temperature
 (2006) ISTECS J. Sci. Technol. Pol. VIII, 25, pp. 1345-8981.

- Ooi, C.Y., Hamdi, M., Ramesh, S.
 Properties of hydroxyapatite produced by annealing of bovine bone (2007) Ceram. Int, 33, pp. 1171-1177.
 [CrossRef]
- Rh Owen, G., Dard, M., Larjava, H.
 Hydoxyapatite/beta-tricalcium phosphate biphasic ceramics as regenerative material for the repair of complex bone defects
 (2018) J. Biomed. Mater. Res. Part B, 106, pp. 2493-2512.
 [CrossRef]

3 of 5

• Faia-Torres, A.B., Guimond-Lischer, S., Rottmar, M., Charnley, M., Goren, T., Maniura-Weber, K., Spencer, N.D., Neves, N.M.

Differential regulation of osteogenic differentiation of stem cells on surface roughness gradients

(2014) *Biomaterials*, 35, pp. 9023-9032. [CrossRef]

Hoemann, C.D., El-Gabalawy, H., McKee, M.D.
 In Vitro osteogenesis assays: Influence of the primary cell source on alkaline phosphatase activity and mineralization

(2009) *Pathol. Biol*, 57, pp. 318-323. [CrossRef] [PubMed]

• Kyllönen, L., Haimi, S., Mannerström, B., Huhtala, H., Rajala, K.M., Skottman, H., Sándor, G.K., Miettinen, S.

Effects of different serum conditions on osteogenic differentiation of human adipose stem cells in vitro

(2013) Stem. Cell Res. Ther, 4, p. 17. [CrossRef] [PubMed]

- Ravichandran, R., Venugopal, J.R., Sundarrajan, S., Mukherjee, S., Ramakrishna, S.
 Precipitation of nanohydroxyapatite on PLLA/PBLG/Collagen nanofibrous structures for the differentiation of adipose derived stem cells to osteogenic lineage (2012) *Biomaterials*, 33, pp. 846-855.
 [CrossRef] [PubMed]
- Caetano-Lopes, J., Canhao, H., Fonseca, J.E.
 Osteoblast and bone formation
 (2007) Acta Reum. Port, 32, pp. 103-110.
- Monfoulet, L., Malaval, L., Aubin, J.E., Rittling, S.R., Gadeau, A.P., Fricain, J.C., Chassande, O.
 Bone sialoprotein, but not osteopontin, deficiency impairs the mineralization of regenerating bone during corticol defect healing (2010) *Bone*, 46, pp. 447-452. [CrossRef]
- Ding, J., Ghali, O., Lencel, P., Broux, O., Chauveau, C., Devedjian, J.C., Hardouin, P., Magne, D.

TNF- α and IL-1 β inhibit RUNX2 and collagen expression but increase alkaline phosphatase activity and mineralization in human mesenchymal stem cells (2009) *Life Sci*, 84, pp. 499-504. [CrossRef]

- Wan Safwani, W.K.Z., Makpol, S., Sathapan, S., Chua, K.H.
 Alteration of gene expression levels during osteogenic induction of human adipose-derived stem cells in long-term culture

 (2012) Cell Tissue Bank, 14, pp. 289-301.
 [CrossRef]
- Wang, L., Dormer, N.H., Bonewald, L.F., Detamore, M.S.
 Osteogenic differentiation of human umbilical cord mesenchymal stromal cells in polyglycolic acid scaffolds

 (2010) Tissue Eng. Part A, 16, pp. 1937-1948.

4 of 5 8/6/2021, 1:28 PM

[CrossRef]

Correspondence AddressChua K.H.; Department of Physiology, Malaysia; email: ckienhui@gmail.com

Publisher: MDPI AG

ISSN: 20734360

Language of Original Document: English

Abbreviated Source Title: Polym.

2-s2.0-85101610767 **Document Type:** Article Publication Stage: Final

Source: Scopus

ELSEVIER

Copyright © 2021 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

RELX Group™

5 of 5 8/6/2021, 1:28 PM