

Numerical investigation of splitter plate effect on bluff body using finite volume method

By: Afifi, A (Afifi, Azmil) ¹; Aabid, A (Aabid, Abdul) ¹; Khan, SA (Khan, Sher Afghan) ¹

View Web of Science ResearcherID and ORCID (provided by Clarivate)

MATERIALS TODAY-PROCEEDINGS
Volume: 38 Page: 2181-2190 Part: 5

Free Full Text From Publisher Full Text Links ▼

Export ▼ Add To Marked List

< 1 of 1 >

(ICE3MT)

Location: Hyderabad, INDIA
Date: OCT 09-10, 2020
Sponsor: CVR Coll Engn, Dept Mech Engn

Abstract

In aerodynamics study, whenever there is a flat/blunt face, it will result in the maximum drag effect on the flat body. In these types of problems, the splitter plates have found a significant role in reducing the drag force. The splitter plate will separate/bifurcate the flow at the front face of the body. The present study aims to find the fluid flows over a body by varying the length of the splitter plate. In the study, the pressure and Mach number effects near the surface of the body. Also, it is crucial to study the fluid flows for higher velocity. A two-dimensional rectangular bluff body of a 50x60 mm dimension with a splitter plate controller is analyzed using a rectangular fluid domain-the splitter plate located at the front face of the body as a passive control method. Further study of this article, the parametric effect of the splitter plate with respect to the height of the body is considered. The ANSYS Fluent

Citation Network

In Web of Science Core Collection

2

Citations

🔔 Create citation alert

All Citations

View Related Records

You may also like...

Purohit, A; Darpe, AK; Singh, SP;
A numerical investigation on effects of structural flexibility on aerodynamic far field sound
COMPUTERS & FLUIDS

Manshoor, B; Zaman, I; Khalid, A; et al.
CFD Analysis of Circle Grid Fractal Plate Thickness on Turbulent Swirling Flow
4TH MECHANICAL AND MANUFACTURING ENGINEERING, PTS 1 AND 2

Bouhrim, H; El Marjani, A;
On the shoreline wave energy potential and its conversion in Morocco
MATERIALS & ENERGY I (2015) / MATERIALS & ENERGY II (2016)



is used to simulate the results using a pressure-based solver because the flow is incompressible. The k-e turbulent model is used to simulate the outcomes and validated them with the wind tunnel experimental results. Based on the present results, it has been realized that the existing model can be utilized for the study of fluid flow over a bluff body. The simulations result in an essential effect of the upstream splitter plate on the separating the flows with a turbulent flow. Results indicate that the splitter plate is useful in separating the flow, which results in reducing the drag. (C) 2020 The Authors. Published by Elsevier Ltd.

Keywords

Author Keywords: [Splitter Plate](#); [Finite Volume Method](#); [CFD](#); [K-epsilon](#); [Bluff Body](#)

Author Information

Corresponding Address : Aabid, Abdul (corresponding author)

▼ Int Islamic Univ Malaysia, Fac Engr, Dept Mech Engr, POB 10, Kuala Lumpur 50725, Malaysia

Addresses:

▼ ¹ Int Islamic Univ Malaysia, Fac Engr, Dept Mech Engr, POB 10, Kuala Lumpur 50725, Malaysia

E-mail Addresses: abdul.aabid@live.iium.edu.my

Categories/Classification

Research Areas: Materials Science

[+ See more data fields](#)

Journal information

MATERIALS TODAY-PROCEEDINGS

ISSN: 2214-7853

Current Publisher: ELSEVIER, RADARWEG 29, 1043 NX AMSTERDAM, NETHERLANDS

Research Areas: Materials Science

Web of Science Categories: Materials Science, Multidisciplinary

Bennett, SJ; Ghaneeizad, SM; Langendoen, EJ; et al.

[Flow, turbulence, and drag associated with engineered log jams in a fixed-bed experimental channel](#)

GEOMORPHOLOGY

Son, HA; Lee, S; Lee, J;

[Numerical Analysis of Drag Force Acting on 2D Cylinder Immersed in Accelerated Flow](#)

WATER

[See all](#)

Most Recently Cited by

Aabid, A; Khan, SA; Baig, M;

[A Critical Review of Supersonic Flow Control for High-Speed Applications](#)

APPLIED SCIENCES-BASEL

Al-Khalifah, T; Aabid, A; Baig, M; et al.

[Response surface analysis of nozzle parameters at supersonic flow through microjets](#)

AUSTRALIAN JOURNAL OF MECHANICAL ENGINEERING

Use in Web of Science

Web of Science Usage Count

0

Last 180 Days

0

Since 2013

[Learn more](#)

This record is from:

Web of Science Core Collection

Conference Proceedings Citation Index – Science (CPCI-S)








Suggest a correction

If you would like to improve the quality of the data in this record, please [Suggest a correction](#)

Showing 30 of 41








[View as set of results](#)


(from Web of Science Core Collection)



| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Empty rectangular boxes for content.





© 2021 Clarivate
Training Portal
Product Support

Data Correction
Privacy Statement
Newsletter

Copyright Notice
Cookie Policy
Terms of Use

Follow Us
 