

[< Back to results](#) | 1 of 2 [Next >](#)[↗ Export](#) [↓ Download](#) [🖨 Print](#) [✉ E-mail](#) [📄 Save to PDF](#) [☆ Add to List](#) [More... >](#)[Full Text](#) | [View at Publisher](#)**Document type**

Conference Paper

**Source type**

Conference Proceedings

**ISSN**

22147853

**DOI**

10.1016/j.matpr.2020.05.559

[View more](#) ▾

**Materials Today: Proceedings** • [Open Access](#) • Volume 38, Pages 2181 - 2190 • 2020 • 1st International Conference and Exposition on Mechanical, Material and Manufacturing Technology, ICE3MT 2020 • Hyderabad • 9 October 2020 through 10 October 2020 • Code 167890

# Numerical investigation of splitter plate effect on bluff body using finite volume method

Afifi A., Aabid A. ✉, Afghan Khan S.

[📁 Save all to author list](#)

Department of Mechanical Engineering, Faculty of Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, 50725, Malaysia

2

Citations in Scopus

3

Views count

[View all metrics >](#)[Abstract](#)[Author keywords](#)[SciVal Topics](#)[Metrics](#)

## Abstract

In aerodynamics study, whenever there is a flat/blunt face, it will result in the maximum drag effect on the flat body. In these types of problems, the splitter plates have found a significant role in reducing the drag force. The splitter plate will separate/bifurcate the flow at the front face of the body. The present study aims to find the fluid flows over a body by varying the length of the splitter plate. In the study, the pressure and Mach number effects near the surface of the body. Also, it is crucial to study the fluid flows for higher velocity. A two-dimensional rectangular bluff body of a 50x60 mm dimension with a splitter plate controller is analyzed using a rectangular fluid domain - the splitter plate located at the front face of the body as a passive control method. Further study of this article, the parametric effect of the splitter plate with respect to the height of the body is considered. The ANSYS Fluent is used to simulate the results using a pressure-based solver because the flow is incompressible. The k-e turbulent model is used to simulate the outcomes and validated them with the wind tunnel experimental results. Based on the present results, it has been realized that the

## Cited by 2 documents

A critical review of supersonic flow control for high-speed applications

Aabid, A., Khan, S.A., Baig, M. (2021) *Applied Sciences (Switzerland)*

Variations in efficiency affecting parameters due to splitter plate in mach 4 scramjet intake

Shukla, A., Verma, R. (2021) *AIAA Scitech 2021 Forum*

[View all 2 citing documents](#)

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

## Related documents

Determination of wall pressure flows at supersonic Mach numbers

Aabid, A., Afghan Khan, S. (2020) *Materials Today: Proceedings*

Studies on flows development in a suddenly expanded circular duct at supersonic mach numbers

Aabid, A., Khan, S.A. (2021) *International Journal of Heat and Technology*

Modelling and analysis of convergent divergent nozzle with sudden expansion duct using finite element method

Aabid, A., Chaudhary, Z.I., Khan, S.A. (2019) *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

existing model can be utilized for the study of fluid flow over a bluff body . The simulations result in an essential effect of the upstream splitter plate on the separating the flows with a turbulent flow. Results indicate that the splitter plate is useful in separating the flow, which results in reducing the drag. © 2020 Elsevier Ltd. All rights reserved.

#### Author keywords

Bluff Body ; CFD; Finite Volume Method ; K-epsilon; Splitter Plate

SciVal Topics 

Metrics

#### References (45)

[View in search results format >](#)

All

[Export](#)  [Print](#)  [E-mail](#)  [Save to PDF](#) [Create bibliography](#)

- 1 Irwin, P.A.  
**Bluff body aerodynamics in wind engineering**  
(2008) *Journal of Wind Engineering and Industrial Aerodynamics*, 96 (6-7), pp. 701-712. Cited 113 times.  
doi: 10.1016/j.jweia.2007.06.008  
[View at Publisher](#)
- 
- 2 Raghunathan, S.  
**Passive control of shock-boundary layer interaction**  
(1988) *Progress in Aerospace Sciences*, 25 (3), pp. 271-296. Cited 130 times.  
doi: 10.1016/0376-0421(88)90002-4  
[View at Publisher](#)
- 
- 3 Apelt, C.J., West, G.S., Szewczyk, A.A.  
**The effects of wake splitter plates on the flow past a circular cylinder in the range  $10^4 < R < 5 \times 10^4$**   
(1973) *Journal of Fluid Mechanics*, 61 (1), pp. 187-198. Cited 213 times.  
doi: 10.1017/S0022112073000649  
[View at Publisher](#)
- 
- 4 Khan, S.A., Rathakrishnan, E.  
**Active control of suddenly expanded flows from overexpanded nozzles**  
(2002) *International Journal of Turbo and Jet Engines*, 19 (1-2), pp. 119-126. Cited 60 times.  
<http://www.degruyter.com/view/j/tjj.2012.29.issue-2/issue-files/tjj.2012.29.issue-2.xml>  
doi: 10.1515/TJJ.2002.19.1-2.119  
[View at Publisher](#)
- 
- 5 Khan, S.A., Rathakrishnan, E.  
**Control of Suddenly Expanded Flows with Micro-Jets**  
(2003) *International Journal of Turbo and Jet Engines*, 20 (1), pp. 63-81. Cited 58 times.  
<http://www.degruyter.com/view/j/tjj.2012.29.issue-2/issue-files/tjj.2012.29.issue-2.xml>  
doi: 10.1515/TJJ.2003.20.1.63  
[View at Publisher](#)

- 6 Khan, S.A., Rathakrishnan, E.  
Active control of suddenly expanded flows from underexpanded nozzles  
  
(2004) *International Journal of Turbo and Jet Engines*, 21 (4), pp. 233-253. Cited 53 times.  
<http://www.degruyter.com/view/j/tjj.2012.29.issue-2/issue-files/tjj.2012.29.issue-2.xml>  
doi: 10.1515/TJJ.2004.21.4.233  
  
View at Publisher
- 
- 7 Khan, S.A., Rathakrishnan, E.  
Control of suddenly expanded flows from correctly expanded nozzles  
  
(2004) *International Journal of Turbo and Jet Engines*, 21 (4), pp. 255-278. Cited 54 times.  
<http://www.degruyter.com/view/j/tjj.2012.29.issue-2/issue-files/tjj.2012.29.issue-2.xml>  
doi: 10.1515/TJJ.2004.21.4.255  
  
View at Publisher
- 
- 8 Khan, S.A., Rathakrishnan, E.  
Active control of suddenly expanded flows from underexpanded nozzles - Part II  
  
(2005) *International Journal of Turbo and Jet Engines*, 22 (3), pp. 163-183. Cited 31 times.  
<http://www.degruyter.com/view/j/tjj.2012.29.issue-2/issue-files/tjj.2012.29.issue-2.xml>  
doi: 10.1515/TJJ.2005.22.3.163  
  
View at Publisher
- 
- 9 Akhtar, M.N., Bakar, E.A., Aabid, A., Khan, S.A.  
Control of CD nozzle flow using microjets at mach 2.1  
(Open Access)  
  
(2019) *International Journal of Innovative Technology and Exploring Engineering*, 8 (9 Special Issue 2), pp. 631-635. Cited 8 times.  
<https://www.ijitee.org/wp-content/uploads/papers/v8i9S2/I11280789S219.pdf>  
doi: 10.35940/ijitee.I1128.0789S219  
  
View at Publisher
- 
- 10 Khan, S.A., Mokashi, I., Aabid, A., Faheem, M.  
Experimental research on wall pressure distribution in C-D nozzle at mach number 1.1 for area ratio 3.24 (Open Access)  
  
(2019) *International Journal of Recent Technology and Engineering*, 8 (2 Special Issue 3), pp. 971-975. Cited 14 times.  
<https://www.ijrte.org/wp-content/uploads/papers/v8i2S3/B11820782S319.pdf>  
doi: 10.35940/ijrte.B1182.0782S319  
  
View at Publisher
- 
- 11 Faheem, M., Kareemullah, M., Aabid, A., Mokashi, I., Khan, S.A.  
Experiment on of nozzle flow with sudden expansion at mach 1.1 (Open Access)  
  
(2019) *International Journal of Recent Technology and Engineering*, 8 (2 Special Issue 8), pp. 1769-1775. Cited 12 times.  
<https://www.ijrte.org/wp-content/uploads/papers/v8i2S8/B11500882S819.pdf>  
doi: 10.35940/ijrte.B1150.0882S819  
  
View at Publisher

- 12 Azami, M.H., Faheem, M., Aabid, A., Mokashi, I., Khan, S.A.  
Experimental research of wall pressure distribution and effect of micro jet at Mach 1.5 ([Open Access](#))
- (2019) *International Journal of Recent Technology and Engineering*, 8 (2 Special Issue 3), pp. 1000-1003. Cited 17 times.  
<https://www.ijrte.org/wp-content/uploads/papers/v8i2S3/B11870782S319.pdf>  
doi: 10.35940/ijrte.B1187.0782S319
- [View at Publisher](#)
- 
- 13 Khan, S.A., Aabid, A., Chaudhary, Z.I.  
Influence of control mechanism on the flow field of duct at mach 1.2 for area ratio 2.56 ([Open Access](#))
- (2019) *International Journal of Innovative Technology and Exploring Engineering*, 8 (6 Special Issue 4), pp. 1135-1138. Cited 12 times.  
<https://www.ijitee.org/wp-content/uploads/papers/v8i6s4/F12360486S419.pdf>  
doi: 10.35940/ijitee.F1236.0486S419
- [View at Publisher](#)
- 
- 14 Azami, M.H., Faheem, M., Aabid, A., Mokashi, I., Khan, S.A.  
Inspection of supersonic flows in a CD nozzle using experimental method ([Open Access](#))
- (2019) *International Journal of Recent Technology and Engineering*, 8 (2 Special Issue 3), pp. 996-999. Cited 18 times.  
<https://www.ijrte.org/wp-content/uploads/papers/v8i2S3/B11860782S319.pdf>  
doi: 10.35940/ijrte.B1186.0782S319
- [View at Publisher](#)
- 
- 15 Khan, S.A., Aabid, A., Mokashi, I., Ahmed, Z.  
Effect of micro jet control on the flow filed of the duct at mach 1.5 ([Open Access](#))
- (2019) *International Journal of Recent Technology and Engineering*, 8 (2 Special Issue 8), pp. 1758-1762. Cited 10 times.  
<https://www.ijrte.org/wp-content/uploads/papers/v8i2S8/B11480882S819.pdf>  
doi: 10.35940/ijrte.B1148.0882S819
- [View at Publisher](#)
- 
- 16 Akhtar, M.N., Bakar, E.A., Aabid, A., Khan, S.A.  
Effects of micro jets on the flow field of the duct with sudden expansion ([Open Access](#))
- (2019) *International Journal of Innovative Technology and Exploring Engineering*, 8 (9 Special Issue 2), pp. 636-640. Cited 10 times.  
<https://www.ijitee.org/wp-content/uploads/papers/v8i9S2/I11290789S219.pdf>  
doi: 10.35940/ijitee.I1129.0789S219
- [View at Publisher](#)
- 
- 17 Khan, S.A., Ahmed, Z., Aabid, A., Mokashi, I.  
Experimental research on flow development and control effectiveness in the duct at high speed ([Open Access](#))
- (2019) *International Journal of Recent Technology and Engineering*, 8 (2 Special Issue 8), pp. 1763-1768. Cited 7 times.  
<https://www.ijrte.org/wp-content/uploads/papers/v8i2S8/B11490882S819.pdf>  
doi: 10.35940/ijrte.B1149.0882S819
- [View at Publisher](#)

- 18 Khan, S.A., Aabid, A., Saleel, C.A.  
Influence of micro jets on the flow development in the enlarged duct at supersonic Mach number  
(2019) *International Journal of Mechanical and Mechatronics Engineering*, 19 (1), pp. 70-82. Cited 25 times.  
[http://ijens.org/Vol\\_19\\_I\\_01/191301-2828-IJMME-IJENS.pdf](http://ijens.org/Vol_19_I_01/191301-2828-IJMME-IJENS.pdf)  
View at Publisher
- 
- 19 Khan, S.A., Aabid, A., Baig, M.A.A.  
CFD analysis of cd nozzle and effect of nozzle pressure ratio on pressure and velocity for suddenly expanded flows (Open Access)  
(2018) *International Journal of Mechanical and Production Engineering Research and Development*, 8 (3), pp. 1147-1158. Cited 42 times.  
<http://www.tjprc.org/publishpapers/2-67-1529468467-119.IJMPERDJUN2018119.pdf>  
doi: 10.24247/ijmperdjun2018119  
View at Publisher
- 
- 20 Fharukh Ahmed, G.M., Alrobaian, A.A., Aabid, A., Khan, S.A.  
Numerical analysis of convergent-divergent nozzle using finite element method (Open Access)  
(2018) *International Journal of Mechanical and Production Engineering Research and Development*, 8 (6), pp. 373-382. Cited 32 times.  
<http://www.tjprc.org/publishpapers/2-67-1541583801-42.IJMPERDDEC201842.pdf>  
doi: 10.24247/ijmperddec201842  
View at Publisher
- 
- 21 Khan, S.A., Fatepurwala, M.A., Pathan, K.N., Dabeer, P.S., Baig, M.A.A.  
CFD analysis of human powered submarine to minimize drag (Open Access)  
(2018) *International Journal of Mechanical and Production Engineering Research and Development*, 8 (3), pp. 1057-1066. Cited 12 times.  
<http://www.tjprc.org/publishpapers/2-67-1529318360-111.IJMPERDJUN2018111.pdf>  
doi: 10.24247/ijmperdjun2018111  
View at Publisher
- 
- 22 Pathan, K.A., Dabeer, P.S., Khan, S.A.  
Optimization of area ratio and thrust in suddenly expanded flow at supersonic Mach numbers (Open Access)  
(2018) *Case Studies in Thermal Engineering*, 12, pp. 696-700. Cited 35 times.  
<http://www.journals.elsevier.com/case-studies-in-thermal-engineering/>  
doi: 10.1016/j.csite.2018.09.006  
View at Publisher
- 
- 23 Pathan, K.A., Dabeer, P.S., Khan, S.A.  
Effect of nozzle pressure ratio and control jets location to control base pressure in suddenly expanded flows (Open Access)  
(2019) *Journal of Applied Fluid Mechanics*, 12 (4), pp. 1127-1135. Cited 16 times.  
<http://www.jafmonline.net/>  
doi: 10.29252/jafm.12.04.29495  
View at Publisher

- 24 Khan, A., Aabid, A., Khan, S.A.  
CFD analysis of convergent-divergent nozzle flow and base pressure control using micro-JETS

(2018) *International Journal of Engineering and Technology(UAE)*, 7 (3.29 Special Issue 29), pp. 232-235. Cited 28 times.  
<https://www.sciencepubco.com/index.php/ijet>

[View at Publisher](#)

---

- 25 Akhtar, M.N., Bakar, E.A., Aabid, A., Khan, S.A.  
Numerical simulations of a CD nozzle and the influence of the duct length ([Open Access](#))

(2019) *International Journal of Innovative Technology and Exploring Engineering*, 8 (9 Special Issue 2), pp. 622-630. Cited 11 times.  
<https://www.ijitee.org/wp-content/uploads/papers/v8i9S2/I11270789S219.pdf>  
doi: 10.35940/ijitee.I1127.0789S219

[View at Publisher](#)

---

- 26 Aabid, A., Chaudhary, Z.I., Khan, S.A.  
Modelling and analysis of convergent divergent nozzle with sudden expansion duct using finite element method

(2019) *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 63 (1), pp. 34-51. Cited 8 times.  
[http://www.akademiabaru.com/doc/ARFMSTV63\\_N1\\_P34\\_51.pdf](http://www.akademiabaru.com/doc/ARFMSTV63_N1_P34_51.pdf)

- 27 Pathan, K.A., Khan, S.A., Dabeer, P.S.  
CFD analysis of effect of area ratio on suddenly expanded flows

(2017) *2017 2nd International Conference for Convergence in Technology, I2CT 2017*, 2017-January, pp. 1192-1198. Cited 36 times.  
ISBN: 978-150904307-1  
doi: 10.1109/I2CT.2017.8226315

[View at Publisher](#)

---

- 28 Pathan, K.A., Khan, S.A., Dabeer, P.S.  
CFD analysis of effect of Mach number, area ratio and nozzle pressure ratio on velocity for suddenly expanded flows

(2017) *2017 2nd International Conference for Convergence in Technology, I2CT 2017*, 2017-January, pp. 1104-1110. Cited 39 times.  
ISBN: 978-150904307-1  
doi: 10.1109/I2CT.2017.8226299

[View at Publisher](#)

---

- 29 Pathan, K.A., Khan, S.A., Dabeer, P.S.  
CFD analysis of effect of flow and geometry parameters on thrust force created by flow from nozzle

(2017) *2017 2nd International Conference for Convergence in Technology, I2CT 2017*, 2017-January, pp. 1121-1125. Cited 32 times.  
ISBN: 978-150904307-1  
doi: 10.1109/I2CT.2017.8226302

[View at Publisher](#)

---

- 30 Pathan, K.A., Dabeer, P.S., Khan, S.A.  
Investigation of Base Pressure Variations in Internal and External Suddenly Expanded Flows using CFD analysis  
(2018) *CFD Letters*, (10), pp. 17-25.

- 31 Pathan, K.A., Dabeer, P.S., Khan, S.A.  
An investigation to control base pressure in suddenly expanded flows  
  
(2018) *International Review of Aerospace Engineering*, 11 (4), pp. 162-169. Cited 28 times.  
[www.praiseworthyprize.com/irease.htm](http://www.praiseworthyprize.com/irease.htm)  
doi: 10.15866/irease.v11i4.14675  
  
View at Publisher
- 
- 32 Pathan, K.A., Dabeer, P.S., Khan, S.A.  
Enlarge duct length optimization for suddenly expanded flows  
  
(2020) *Advances in Aircraft and Spacecraft Science*, 7 (3), pp. 203-214. Cited 6 times.  
<http://www.techno-press.org/download.php?journal=aas&volume=7&num=3&ordernum=2>  
doi: 10.12989/aas.2020.7.3.203  
  
View at Publisher
- 
- 33 Sajali, M.F.M., Ashfaq, S., Aabid, A., Khan, S.A.  
Simulation of effect of various distances between front and rear body on drag of a non-circular cylinder  
  
(2019) *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 62 (1), pp. 53-65. Cited 9 times.  
<http://www.akademiabaru.com/arfmts.html>
- 
- 34 Sajali, M.F.M., Aabid, A., Khan, S.A., Mehaboobali, F.A.G., Sulaeman, E.  
Numerical investigation of flow field of a non-circular cylinder  
  
(2019) *CFD Letters*, 11 (5), pp. 37-49. Cited 26 times.  
<http://www.akademiabaru.com/cfdl.html>
- 
- 35 Khan, S.A., Aabid, A., Mokashi, I., Al-Robaian, A.A., Alsagri, A.S.  
Optimization of two-dimensional wedge flow field at supersonic mach number  
  
(2019) *CFD Letters*, 11 (5), pp. 80-97. Cited 20 times.  
<http://www.akademiabaru.com/cfdl.html>
- 
- 36 Khan, S.A., Aabid, A., Saleel, C.A.  
CFD simulation with analytical and theoretical validation of different flow parameters for the wedge at supersonic Mach number  
  
(2019) *International Journal of Mechanical and Mechatronics Engineering*, 19 (1), pp. 170-177. Cited 32 times.  
[http://ijens.org/Vol\\_19\\_I\\_01/193101-4545-IJMME-IJENS.pdf](http://ijens.org/Vol_19_I_01/193101-4545-IJMME-IJENS.pdf)
- 
- 37 Reiter, S.  
Validation Process for CFD Simulations of Wind around Buildings  
(2008) *European Built Environment CAE Conference*, pp. 1-18. Cited 17 times.
- 
- 38 Eleni, D.C.  
Evaluation of the turbulence models for the simulation of the flow over a National Advisory Committee for Aeronautics (NACA) 0012 airfoil  
(2012) *J. Mech. Eng. Res.*, 4 (3), pp. 100-111. Cited 120 times.
-

- 39 Kharulaman, L., Aabid, A., Mehaboobali, F.A.G., Khan, S.A.  
Research onflows for NACA 2412 airfoil using computational fluid dynamics method ([Open Access](#))  
  
(2019) *International Journal of Engineering and Advanced Technology*, 9 (1), pp. 5450-5456. Cited 7 times.  
<https://www.ijeat.org/wp-content/uploads/papers/v9i1/A3085109119.pdf>  
doi: 10.35940/ijeat.A3085.109119  
  
[View at Publisher](#)

- 40 Wall, A.  
(2013) *Simulating the Volvo Cars Aerodynamic Wind Tunnel with CFD*. Cited 8 times.  
Chalmers University of Technology

- 41 Sadrehaghighi, I.  
(2019) *Mesh Generation in CFD*, pp. 1-301. Cited 5 times.  
CFD open series, June

- 42 Hilgenstock, A., Ernst, R.  
Analysis of installation effects by means of computational fluid dynamics - CFD vs experiments?  
  
(1996) *Flow Measurement and Instrumentation*, 7 (3-4), pp. 161-171. Cited 64 times.  
doi: 10.1016/S0955-5986(97)88066-1  
  
[View at Publisher](#)

- 43 Konstantinidis, E., Bouris, D.  
Bluff Body Aerodynamics and Wake Control  
(1997) *Applied Aerodynamics*, pp. 63-78.  
May

- 44 Aabid, A., Affi, A., Mehaboob Ali, F.A.G., Akhtar, M.N., Khan, S.A.  
Cfd analysis of splitter plate on bluff body  
  
(2019) *CFD Letters*, 11 (11), pp. 25-38. Cited 7 times.  
<http://www.akademiabaru.com/cfdl.html>

- 45 Rathakrishnan, E.  
Effect of splitter plate on bluff body drag  
  
(1999) *AIAA journal*, 37 (9), pp. 1125-1126. Cited 44 times.  
doi: 10.2514/2.823  
  
[View at Publisher](#)

👤 Aabid, A.; Department of Mechanical Engineering, Faculty of Engineering, International Islamic University Malaysia, P.O. Box 10, Kuala Lumpur, Malaysia; email:abdul.aabid@live.iiu.edu.my  
© Copyright 2021 Elsevier B.V., All rights reserved.



