



< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

Sains Malaysiana • Open Access • Volume 50, Issue 1, Pages 161 - 170 • January 2021

Document type

Article • Bronze Open Access

Source type

Journal

ISSN

01266039

DOI

10.17576/jsm-2021-5001-16

Publisher

Penerbit Universiti Kebangsaan Malaysia

Original language

English

View less ^

Patient-Centred Communication in the Use of Antidepressants among People with Depression: A Scoping Review

[(Komunikasi Berpusatkan Pesakit dalam Penggunaan Antidepresan dalam Kalangan Orang Kemurungan: Suatu Ulasan Penskopian)]

Zaini S.^{a,b} ✉, Sulaiman A.H.^b, Huri H.Z.^c, Hui K.O.^b, Gill J.S.^b, Francis B.^b, How T.C.^b, Azhar F.L.^b, Yeung O.J.^b, Quan L.K.^b, Zulkifli N.A.^b, Nair N.^b

Show additional authors v Save all to author list

^a Pharmacy Practice Department, Kulliyah of Pharmacy, International Islamic University Malaysia, Kuantan, Pahang Darul Makmur, 25200, Malaysia

^b Department of Psychological Medicine, Faculty of Medicine, Universiti Malaya Kuala Lumpur, Federal Territory, 50603, Malaysia

^c Department of Clinical Pharmacy & Pharmacy Practice, Faculty of Pharmacy, Universiti Malaya Kuala Lumpur, Federal Territory, 50603, Malaysia

1

Citation in Scopus

View all metrics >

Cited by 1 document

Fluoxetin containing PVP-based electrospun nanofibers

Rédai, E.M. , Kovács, O.K. , Szabó, Z.I. (2021) *Acta Poloniae Pharmaceutica - Drug Research*

View details of this citation

Inform me when this document is cited in Scopus:

Set citation alert >

Related documents

Pharmacist-patient communication on use of antidepressants: A simulated patient study in community pharmacy

Chong, W.W. , Aslani, P. , Chen, T.F. (2014) *Research in Social and Administrative Pharmacy*

Restarting antidepressant treatment following early discontinuation - a primary care database study

Burton, C. , Cochran, A.J. , Cameron, I.M. (2015) *Family Practice*

Scoping reviews and structured research synthesis in sport: methods, protocol and lessons learnt

Dowling, M. , Leopkey, B. , Inoue, Y. (2020) *International Journal of Sport Policy and Politics*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

Abstract

Author keywords

Indexed keywords


Metrics

Abstract

Antidepressants are the mainstay of depression treatment. However, little information is known about patient-centred communication related to the use of antidepressant among people with depression. This review aims to provide a comprehensive mapping of previously published studies on patient-centred communication in the use of antidepressants among patients with depression. A scoping review of the literature was conducted using PubMed, CINAHL, and Cochrane to answer the following questions: What is the nature of published scientific literature on this topic? and To what extent do the published articles address the six core components of patient-centred communication, which are: encouraging effective clinician-patient relationships, obtaining and providing information, responding to emotional states, handling uncertainty, achieving the best decision as well as advocating patient self-management? Out of 494 records identified, a total of 13 articles were included in the scoping review (2 randomised controlled trials, 1 observational cohort study, 5 cross-sectional studies, 4 qualitative studies, and 1 review article). All 6 core components of the patient-centred communication were discussed extensively in the literature except for 2 of them, which were handling uncertainty and patient self-management. Shared decision making (SDM) was found to be a critical feature in patient-centred communication. The six core components of patient-centred communication have been consistently recognized as vital for the process of achieving patient-centred care. SDM can be included as a tool to assist clinicians and patients in addressing effective clinician-patient relationships. © 2021 Penerbit Universiti Kebangsaan Malaysia. All rights reserved.

Author keywords

Antidepressants ; Communication ; Depression ; Patient-centred

Indexed keywords **Metrics** **Funding details** 

Funding sponsor	Funding number	Acronym
Universiti Malaya	PG310-2016A	UM

See opportunities by UM [↗](#)

Funding text

Funding for this work was supported by a research grant from the University of Malaya Postgraduate Research Grant, PPP (PG310-2016A). We would like to thank the University of Malaya administration for providing facilities in the preparation of this work, especially the librarian, who had given guidance related to the utilization of the online databases.

References (67)

[View in search results format >](#)

All

[Export](#) [Print](#) [E-mail](#) [Save to PDF](#) [Create bibliography](#)

- 1 Aikens, J.E., Nease Jr., D.E., Klinkman, M.S.
Explaining patients' beliefs about the necessity and harmfulness of antidepressants ([Open Access](#))

(2008) *Annals of Family Medicine*, 6 (1), pp. 23-29. Cited 80 times.
<http://www.annfammed.org/cgi/reprint/6/1/23>
doi: 10.1370/afm.759

[View at Publisher](#)

The impact of health literacy, patient-centered communication and shared decision-making on patients' satisfaction with care received in German primary care practices ([Open Access](#))

(2016) *BMC Health Services Research*, 16 (1), art. no. 450. Cited 36 times.
<http://www.biomedcentral.com/bmchealthservres/>
doi: 10.1186/s12913-016-1693-y

[View at Publisher](#)

-
- 3 Anderson, C., Roy, T.
Patient experiences of taking antidepressants for depression: A secondary qualitative analysis

(2013) *Research in Social and Administrative Pharmacy*, 9 (6), pp. 884-902. Cited 29 times.
doi: 10.1016/j.sapharm.2012.11.002

[View at Publisher](#)

-
- 4 Anderson, C., Kirkpatrick, S., Ridge, D., Kokanovic, R., Tanner, C.
Starting antidepressant use: A qualitative synthesis of UK and Australian data ([Open Access](#))

(2015) *BMJ Open*, 5 (12), art. no. e008636. Cited 10 times.
<http://bmjopen.bmj.com.ezaccess.library.uitm.edu.my/content/5/12/e008636.full.pdf+html>
doi: 10.1136/bmjopen-2015-008636

[View at Publisher](#)

-
- 5 Arksey, H., O'Malley, L.
Scoping studies: Towards a methodological framework ([Open Access](#))

(2005) *International Journal of Social Research Methodology: Theory and Practice*, 8 (1), pp. 19-32. Cited 8490 times.
doi: 10.1080/1364557032000119616

[View at Publisher](#)

-
- 6 Bauer, A.M., Parker, M.M., Schillinger, D., Katon, W., Adler, N., Adams, A.S., Moffet, H.H., (...), Karter, A.J.
Associations between antidepressant adherence and shared decision-making, patient-provider trust, and communication among adults with diabetes: Diabetes Study of Northern California (DISTANCE) ([Open Access](#))

(2014) *Journal of General Internal Medicine*, 29 (8), pp. 1139-1147. Cited 85 times.
<http://www.springerlink.com.ezaccess.library.uitm.edu.my/content/120414/>
doi: 10.1007/s11606-014-2845-6

[View at Publisher](#)

Assessing effective physician-patient communication skills.
"Are you listening to me, doc?" ([Open Access](#))

(2016) *Korean Journal of Medical Education*, 28 (2), pp. 243-249. Cited 28 times.

<https://www.kjme.kr/upload/pdf/kjme-2016-21.pdf>

doi: 10.3946/kjme.2016.21

[View at Publisher](#)

- 8 Bosman, R.C., Huijbregts, K.M., Verhaak, P.F.M., Ruhé, H.G., Van Marwijk, H.W.J., Van Balkom, A.J.L.M., Batelaan, N.M.

Long-term antidepressant use: A qualitative study on perspectives of patients and GPs in primary care ([Open Access](#))

(2016) *British Journal of General Practice*, 66 (651), pp. e708-e719. Cited 27 times.

<http://bjgp.org/content/66/651/e708/tab-pdf>

doi: 10.3399/bjgp16X686641

[View at Publisher](#)

- 9 Brown, C., Battista, D.R., Bruehlman, R., Sereika, S.S., Thase, M.E., Dunbar-Jacob, J.

Beliefs about antidepressant medications in primary care patients: Relationship to self-reported adherence

(2005) *Medical Care*, 43 (12), pp. 1203-1207. Cited 167 times.

doi: 10.1097/01.mlr.0000185733.30697.f6

[View at Publisher](#)

- 10 Buus, N., Johannessen, H., Stage, K.B.

Explanatory models of depression and treatment adherence to antidepressant medication: A qualitative interview study

(2012) *International Journal of Nursing Studies*, 49 (10), pp. 1220-1229. Cited 25 times.

doi: 10.1016/j.ijnurstu.2012.04.012

[View at Publisher](#)

- 11 Chong, W.W., Aslani, P., Chen, T.F.

Pharmacist-patient communication on use of antidepressants: A simulated patient study in community pharmacy

(2014) *Research in Social and Administrative Pharmacy*, 10 (2), pp. 419-437. Cited 36 times.

doi: 10.1016/j.sapharm.2013.05.006

[View at Publisher](#)

- 12 Chong, W.W., Aslani, P., Chen, T.F.

Effectiveness of interventions to improve antidepressant medication adherence: A systematic review ([Open Access](#))

(2011) *International Journal of Clinical Practice*, 65 (9), pp. 954-975. Cited 92 times.

doi: 10.1111/j.1742-1241.2011.02746.x

[View at Publisher](#)

Enhancing the scoping study methodology. A large, inter-professional team's experience with Arksey and O'Malley's framework ([Open Access](#))

(2013) *BMC Medical Research Methodology*, 13 (1), art. no. 48. Cited 696 times.
doi: 10.1186/1471-2288-13-48

[View at Publisher](#)

-
- 14 Davis, K., Drey, N., Gould, D.
What are scoping studies? A review of the nursing literature
(2009) *International Journal of Nursing Studies*, 46 (10), pp. 1386-1400. Cited 426 times.
doi: 10.1016/j.ijnurstu.2009.02.010
[View at Publisher](#)
-
- 15 de Haes, H., Bensing, J.
Endpoints in medical communication research, proposing a framework of functions and outcomes ([Open Access](#))
(2009) *Patient Education and Counseling*, 74 (3), pp. 287-294. Cited 241 times.
doi: 10.1016/j.pec.2008.12.006
[View at Publisher](#)
-
- 16 Demyttenaere, K.
Risk factors and predictors of compliance in depression
(2003) *European Neuropsychopharmacology*, 13 (SUPPL. 3), pp. 69-75. Cited 98 times.
www.elsevier.com/locate/euroneuro
doi: 10.1016/S0924-977X(03)00095-6
[View at Publisher](#)
-
- 17 Duffy, F.D., Gordon, G.H., Whelan, G., Cole-Kelly, K., Frankel, R.
Assessing competence in communication and interpersonal skills: The Kalamazoo II report
(2004) *Academic Medicine*, 79 (6), pp. 495-507. Cited 398 times.
<http://www.lww.com/product/?1040-2446>
doi: 10.1097/00001888-200406000-00002
[View at Publisher](#)
-
- 18 Epstein, R.M., Street, R.L.
(2007) *Patient-centered communication in cancer care: Promoting healing and reducing suffering*. Cited 1024 times.
National Institutes of Health Publication. Bethesda, MD: National Cancer Institute
-

Measuring patient-centered communication in Patient-Physician consultations: Theoretical and practical issues

(2005) *Social Science and Medicine*, 61 (7), pp. 1516-1528. Cited 728 times.
doi: 10.1016/j.socscimed.2005.02.001

[View at Publisher](#)

- 20 Geddes, J.R., Carney, S.M., Davies, C., Furukawa, T.A., Kupfer, D.J., Frank, E., Goodwin, G.M.

Relapse prevention with antidepressant drug treatment in depressive disorders: A systematic review

(2003) *Lancet*, 361 (9358), pp. 653-661. Cited 655 times.
<http://www.journals.elsevier.com.ezaccess.library.uitm.edu.my/the-lancet/>
doi: 10.1016/S0140-6736(03)12599-8

[View at Publisher](#)

- 21 Gordon, K., Smith, F., Dhillon, S.
Effective chronic disease management: Patients' perspectives on medication-related problems

(2007) *Patient Education and Counseling*, 65 (3), pp. 407-415. Cited 92 times.
doi: 10.1016/j.pec.2006.09.012

[View at Publisher](#)

- 22 Haerizadeh, M., Moise, N., Chang, B.P., Edmondson, D., Kronish, I.M.
Depression and doctor-patient communication in the emergency department ([Open Access](#))

(2016) *General Hospital Psychiatry*, 42, pp. 49-53. Cited 4 times.
www.elsevier.com/locate/genhospsych
doi: 10.1016/j.genhosppsy.2016.06.004

[View at Publisher](#)

- 23 Hahn, S.R.
Adherence to antidepressant medication: patient-centered shared decision making communication to improve adherence.

(2009) *CNS spectrums*, 14 (12 Suppl 14), pp. 6-9. Cited 6 times.
doi: 10.1017/s1092852900024640

[View at Publisher](#)

- 24 Hunot, V.M., Horne, R., Leese, M.N., Churchill, R.C.
A cohort study of adherence to antidepressants in primary care: The influence of antidepressant concerns and treatment preferences ([Open Access](#))

(2007) *Primary Care Companion to the Journal of Clinical Psychiatry*, 9 (2), pp. 91-99. Cited 136 times.
<http://www.psychiatrist.com/pcc/pccpdf/v09n02/v09n0202.pdf>
doi: 10.4088/pcc.v09n0202

[View at Publisher](#)

(2001) *Crossing the Quality Chasm: A New Health System for the 21st Century*. Cited 14661 times.
Institute of Medicine. Washington (DC): National Academy Press

- 26 Jaffray, M., Cardy, A.H., Reid, I.C., Cameron, I.M.
Why do patients discontinue antidepressant therapy early? A qualitative study ([Open Access](#))
- (2014) *European Journal of General Practice*, 20 (3), pp. 167-173. Cited 17 times.
<http://www.informahealthcare.com/loi/gen>
doi: 10.3109/13814788.2013.838670
- [View at Publisher](#)
-
- 27 Jonassaint, C.R., Haywood, C., Korhuis, P.T., Cooper, L.A., Saha, S., Sharp, V., Cohn, J., (...), Beach, M.C.
The impact of depressive symptoms on patient-provider communication in HIV care ([Open Access](#))
- (2013) *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, 25 (9), pp. 1185-1192. Cited 10 times.
doi: 10.1080/09540121.2012.752788
- [View at Publisher](#)
-
- 28 Katon, W., Ciechanowski, P.
Impact of major depression on chronic medical illness
- (2002) *Journal of Psychosomatic Research*, 53 (4), pp. 859-863. Cited 316 times.
doi: 10.1016/S0022-3999(02)00313-6
- [View at Publisher](#)
-
- 29 Keller, M.B., Hirschfeld, R.M.A., Demyttenaere, K., Baldwin, D.S.
Optimizing outcomes in depression: Focus on antidepressant compliance
- (2002) *International Clinical Psychopharmacology*, 17 (6), pp. 265-271. Cited 109 times.
journals.lww.com/intclinpsychopharm/pages/default.aspx
doi: 10.1097/00004850-200211000-00001
- [View at Publisher](#)
-
- 30 Khalil, H., Peters, M., Godfrey, C.M., Mcinerney, P., Soares, C.B., Parker, D.
An Evidence-Based Approach to Scoping Reviews
- (2016) *Worldviews on Evidence-Based Nursing*, 13 (2), pp. 118-123. Cited 157 times.
<http://www.blackwellpublishing.com/wvn>
doi: 10.1111/wvn.12144
- [View at Publisher](#)
-
- 31 King, A., Hoppe, R.B.
Best practice" for patient-centered communication: A narrative review
(2013) *Journal of Graduate Medical Education*, 5 (3), pp. 385-393. Cited 193 times.

Shared decision making for antidepressants in primary care a cluster randomized trial ([Open Access](#))

(2015) *JAMA Internal Medicine*, 175 (11), pp. 1761-1770. Cited 71 times.
<http://archinte.jamanetwork.com/data/journals/INTEMED/934633/oi150082.pdf>
doi: 10.1001/jamainternmed.2015.5214

[View at Publisher](#)

- 33 Lee, Y., Rosenblat, J.D., Lee, J., Carmona, N.E., Subramaniapillai, M., Shekotikhina, M., Mansur, R.B., (...), McIntyre, R.S.
Efficacy of antidepressants on measures of workplace functioning in major depressive disorder: A systematic review

(2018) *Journal of Affective Disorders*, 227, pp. 406-415. Cited 52 times.
www.elsevier.com/locate/jad
doi: 10.1016/j.jad.2017.11.003

[View at Publisher](#)

- 34 Levac, D., Colquhoun, H., O'Brien, K.K.
Scoping studies: Advancing the methodology ([Open Access](#))

(2010) *Implementation Science*, 5 (1), art. no. 69. Cited 3987 times.
<http://www.implementationscience.com/content/5/1/69>
doi: 10.1186/1748-5908-5-69

[View at Publisher](#)

- 35 Levinson, W.
Patient-centred communication: A sophisticated procedure ([Open Access](#))

(2011) *BMJ Quality and Safety*, 20 (10), pp. 823-825. Cited 35 times.
<http://qualitysafety.bmj.com.ezaccess.library.uitm.edu.my/content/20/10/823.full.pdf>
doi: 10.1136/bmjqs-2011-000323

[View at Publisher](#)

- 36 Levinson, W., Pizzo, P.A.
Patient-physician communication: It's about time

(2011) *JAMA - Journal of the American Medical Association*, 305 (17), pp. 1802-1803. Cited 62 times.
<http://jama.ama-assn.org/content/305/17/1802.full.pdf+html>
doi: 10.1001/jama.2011.556

[View at Publisher](#)

- 37 Levinson, W., Lesser, C.S., Epstein, R.M.
Developing physician communication skills for patient-centered care

(2010) *Health Affairs*, 29 (7), pp. 1310-1318. Cited 418 times.
<http://www.healthaffairs.org/>
doi: 10.1377/hlthaff.2009.0450

[View at Publisher](#)

Physician-patient communication, The relationship with malpractice claims among primary care physicians and surgeons

(1997) *Journal of the American Medical Association*, 277 (7), pp. 553-559. Cited 1264 times.

<http://jama.jamanetwork.com/journal.aspx>

doi: 10.1001/jama.277.7.553

[View at Publisher](#)

-
- 39 Lingam, R., Scott, J.

Treatment non-adherence in affective disorders

(2002) *Acta Psychiatrica Scandinavica*, 105 (3), pp. 164-172. Cited 477 times.

doi: 10.1034/j.1600-0447.2002.1r084.x

[View at Publisher](#)

-
- 40 Loh, A., Simon, D., Wills, C.E., Kriston, L., Niebling, W., Härter, M.

The effects of a shared decision-making intervention in primary care of depression: A cluster-randomized controlled trial

(2007) *Patient Education and Counseling*, 67 (3 SPEC. ISS.), pp. 324-332. Cited 243 times.

www.elsevier.com/locate/pateducou

doi: 10.1016/j.pec.2007.03.023

[View at Publisher](#)

-
- 41 Lu, Y., Ho, C.S., McIntyre, R.S., Wang, W., Ho, R.C.

Agomelatine-induced modulation of brain-derived neurotrophic factor (BDNF) in the rat hippocampus

(2018) *Life Sciences*, 210, pp. 177-184. Cited 28 times.

www.elsevier.com/locate/lifescie

doi: 10.1016/j.lfs.2018.09.003

[View at Publisher](#)

-
- 42 McCabe, R., Khanom, H., Bailey, P., Priebe, S.

Shared decision-making in ongoing outpatient psychiatric treatment ([Open Access](#))

(2013) *Patient Education and Counseling*, 91 (3), pp. 326-328. Cited 45 times.

doi: 10.1016/j.pec.2012.12.020

[View at Publisher](#)

-
- 43 McKeown, R.E., Reininger, B.M., Martin, M., Hoppmann, R.A.

Shared decision making: Views of first-year residents and clinic patients ([Open Access](#))

(2002) *Academic Medicine*, 77 (5), pp. 438-445. Cited 34 times.

<http://www.lww.com/product/?1040-2446>

doi: 10.1097/00001888-200205000-00020

[View at Publisher](#)

Patient-centredness. A conceptual framework and review of the empirical literature

(2000) *Social Science and Medicine*, 51 (7), pp. 1087-1110. Cited 1738 times.
www.elsevier.com/locate/socscimed
doi: 10.1016/S0277-9536(00)00098-8

[View at Publisher](#)

-
- 45 Melfi, C.A., Chawla, A.J., Croghan, T.W., Hanna, M.P., Kennedy, S., Sredl, K.
The effects of adherence to antidepressant treatment guidelines on relapse and recurrence of depression
([Open Access](#))

(1998) *Archives of General Psychiatry*, 55 (12), pp. 1128-1132. Cited 369 times.
<http://archpsyc.jamanetwork.com/journal.aspx>
doi: 10.1001/archpsyc.55.12.1128

[View at Publisher](#)

-
- 46 Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., (...), Whitlock, E.
Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement ([Open Access](#))

(2015) *Systematic Reviews*, 4 (1), art. no. 1. Cited 8854 times.
www.systematicreviewsjournal.com/
doi: 10.1186/2046-4053-4-1

[View at Publisher](#)

-
- 47 Neo, L.F.
Working toward the best doctor-patient communication

(2011) *Singapore Medical Journal*, 52 (10), pp. 720-725. Cited 9 times.
<http://smj.sma.org.sg/5210/5210ra1.pdf>

[View at Publisher](#)

-
- 48 Pham, M.T., Rajić, A., Greig, J.D., Sargeant, J.M., Papadopoulos, A., Mcewen, S.A.

A scoping review of scoping reviews: Advancing the approach and enhancing the consistency ([Open Access](#))

(2014) *Research Synthesis Methods*, 5 (4), pp. 371-385. Cited 888 times.
[http://onlinelibrary.wiley.com.ezaccess.library.uitm.edu.my/journal/10.1002/\(ISSN\)1759-2887](http://onlinelibrary.wiley.com.ezaccess.library.uitm.edu.my/journal/10.1002/(ISSN)1759-2887)
doi: 10.1002/jrsm.1123

[View at Publisher](#)

-
- 49 Ramirez, A.J., Graham, J., Richards, M.A., Cull, A., Gregory, W.M.
Mental health of hospital consultants: The effects of stress and satisfaction of work
(1995) *Lancet*, 16, p. 7248. Cited 2 times.
-

How can doctors improve their communication skills?[\(Open Access\)](#)

(2015) *Journal of Clinical and Diagnostic Research*, 9 (3). Cited 58 times.
http://www.jcdr.net/articles/PDF/5712/12072_CE%5BRa1%5D_F%28AK%29_PF1%28NJAK%29_PFA%28AK%29_PF2%28PAG%29.pdf
doi: 10.7860/JCDR/2015/12072.5712

[View at Publisher](#)

-
- 51 Raue, P.J., Schulberg, H.C., Lewis-Fernandez, R., Boutin-Foster, C., Hoffman, A.S., Bruce, M.L.
Shared decision-making in the primary care treatment of late-life major depression: A needed new intervention? [\(Open Access\)](#)

(2010) *International Journal of Geriatric Psychiatry*, 25 (11), pp. 1101-1111. Cited 19 times.
doi: 10.1002/gps.2444

[View at Publisher](#)

-
- 52 Rider, E.A., Keefer, C.H.
Communication skills competencies: Definitions and a teaching toolbox

(2006) *Medical Education*, 40 (7), pp. 624-629. Cited 103 times.
doi: 10.1111/j.1365-2929.2006.02500.x

[View at Publisher](#)

-
- 53 Sirey, J.A., Bruce, M.L., Alexopoulos, G.S., Perlick, D.A., Raue, P., Friedman, S.J., Meyers, B.S.
Perceived stigma as a predictor of treatment discontinuation in young and older outpatients with depression

(2001) *American Journal of Psychiatry*, 158 (3), pp. 479-481. Cited 521 times.
doi: 10.1176/appi.ajp.158.3.479

[View at Publisher](#)

-
- 54 Slatore, C.G., Sullivan, D.R., Pappas, M., Humphrey, L.L.
Patient-centered outcomes among lung cancer screening recipients with computed tomography: A systematic review [\(Open Access\)](#)

(2014) *Journal of Thoracic Oncology*, 9 (7), pp. 927-934. Cited 68 times.
<https://www-journals-elsevier-com.ezaccess.library.uitm.edu.my/journal-of-thoracic-oncology/>
doi: 10.1097/JTO.0000000000000210

[View at Publisher](#)

-
- 55 Solberg, L.I., Crain, A.L., Rubenstein, L., Unützer, J., Whitebird, R.R., Beck, A.
How much shared decision making occurs in usual primary care of depression? [\(Open Access\)](#)

(2014) *Journal of the American Board of Family Medicine*, 27 (2), pp. 199-208. Cited 26 times.
<http://www.jabfm.org/content/27/2/199.full.pdf+html>
doi: 10.3122/jabfm.2014.02.130164

[View at Publisher](#)

A systematic review of the research on communication between patients and health care professionals about medicines: The consequences for concordance ([Open Access](#))

(2004) *Health Expectations*, 7 (3), pp. 235-245. Cited 266 times.
doi: 10.1111/j.1369-7625.2004.00281.x

[View at Publisher](#)

- 57 Swanson, K.A., Bastani, R., Rubenstein, L.V., Meredith, L.S., Ford, D.E.
Effect of mental health care and shared decision making on patient satisfaction in a community sample of patients with depression

(2007) *Medical Care Research and Review*, 64 (4), pp. 416-430. Cited 73 times.
doi: 10.1177/1077558707299479

[View at Publisher](#)

- 58 (2015) *The Joanna Briggs Institute Reviews Manual: Methodology for JBI Scoping Reviews*. Cited 805 times.
The Joanna Briggs Institute. South Australia: The Joanna Briggs Institute
-

- 59 Thompson, L., McCabe, R.
The effect of clinician-patient alliance and communication on treatment adherence in mental health care: A systematic review ([Open Access](#))

(2012) *BMC Psychiatry*, 12, art. no. 87. Cited 129 times.
<http://www.biomedcentral.com/1471-244X/12/87>
doi: 10.1186/1471-244X-12-87

[View at Publisher](#)

- 60 Tran, B.X., Ha, G.H., Vu, G.T., Nguyen, L.H., Latkin, C.A., Nathan, K., McIntyre, R.S., (...), Ho, R.C.
Indices of change, expectations, and popularity of biological treatments for major depressive disorder between 1988 and 2017: A scientometric analysis ([Open Access](#))

(2019) *International Journal of Environmental Research and Public Health*, 16 (13), art. no. 2255. Cited 18 times.
<https://www.mdpi.com/1660-4601/16/13/2255/pdf>
doi: 10.3390/ijerph16132255

[View at Publisher](#)

- 61 Van Geffen, E.C.G., Hermsen, J.H.C.M., Heerdink, E.R., Egberts, A.C.G., Verbeek-Heida, P.M., Van Hulten, R.
The decision to continue or discontinue treatment: Experiences and beliefs of users of selective serotonin-reuptake inhibitors in the initial months-A qualitative study

(2011) *Research in Social and Administrative Pharmacy*, 7 (2), pp. 134-150. Cited 37 times.
doi: 10.1016/j.sapharm.2010.04.001

[View at Publisher](#)

Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: A meta-analysis

(2004) *Psychosomatic Medicine*, 66 (6), pp. 814-822. Cited 815 times.
<http://www.psychosomaticmedicine.org/>
doi: 10.1097/01.psy.0000146294.82810.9c

[View at Publisher](#)

- 63 Watkins, D.C., Hawkins, J., Mitchell, J.A.

The Discipline's Escalating Whisper: Social Work and Black Men's Mental Health ([Open Access](#))

(2015) *Research on Social Work Practice*, 25 (2), pp. 240-250. Cited 10 times.
<http://www.sagepub.com/journals/details/j0075.html>
doi: 10.1177/1049731514526621

[View at Publisher](#)

- 64 Wittink, M.N., Barg, F.K., Gallo, J.J.

Unwritten rules of talking to doctors about depression: Integrating qualitative and quantitative methods ([Open Access](#))

(2006) *Annals of Family Medicine*, 4 (4), pp. 302-309. Cited 72 times.
<http://www.annfammed.org/cgi/reprint/4/4/302>
doi: 10.1370/afm.558

[View at Publisher](#)

- 65 Wong, L.P.

Focus group discussion: A tool for health and medical research

(2008) *Singapore Medical Journal*, 49 (3), pp. 256-261. Cited 213 times.
<http://smj.sma.org.sg/4903/4903me1.pdf>

[View at Publisher](#)


- 66 Young, H.N., Bell, R.A., Epstein, R.M., Feldman, M.D., Kravitz, R.L.

Physicians' shared decision-making behaviors in depression care ([Open Access](#))

(2008) *Archives of Internal Medicine*, 168 (13), pp. 1404-1408. Cited 74 times.
<http://archinte.ama-assn.org/cgi/reprint/168/13/1404>
doi: 10.1001/archinte.168.13.1404

[View at Publisher](#)

- 67 Zegers, M., Hesselink, G., Geense, W., Vincent, C., Wollersheim, H.
Evidence-based interventions to reduce adverse events in hospitals: A systematic review of systematic reviews
(2016) *BMJ Open*, 6 (9), pp. e012555-e012555. Cited 26 times.

 Zaini, S.; Pharmacy Practice Department, Kulliyah of Pharmacy, International Islamic University Malaysia, Kuantan, Pahang Darul Makmur, Malaysia;
email:syahrirz@siswa.um.edu.my

© Copyright 2021 Elsevier B.V., All rights reserved.

About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切换到繁體中文](#)
- [Русский язык](#)

Customer Service

- [Help](#)
- [Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX