



< Back to results | < Previous 2 of 3 Next >

Download Print Save to PDF Save to list Create bibliography

IIUM Engineering Journal • Open Access • Volume 23, Issue 2, Pages 72 - 84 • 2022

Document type

Article • Gold Open Access

Source type

Journal

ISSN

1511788X

DOI

10.31436/IIUMEJ.V23I2.2293

View more

IMPROVEMENT OF PROBLEMATIC SOIL USING CRUMB RUBBER TYRE

Saparudin, Nurain Asrin^a; Kasim, Norhidayu^a ; Taib, Kamarudin Abu^b; Azahar, Wan Nur Aifa Wan^a; Kasim, Nur Aisyah^c; Ali, Maisarah^a

Save all to author list

^a Civil Engineering Department, International Islamic University of Malaysia, PO Box 10, Kuala Lumpur, 50728, Malaysia

^b Civil Engineering Department, National University of Malaysia, Selangor, Malaysia

^c Civil Engineering Department, MARA University of Technology, Selangor, Malaysia

251th percentile
Citations in Scopus

0.56
FWCI

7
Views count

View all metrics >

View PDF Full text options Export

Abstract

Author keywords

Reaxys Chemistry database information

SciVal Topics

Metrics

Funding details

Abstract

Construction on problematic soil that has low bearing capacity, low shear strength, high compressibility, and high water-content will interfere with the smooth construction process and will affect time and cost due to repetitive maintenance. Pavement built on problematic soil as its subgrade

Cited by 2 documents

Study on the Influence of a Rubber-Modified Soil Isolation Layer on the Isolation Performance of Frame Structures with Different Foundation Forms

Chai, S. , Chen, Y. , Cai, D. (2023) *Buildings*

Utilization of waste materials in the stabilization of expansive pavement subgrade: An extensive review

Tanyıldızı, M. , Uz, V.E. , Gökalp, İ. (2023) *Construction and Building Materials*

View all 2 citing documents

Inform me when this document is cited in Scopus:

Set citation alert >

Related documents

Experimental Investigation of the Densification Properties of Clay Soil Mixes with Tire Waste

Akbarimehr, D. , Aflaki, E. , Eslami, A. (2019) *Civil Engineering Journal (Iran)*

View PDF

Stabilization on Expansive soil using sea shell powder and Rubber powder

Vinod, B.R. , Shobha, R. , Raghavendra, A.B. (2020) *IOP Conference Series: Materials Science and Engineering*

The impact of end-of-life tires on the mechanical properties of fine-grained soil: A Review

Yadav, J.S. , Tiwari, S.K. (2019) *Environment, Development and Sustainability*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

is exposed to pavement failures, such as fatigue cracking, longitudinal cracking, and pumping, owing to swelling or shrinkage due to moisture variation and differential settlement. Therefore, improvement of the ground needs to commence so as to improve its load bearing capacity, in order to sustain the load on top of it. Consequently, the main aim of this study is to determine the effectiveness of crumb tyre rubber mixed with soil samples as one of the soil stabilisation techniques and to establish the optimum usage percentage of crumb tyre rubber as a stabiliser. Clayey sand soil was mixed with 5%, 10% and 15% of crumb tyre rubber by weight of the soil sample and was tested for physical properties, such as particle size distribution and plasticity index. In obtaining the changes in strength, mixed clayey sand-crumb tyre rubber samples were subjected to compaction and California Bearing Ratio (CBR) tests. The results showed that the increment of crumb tyre rubber percentage as an additive, increased the CBR value and therefore enhanced the strength of the modified soil. However, the crumb tyre rubber stabiliser affected the optimum moisture content and maximum dry density of the modified samples by decreasing their values. The optimum percentage of crumb tyre rubber mixture was found to be 10% by weight at the end of this study. These findings indicate that the measured crumb tyre rubber is suitable for supporting the clayey sand soil for the subgrade of pavement construction. © 20222, IIUM Engineering Journal. All Rights Reserved.



Author keywords

California bearing ratio; Crumb rubber tyre; Ground improvement; Problematic soil

Reaxys Chemistry database information [i](#)

Substances

[View all substances \(2\)](#)



Powered by [Reaxys](#)

SciVal Topics [i](#)



Metrics



Funding details



[View PDF](#)

References (17)

[View in search results format >](#)

All

[Export](#)

[Print](#)

[E-mail](#)

[Save to PDF](#)

[Create bibliography](#)

- 1 Banzibaganye, G.
(2014) *Investigation into the use of waste tyre shreds for reinforcement of sandy soils in South Africa*. Cited 6 times.
[1] Master's Thesis, University of Cape Town, South Africa

- 2 Ravichandran, PT, Prasad, AS, Krishnan, KD, Rajkumar, PRK.
Effect of Addition of Waste Tyre Crumb Rubber on Weak Soil Stabilisation
(2016) *Indian Journal of Science and Technology*, 9 (5), pp. 1-5. Cited 25
times.
[2]
-

- 3 Mohammed, B.S., Adamu, M., Shafiq, N.
A review on the effect of crumb rubber on the properties of
rubbercrete

(2017) *International Journal of Civil Engineering and Technology*, 8 (9), pp.
599-615. Cited 34 times.
www.iaeme.com/ijciet/index.asp
-

- 4 Al-Neami, M.A.
Stabilization of sandy soil using recycle waste tire chips

(2018) *International Journal of GEOMATE*, 15 (48), pp. 175-180. Cited 7
times.
[http://www.geomatejournal.com/sites/default/files/articles/175-180-180228-
Neami-Aug-2018-g1.pdf](http://www.geomatejournal.com/sites/default/files/articles/175-180-180228-Neami-Aug-2018-g1.pdf)
doi: 10.21660/2018.48.180228

View at Publisher
-

- 5 Hambirao, GS, Rakaraddi, DPG.
Soil Stabilization Using Waste Shredded Rubber Tyre Chips
(2014) *IOSR Journal of Mechanical and Civil Engineering*, 11 (1), pp. 20-
27. Cited 41 times.
[5]
-

- 6 Singh, S, Dhiman, U, Sharma, R.
Soil Stabilization using Scrap Rubber Tyre
(2017) *International Research Journal of Engineering and Technology*
(*IRJET*), 4 (5), pp. 3157-3161. Cited 4 times.
[6]
-

View PDF

- 7 Juliana, I., Fatin, A.R., Rozaini, R., Masyitah, M.N., Khairul, A.H., Nur
Shafieza, A.
Effectiveness of crumb rubber for subgrade soil stabilization

(2020) *IOP Conference Series: Materials Science and Engineering*, 849 (1), art.
no. 012029. Cited 4 times.
<https://iopscience.iop.org/journal/1757-899X>
doi: 10.1088/1757-899X/849/1/012029

View at Publisher
-

- 8 Zutting, DV, Naktode, PL.
Soil Stabilization by using Scrap Tire Rubber
(2020) *International Journal of Engineering Research and Technology*
(*IJERT*), 9 (6), pp. 1382-1388. Cited 2 times.
[8]
-

- 9 Kaur, MR, Singh, ED.
Tyre Rubber Powder as a Soil Stabilizer
(2019) *International Research Journal of Engineering and Technology (IRJET)*, 6 (6), pp. 1786-1791.
[9]
-
- 10 Tiwari, V, Modi, A, Diwan, P.
Soil stabilization using with waste crumb rubber tire
(2019) *Journal for Innovative Development in Pharmaceutical and Technical Science*, 5 (5), pp. 28-31. Cited 4 times.
[10]
-
- 11 Keerthi, CK, Doodala, S.
Stabilization of black cotton soil by using grounded rubber powder
(2018) *International Research Journal of Engineering and Technology (IRJET)*, 119 (17), pp. 311-322.
[11]
-
- 12 Prasad, AS, Ravichandran, PT, Annadurai, R, Rajkumar, PRK.
Study on Effect of Crumb Rubber on Behavior of Soil
(2014) *International Journal of Geomatics and Geosciences*, 4 (3), p. 579584. Cited 10 times.
[12]
-
- 13 Sarvade, PG, Shet, PR.
Geotechnical Properties of Problem Clay Stabilized with Crumb Rubber Powder
(2012) *Bonfring International Journal of Industrial Engineering and Management Science*, 2 (4), pp. 27-32. Cited 14 times.
[13]
-
- 14 Vasavi, BS, Prasad, DSV, Prasad, ACSV.
Stabilization of Expansive Soil Using Crumb Rubber Powder and Cement
(2016) *International Journal of Innovative Research in Technology (IJIRT)*, 2 (8), pp. 26-31. Cited 4 times.
[14]
-
- 15 Daud, N, Yusoff, Z, Muhammed, A.
Ground Improvement of Problematic Soft Soils Using Shredded Waste Tyre
(2015) *Jordanian International Civil Engineering Conference (JICEC06)*, 6, pp. 1-5. Cited 15 times.
[15]
-

- 16 Tasalloti, A., Chiaro, G., Murali, A., Banasiak, L.
Physical and mechanical properties of granulated rubber mixed with granular soils—a literature review
(2021) *Sustainability (Switzerland)*, 13 (8), art. no. 4309. Cited 26 times.
<https://www.mdpi.com/2071-1050/13/8/4309/pdf>
doi: 10.3390/su13084309

[View at Publisher](#)

- 17 Al-Bared, M.A.M., Marto, A., Latifi, N.
Utilization of Recycled Tiles and Tyres in Stabilization of Soils and Production of Construction Materials – A State-of-the-Art Review ([Open Access](#))

(2018) *KSCE Journal of Civil Engineering*, 22 (10), pp. 3860-3874. Cited 60 times.
<http://www.springer.com/engineering/journal/12205>
doi: 10.1007/s12205-018-1532-2

[View at Publisher](#)

👤 Kasim, N.; Civil Engineering Department, International Islamic University of Malaysia, PO Box 10, Kuala Lumpur, Malaysia; email:ayukasim@iium.edu.my
© Copyright 2022 Elsevier B.V., All rights reserved.

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

All content on this site: Copyright © 2024 Elsevier B.V. ↗, its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.



[View PDF](#)